

# Annexure-3

## 439 EC (8.1.2026), Item No.13

### File. No. 02-438/2025-PCI

Item No. 12 of 438 EC (12.12.2025) online (43 Inspection Reports)

Sr	Institution Name	Naming Series	Title	State Name	Type Of Request	Decision
1	The RK college of pharmacy	PCI-6731	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Uploded Documents Not Proper as per SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Library:- * No Of National Journals Available-Not Availalbe as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * Teaching Staff Not Available as per Norms, * Non Teaching Staff Not Available as per Norms, * 8-Staff Verified but 6-Staff without Smartcard and 2-Staff with Smartcard, * 6-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified with Smartcard, * 1-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * BOD Incubator-Not Available, * Patient Information , Leaflets/Cards-Not Available, * Dummy devices (eg. Inhalers)-Not Available, * Ball mill-Not Available, * Mechanical stirrer with speed regulator-Not Available, * Filtration assembly-Not Available, * Steam distillation still-Not Available, * Analgesiometer (Eddy's hot plate and radiant heat methods)-Not Available, * Digital Colorimeter-Not Available, * Magnetic Stirrers with Thermostat-Not Available, * Conical Percolator (glass/ copper/ stainless steel)-Not Available, * Bulk Density Apparatus-Not Available, * Aseptic Cabinet-Not Available, * Reflux flask and condenser single necked-Not Available, * Health information display-Not Available, * Hot plates-Not Available, * Sonicator-Not Available, * Magnetic stirrer, 500ml and 1 litter capacity with speed control-Not Available, * Autoclave-Not Available, * Computer with LCD-Not Available, * Computer-Not Available, * Potentiometer-Not Available, * Filtration assembly with Vacuum Pump-Not Available, * Box/area for expiry medicines,-Not Available, * Steam distillation still-Not Available, * Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Available, * Electric water bath unit-Not Available, * Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Available, * Lipstick moulds-Not Available, * Lucas Moist Chamber-Not Available, * Propeller type mechanical agitator-Not Available, * Distillation unit-Not Available, * Reflux flask and condenser single necked-Not Available, * Thieles Tube-Not Available, * Conductivity meter-Not Available, * Arsenic Limit Test Apparatus-Not Available, * Buchner Funnels (Medium)-Not Available, * Refrigerated Centrifuge-Not Available, * Paper Electrophoresis Unit-Not Available, * Analytical Balances for demonstration-Not Available, * Digital balance 10mg sensitivity-Not Available, * Convulsiometer-Not Available, * Homogenizer-Not Available, * Flame Photometer-Not Available, * Flourimeter-Not Available, * Magnetic stirrer, 500ml and 1 litter capacity with speed control-Not Available, * Micro Centrifuge-Not Available, * Reflux flask and condenser single necked-Not Available, * Refrigerated Centrifuge-Not Available, * Conductivity meter-Not Available, * Arsenic Limit Test Apparatus-Not Available, * Buchner Funnels (Medium)-Not Available, * Steam distillation still-Not Available, * Analgesiometer (Eddy's hot plate and radiant heat methods)-Not Available, * Aseptic Cabinet-Not Available. Check List:- * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, * Pharmacology Software-Not Available, * Triple Door Entering Setup For Aseptic Room-Not Available, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
2	YAJNAVALKY A COLLEGE OF PHARMACY	PCI-7513	438 EC	KARNATAKA	inspection completed	<p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Availalbe Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not Available, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Library:- * No Of National Journals Available-Not Availalbe as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * Teaching Staff Not Available as per Norms, * 2-Faculty Verified without Smartcard, * 14-Non Teaching Staff Verified without Smartcard, * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard, 5-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * 1-Lab Not Available as per Norms, * Machine Room Not Available, * Central Instrumentation Room Not Available. Equipments:- * Out of the list of 135 Equipments, 29- Equipments are Verified so the Equipments are Not Available as per Requirements. Others Verification:- * Is social pharmacy laboratories maintained as per new regulations-Not Available. Check List:- * Smart Classroom-Not Available, * Triple Door Entering Setup For Aseptic Room-Not Available, * Pharmacology Software-Not Available, * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

3	SHREE PHARMACY COLLEGE	PCI-8541	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * Principal Experience Details Not Available as per Norms, * 2-Faculty AJAY H (BH-P-25-54359), VINAY R K (BH-P-25-66043) Profile photo Not Available, Non Teaching Staff:- (8 Required): * 2-Non Teaching Staff Not Available as per Norms, * 6-Staff Verified without Smartcard, * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard, * 1-Lab Assistant Qualification is Not D.Pharmacy. Equipment:- * In Sufficient Equipments as per Norms, * Only One Equipments Verified on portal, * List of Equipments which are Not Available. Check List:- * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper, * Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Proper Documents, * Machine Are Not Fixed On Cemented Blocks * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Proper, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Proper Documents, * All Equipments Properly Displayed With SOP In Laboratories-Not Proper. Aebas:- Aebas Device Available but Not Proper as per PCI Regulation. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
4	Rajeev College of Pharmacy Plot No 1D Growth Center Bangalore - Mangalur By pass road Bommanayakana halli Hassan	PCI-4786	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Uploded Documents Not Proper as per SIF. Account Details:- * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR, * Is Computer Laboratories Available As Per Norms-Not Available. Teaching And Non Teaching Staff:- * 4-Faculty Mounashree U (BH-P-25-2218), DIVYA SHREE B (BH-P-25-82662), Nanditha B R (BH-P-25-57253), Chandana R (BH-P-25-97420) Experience Details Not Available, * Teaching Staff Not Available as per Norms, * Non Teaching Staff Not Available as per Norms, 3-Staff without Smartcard, * 6-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard, * 2-Lab Asst. Qualification is Not D.Pharmacy. Equipments:- * Lucas Moist Chamber-Not Available, * Levers, cannulae-Not Available, * Myographic Lever-Not Available, * Variety of catheters-Not Available, * In Sufficient Equipments as per Norms, * 73-Equipments Verified on portal so Equipments Not Available as per Requirements. Check List:- * Machine Are Not Fixed On Cemented Blocks * Triple Door Entering Setup For Aseptic Room-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
5	Lakeside College Of Pharmacy Bangalore	PCI-4279	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Uploded Documents Not Proper as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents,* Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. Library:- * Is Computer Laboratories Available As Per Norms-Not Available. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * Principal Experience Details Not Available as per Norms, * 2-Faculty YADAV RAJ (BH-P-25-127944), HASHINEE K (BH-P-25-130697) Profile photo Not Available, Non Teaching Staff:- (8 Required): * 2-Non Teaching Staff Not Available as per Norms, * 6-Staff Verified without Smartcard, * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard. Equipments:- * Drug Information books-Not Available, * Ampoule filling and sealing machine (Jet Bumer)-Not Available, * In Sufficient Equipments as per Norms, * 23-Equipments Verified on portal so the Equipments Not Available as per Requirements. Check List:- * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Proper Visible documents, * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Proper, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper, * Pharmacology Software-Not Available. Aebas:- Aebas Device Available but Not Proper as per PCI Regulation. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

6	SHREE KETAKI SANGAMESH WAR COLLEGE OF PHARMACY	PCI-8305	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Uploded Documents Not Proper as per SIF. Building Fire Safety Certificate : Not Availabale Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents,* Details Of Salary Disbursement-bank Transfer Details-Not poper view documents. Library:- * No Of National Journals Available-Not Avaialble as per IR, * No Of International Journals Available-Not Available as per IR, * Is Computer Laborartories Available As Per Norms-Not Available. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * Principal Experience Details Not Available as per Norms, * 3-Faculty Not Available as per Norms, Non Teaching Staff:- (8 Required): * 1-Non Teaching Staff Not Available as per Norms, * 7-Staff Verified without Smartcard, * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard. Infrastructure:- * Machine Room Not Available, * Central Instrumentation Room Not Available. Equipments:- * Analytical Balances for demonstration-Not Available, * In Sufficients Equipments as per Norms, * 56-Equipments Verified on portal so Equipments Not Available as per Requirements. Check List:- * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * Triple Door Entering Setup For Aseptic Room-Not Available, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, * All Equipments Properly Displayed With SOP In Laboratories-Not Proper, * Machine Are Fixed On Cemented Blocks-Not Proper. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
7	A A SIRASAGI DIPLOMA IN PHARMACY SIRASAGI ADARSH GROUP OF TRUST KALAKERI TQ SINDAGI DIST VIJAYAPUR	PCI-6604	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Availabale Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not Available. Library:- * No Of National Journals Available-Not Avaialble as per IR, * No Of International Journals Available-Not Available as per IR. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * Principal Experience Details Not Available as per Norms, * 1-Faculty MAHAMMADILIYAS BILAGI (BH-P-25-22885) Experience Details Not Available, * 4-Faculty Not Available as per Norms, Non Teaching Staff:- (8 Required): * 5-Non Teaching Staff Not Available as per Norms, * 3-Staff Verified but 2-Staff without Smartcard and 1-Staff with Smartcard, * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified with Smartcard. Infrastructure:- * Is Previously Any Institution Running In Same Building-Nott Available. Equipments:- * Ampoule filling and sealing machine (Jet Burner)-Not Available, * Friability test apparatus (Digital Single/Double unit)-Not Available, * In Sufficients Equipments as per Norms, * 7-Equipments Verified on portal so Equipments Not Available as per Norms. Others Verification:- * Is social pharmacy laboratories maintained as per new regulations-Not Available. Check List:- * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, * Triple Door Entering Setup For Aseptic Room-Not Available, * Bio Meteric Attendance System For Student-Not Available, * Availability Of Institute Website-Not Available, * Pharmacology Software-Not Available, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, * Instrument Numbering Register-Not Available, * Affidavit From Faculty, Lateral Entery And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, * Machine Are Fixed On Cemented Blocks-Not Proper, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * General Insaurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, * Bio Meteric Attendance System For Faculty-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

8	BHARATHI COLLEGE OF PHARMACY TUMAKURU	PCI-7917	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Not Available Documents as per SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * 2-Faculty Shrishail sullannavar (BH-P-25-130469), MOHAMMED S (BH-P-25-61425) Experience Details Not Available, * 2-Faculty Not Available as per Norms, 3-Faculty without Smartcard. Non Teaching Staff:- (8 Required): * 14-Non Teaching Staff Verified but 13-Staff without Smartcard and 1-Staff with Smartcard, * 2-Lab Technician Verified without Smartcard, * 5-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * Central Instrumentation Room Not Available. Equipments:- * Liquid Mixer-Not Available, * Analytical Balances for demonstration-Not Available, * Dummy devices (eg. Inhalers)-Not Available, * Digital Colorimeter-Not Available, * In Sufficient Equipments as per Norms, * Equipments Not Available as per Requirements. Check List:- * Triple Door Entering Setup For Aseptic Room-Not Available, * Stock Registers Of Laboratory Equipments , Chemicals &amp; Glass Ware-Not Proper, * Instrument Numbering Register-Not Available, * All Equipments Properly Displayed With SOP In Laboratories-Not Proper, * Machine Are Fixed On Cemented Blocks-Not Proper. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
9	Oxbridge College Of Pharmacy Mahadeshwaran agar Extension Herohalli Cross Magadi Main Road Vishwancedam Post Bangalore	PCI-1507	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Not Available Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty Miss Arundhati (BH-P-25-52646) Profile photo Not Available, * 8-Faculty SUJATHA GUDUMURU (BH-P-25-58614), MOHAMMED YOUNUS (BH-P-25-121940), shaik muskan (BH-P-25-53291), BURAGALA KAMBAGIRI SWAMY (BH-P-25-63540), Mohd Ahteshamuddin (BH-P-25-97418), THAVITI MANIKANTA (BH-P-25-68917), GEETA MOGER (BH-P-25-122698), Balam Suneetha (BH-P-25-52992) Experience Details Not Available, * 22-Non Teaching Staff Verified but 10-Staff with Smartcard and 12-Staff without Smartcard, * Lab Technician Not Available as per Norms, * 4-Lab Technician Verified without Smartcard, * 8-Lab Assistant Qualification is Not D.Pharmacy, * 3-Lab Technician Qualification Not Available. Infrastructure:- * Central Instrumentation room Not Available as per IR, * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * Dissolution apparatus (at least I.P standard type I &amp; type II)-Not Available, * Zone reader-Not Available, * BOD incubator-Not Available, * Arsenic Limit Test Apparatus-Not Available, * Vacuum Pump-Not Available, * Vacuum Filtration assembly-Not Available, * Nephelo Turbidity meter-Not Available, * Basic safety equipments ( Safety Goggles , aprons, gloves, footwears)-Not Available, * Water distillation unit-Not Available, * Sealing Machine-Not Available, * Basic safety equipments ( Safety Goggles , aprons, gloves, footwears)-Not Available, * Microwave Synthesizer-Not Available, * Vacuum Pump-Not Available, * Vacuum Filtration assembly-Not Available, * Incubator-Not Available, * Wall Mounted Water Distillation Unit-Not Available, * Convulsimeter-Not Available, * Magnetic stirrer-Not Available, * Display of name of owner-Not Available, * Refrigerator-Not Available, * Disintegration apparatus-Not Available, * Hardness tester Monsanto / Pfizer-Not Available, * Digital pH meter-Not Available, * Basic safety equipments ( Safety Goggles , aprons, gloves, footwears)-Not Available, * Ultrasonic bath sonicator-Not Available, * Magnetic stirrer with thermostat-Not Available, * Incubator water bath-Not Available, * Micropipette (one set of 5 pipette)-Not Available, * Digital pH meter-Not Available, * Heating mantle different capacity-Not Available, * Rotary vacuum Evaporator-Not Available, * Filtration equipment-Not Available, * Vacuum Filtration assembly-Not Available, * Water distillation unit-Not Available, * Watch Glass-Not Available, * Hot plate with thermostat-Not Available, * Hardness tester-Not Available, * Magnetic stirrer with thermostat-Not Available, * Basic safety equipments ( Safety Goggles , aprons, gloves, footwears)-Not Available, * TLC development chamber-Not Available, * Water bath six holes-Not Available, * Sintered glass funnel with complete filtering assemble-Not Available, * Bulk density apparatus-Not Available, * Oven-Not Available, * BOD incubator-Not Available, * Sonicator-Not Available, * Hot air oven (minimum 18"x18"x18" internal dimensions)-Not Available, * Friability apparatus-Not Available, * Micro Centrifuge-Not Available, * Autoclave sterilizer-Not Available, * Muffle furnace-Not Available, * Digital Melting point apparatus-Not Available, * Computer-Not Available, * High speed Centrifuge-Not Available, * Gel Electrophoresis (Vertical and Horizontal)-Not Available, * Sealing Machine-Not Available, * Lucas Moist Chamber-Not Available, * Rotary vacuum Evaporator-Not Available, * Microscope-Not Available. Others Verification:- * Is social pharmacy laboratories maintained as per new regulations-Not Available. Hospital (Pharm D):- Uploded Hospital photographs Not Proper as per IR. Check List:- * Machine Are Fixed On Cemented Blocks-Not Proper, * Instrument Numbering Register-Not Available, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

10	Shambasva University	PCI-7950	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Uploded Documents Not Proper as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Avaiable as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty SANGAMESH SHERIKAR . (BH-P-25-53165) Profile photo Not Available, * 4-Faculty SANGAMESH SHERIKAR . (BH-P-25-53165), NAGRAJ HUGAR (BH-P-25-39774), Ramesh Avute (BH-P-25-40328), (BH-P-25-11735) Experience Details not Available, * Non Teaching Staff Not Available as per Norms, * 10-Staff Verified but 9-Staff with Smartcard and 1-Staff without Smartcard, * 4-Lab Technician not Available as per Norms, * 4-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * Ion- Exchanger-Not Available, * Sherrington's Kymograph Machine / Polyrite-Not Available, * Convulsiometer-Not Available, * Flame Photometer-Not Available, * Muscle electrodes-Not Available, * Sherrington Drum-Not Available, * B.O.D.incubator-Not Available, * Zone reader-Not Available, * Digital pH meter-Not Available, * Licensed Software packages for Physiological &amp; Pharmacological experiment-Not Available, * Paper Electrophoresis Unit-Not Available, * Different Contraceptive Devices and Models-Not Available, * Digital pH meter-Not Available, * Models for various organs-Not Available, * Laminar air flow-Not Available, * In Sufficient Equipments as per Norms, * Equipments Not Available as per Requirements. Check List:- * Bio Meteric Attendance System For Student-Not Available, * Machine Are Fixed On Cemented Blocks-Not Proper, * Bio Meteric Attendance System For Faculty-Not Available, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
11	SUNRISE COLLEGE OF PHARMACY BIDAR	PCI-5311	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Library:- * No Of National Journals Available-Not Avaiable as per IR, * No Of International Journals Available-Not Available as per IR. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * 10-Faculty IMRAN KHAN (BH-P-25-116648), ABDUL GAFFAR (BH-P-25-116884), ABDUL GAFFAR (BH-P-25-116884), SYED ASIFUZZAMA (BH-P-25-116645), (BH-P-25-116659), SIDHARTH JANRAO (BH-P-25-116642), MOHAMMED MAZID (BH-P-25-116649), MD QUADRI (BH-P-25-112770), ABDUL KABEER (BH-P-25-116657), SHAIKH HUSEN (BH-P-25-116644) Experience Details Not Available, Non Teaching Staff:- (8 Required): * 10-Non Teaching Staff Verified without Smartcard, * 4-Lab Technician Verified without Smartcard. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * IR Thermometer-Not Avaiable, * Digital Balance (10 mg Sensitivity)-Not Available, * Vacuum Pump-Not Avaiable, * All-purpose equipment with all accessories-Not Available, * Analytical Balances for demonstration-Not Available, * Digital BP Instrument-Not Available, * Filtration assembly with Vacuum Pump-Not Available, * Autoclave-Not Available, * Pfizer type hardness tester-Not Available, * Thieles Tube-Not Available, * Wall Mounted Water Distillation Unit-Not Available, * Hot plates-Not Available, * Dummy Inhalers and Nebulizer-Not Available, * Pulse Oximeter-Not Available, * Refrigerator-Not Available, * Glucometer-Not Available, * Peak Flow meter-Not Avaiable, * ESR Apparatus (Westergren and Wintrobe)-Not Available, * Electric water bath unit-Not Avaiable, * Glucometer-Not Available, * Hot Plate-Not Avaiable, * Ampoule filling and sealing machine (Jet Burner)-Not Avaiable, * Digital Melting Point Apparatus-Not Available, * Thermostatic Water Bath-Not Avaiable, * Andreasen's Pipette-Not Available, * Surgical devices and Sutures-Not Avaiable, * Sintered glass filter with vacuum-Not Avaiable, * Licensed Software packages for Physiological &amp; Pharmacological experiment-Not Avaiable, * Digital Thermometer-Not Available, * Sphygmomanometers-Not Available, * Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Available, * Haemocytometer with Micropipettes-Not Available, * Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Available, * Capsule Counter-Not Available, * Mercury Thermometer-Not Available, * Monsanto's hardness tester-Not Avaiable, * Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Available, * Ointment slab-Not Available, * Pharmacotherapeutic charts for various diseases &amp; disorders-Not Avaiable, * Sahli's haemoglobinometers-Not Avaiable, * Viscometer Ostwald/Brookfield-Not Avaiable, * Nessler's Cylinders-Not Available, * Liquid Mixer-Not Available, * Bottle washing Machine-Not Available, * Different Contraceptive Devices and Models-Not Available, * Thieles Tube-Not Available, * Digital Colorimeter-Not Available, * Automated Single Station Tablet punching machine-Not Available, * Specimen for various organs and systems-Not Avaiable, * Micrometre slide Eyepiece-Not Available, * Liquid Filling Machine-Not Available, * Stadiometer-Not Avaiable, * IR Thermometer-Not Available, * In Sufficient Equipments as per Norms, * Equipments Not Avaiable as per Requirements. Check List:- * Bio Meteric Attendance System For Faculty-Not Avaiable, * Machine Are Fixed On Cemented Blocks-Not Proper, * All Equipments Properly Displayed With SOP In Laboratories-Not Proper, * Triple Door Entering Setup For Aseptic Room-Not Avaiable, * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Avaiable, * Pharmacology Software-Not Avaiable, * Bio Meteric Attendance System For Student-Not Avaiable, * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Proper. Aebas:- Aebas Device Available but Not Proper as per PCI Regulation. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
12	Dr Gurachar Nargund College Of Pharmacy Murdi Yelburga Tq Koppal Distt	PCI-542	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm,B.Pharm and M.Pharm Pharmacology</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Not Availabale Documents as per SIF. Account Details:- * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Teaching And Non Teaching Staff:- * 2-Faculty (BH-P-25-128799), (BH-P-25-113976) Experience Details Not Available, * 31-Non Teaching Staff Verified 20-Staff with Smartcard and 11-Staff without Smartcard, * Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard, * 5-Lab Assistant Qualification is Not D.Pharmacy. Equipments:- * Incubator water bath-Not Available, * Andreasen's Pipette-Not Available, * Colostomy bags-Not Available, * Liquid Filling Machine-Not Available, * Peak Flow meter-Not Available, * Colostomy bags-Not Available, * Rotarod (Rat and mice)-Not Available, * Orbital shaker incubator-Not Available, * Ampoule filling and sealing machine (Jet Burner)-Not Available, * Moisture balance-Not Available. Check List:- * Triple Door Entering Setup For Aseptic Room-Not Available, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper, * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, * Machine Are Not Fixed On Cemented Blocks. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

13	MANIK PRABHU COLLEGE OF PHARMACY	PCI-5402	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Available Documents as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not Available, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-N/A. Library:- * No Of International Journals Available-Not Available as per IR, * Is Computer Laboratories Available As Per Norms-Not Available. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * 8-Teaching Staff Not Available as per Norms, * 2-Faculty Details show on portal but 1-Absent and 1-Leave. Non Teaching Staff:- (8 Required): * 3-Non Teaching Staff Not Available as per Norms, * 5-Staff Verified without Smartcard, * 2-Lab Technician Not Available as per Norms, * 1-Lab Tech. Details show on portal but Absent. Infrastructure:- * 1-Lab Not Available as per Norms, * Machine Room Not Available, * Central Instrumentation Room Not Available. Equipments:- * Micrometre slide Stage-Not Available, * Capsule filling machine-Not Available, * IR Thermometer-Not Available, * Automated Single Station Tablet punching machine-Not Available, * Liquid Mixer-Not Available, * Menstrual hygiene products-Not Available, * In Sufficient Equipments as per Norms, * Equipments Not Available as per Requirements. Others Verification:- * Upload pharmacy laboratories four angle geo tag-Not Proper, * Is social pharmacy laboratories maintained as per new regulations-Not Proper. Check List:- * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper, * Bio Metric Attendance System For Student-Not Available, * Pharmacology Software-Not Available, * Availability Of Institute Website-Not Available, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, * Triple Door Entering Setup For Aseptic Room-Not Available, * Bio Metric Attendance System For Faculty-Not Available, * Machine Are Fixed On Cemented Blocks-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
14	Jyothishmathi Institute Of Pharmaceutical Science Ramakrishna Colony Karimnagar 505 481 Andhra Pradesh	PCI-1036	438 EC	TELANGANA	inspection completed	<p><b>B.Pharm,Pharm.D and PharmD(PB)</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR, * Is Computer Laboratories Available As Per Norms-Not Available. Teaching And Non Teaching Staff:- * 4-Faculty JEEDIPALLY BHARATH (BH-P-25-130409), PEDDALA RAMESH (BH-P-25-130426), KONDRA SWAPNA (BH-P-25-130411), KALLURI DIVYA (BH-P-25-130451) Experience Details Not Available, * 6-Faculty without Smartcard, * 20-Non Teaching Staff Verified but 1-Staff without Smartcard and 19-Staff with Smartcard, * Lab Technician Not Available as per Norms, * 4-Lab Technician Verified with Smartcard, * 14-Lab Asst. Qualification is Not D.Pharmacy. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
15	SAROJINI NAIDU VANITA PHARMACY MAHA VIDYALAYA (Co-Ed.)	PCI-1919	438 EC	TELANGANA	inspection completed	<p><b>B.Pharm,M.Pharm Pharmacology,M.Pharm Pharmaceutical Quality Assurance,M.Pharm Pharmaceutical Analysis,M.Pharm Regulatory Affairs,M.Pharm Pharmaceutics,Pharm.D,Pharm.D(PB)</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Uploaded Documents Not Proper as per SIF. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 8-Faculty Samreen Behum (BH-P-25-82632), HAARIKA BALUSU (BH-P-23-13361), Rohini s (BH-P-23-16025), (BH-P-23-13138), Hadiya Iram (BH-P-24-0174933134), Venu Talla (BH-P-23-20099), (BH-P-23-13630), Aakaram Sujala (BH-P-23-11207) Profile photo Not Available, * 2-Faculty Rojaramani N (BH-P-25-70240), SUNAYANA JONNALAGADDA (BH-P-25-13852) Experience Details Not Available, * 8-Faculty without Smartcard, * 43-Non Teaching Staff Verified but 41-Staff with Smartcard and 2-Staff without Smartcard, * Lab Technician Not Available as per Norms, * 1-Lab Technician Verified with Smartcard, * 12-Lab Assistant &amp; 5-Lab Technician Qualification is Not D.Pharmacy. Equipments:- * Out of the list of 247-Equipments, 142-Equipments are present but their QR is not verified on portal. Hospital (Pharm D):- Hospital photographs Not Available as per IR. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
16	Vijaya College of Pharmacy Munaganoor Hayathanagar Via Snghinagar R R Dist	PCI-2600	438 EC	TELANGANA	inspection completed	<p><b>B.Pharm,M.Pharm Pharmaceutical Analysis,M.Pharm Regulatory Affairs,M.Pharm Industrial Pharmacy,M.Pharm Pharmaceutics,Pharm.D,Pharm.D(PB)</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 3-Faculty KAVALI MADHURAVANI (BH-P-25-88296), PUCHALA YUGANDHAR REDDY (BH-P-25-88289), BANDARU CHANDANA (BH-P-25-130485) Experience Details Not Available, * 18-Non Teaching Staff Verified but 13-Staff without Smartcard and 5-Staff with Smartcard, * Lab Technician Not Available as per Norms, * 4-Lab Technician Verified without Smartcard, * 5-Lab Technician &amp; 1-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

17	Omega College Of Pharmacy Edulabad Village Ghatkesar Mandal Ranga Reddy Distt	PCI-1499	438 EC	TELANGANA	inspection completed	<p><b>D.Pharm,B.Pharm,M.Pharm Pharmacology,M.Pharm Pharmaceutical Chemistry,M.Pharm Pharmaceutical Quality Assurance,M.Pharm Pharmaceutical Analysis,M.Pharm Regulatory Affairs,M.Pharm Pharmaceutics,Pharm.D,Pharm.D(PB)</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 2-Faculty BODA GOPI (BH-P-25-98069), CHANDRA PRIYANKA BONTU (BH-P-23-5124550) Profile photo Not Available, * 3-Faculty without Smartcard, * 21-Non Teaching Staff Verified but 3-Staff without Smartcard and 18-Staff with Smartcard, * Lab Technician Not Available as per Norms, * 2-Lab Assistant &amp; 3-Lab Technician Qualification is Not D.Pharmacy. Infrastructure:- * Machine Room Not Available as per SIF. Equipments:- * Fluidized Bed Dryer and Coater-Not Available, * Cold storage cabinet (minimum 300 ltr)-Not Available, * Flash chromatography-Not Available, * Deep freezer (-200C)-Not Available, * Lyophilizer-Not Available, * Refrigerated centrifuge-Not Available, * Spray dryer-Not Available, * ICH Stability chamber with temperature &amp; humidity features-Not Available, * Binary High-performance liquid chromatography (HPLC) with UV detector (with at least 3KVA UPS backup)-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
18	SRI VENKATESWARA PHARMACY COLLEGE	PCI-5826	438 EC	ANDHRA PRADESH	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Teaching And Non Teaching Staff:- * 3-Faculty JANNIE REKHA (BH-P-25-114847), UPPUTHOLLA LAKSHMI DEVI (BH-P-23-8253), KAIPA VANAJA (BH-P-24-65509) Profile photo Not Available, * 12-Faculty Aruna Channama (BH-P-25-8702), Puletipalli Rafi (BH-P-25-119529), Gavvala Kumar (BH-P-24-745218849), Sagili Reddy (BH-P-25-119797), Asha Velloore (BH-P-25-24299), S SREE (BH-P-25-121003), JANNIE REKHA (BH-P-25-114847), Kanjeri Jeevana (BH-P-25-18739), NAGARJUNA V (BH-P-25-28829), Deepika Vasala (BH-P-25-23840), MOKKAPALLI LAHARI (BH-P-25-10676), YUVA RANI BATTE (BH-P-25-24833) Experience Details Not Available, * 26-Faculty Verified but 18-Faculty with Smartcard and 8-Faculty without Smartcard, * 19-Non Teaching Staff Verified but 14-Staff with Smartcard and 5-Staff without Smartcard, * 2-Lab Technician Not Available as per Norms, * 5-Lab Technician Verified but 2-with Smartcard and 3-without Smartcard, * 7-Lab Assistant Qualification is Not D.Pharmacy, * 4-Lab Technician Qualification Not Available. Equipments:- * Sterility testing unit-Not Available, * 5-Equipments Available but their QR Not Verified on portal. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
19	Vathsalya College Of Pharmacy Anantharam Post Bhongir Mdl Nalgonda Andhra Pradesh	PCI-2566	438 EC	TELANGANA	inspection completed	<p><b>D.Pharm,B.Pharm,M.Pharm Pharmaceutical Analysis,M.Pharm Pharmaceutics</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. uilding Completion Certificate: Uploded Documents Not Proper as per SIF. Building Fire Safety Certificate : Uploded Documents Not Proper as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Avaialble as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 4-Faculty KATTA SAIDULU (BH-P-25-128641), PALLIPOGU LATHA (BH-P-25-128692), MOHAMMAD AZARUDDIN (BH-P-25-129963), GONEPELLY ANUSHA (BH-P-25-128998) Experience Details not Available, * 4-Faculty without Smartcard, * 18-Non Teaching Staff Verified but 17-Staff without Smartcard and 1-Staff with Smartcard, * Lab Technician Not Available as per Norms, * 1-Lab Technician Verified with Smartcard, * 4-Lab Asst. Qualification is Not D.Pharmacy. Equipments:- * Rotarod (Rat and mice)-Not Available, * High shear homogenizer-Not Available, * UV-Vis Cabinet-Not Available, * Paper Electrophoresis Unit-Not Available, * Inventory Software for Retail Pharmacy-Not Available, * Digital pH meter-Not Availabe, * Digital pH meter-Not Available, * Water distillation unit-Not Available, * Electric water bath unit-Not Available, * Diagnostic kits to identify infectious I agents-Not Available, * UV spectrophotometer (double beam)-Not Available, * Hot air oven (minimum 18"x18"x18" internal dimensions)-Not Available, * HPTLC (Desirable)-Not Available, * Fermenters of different capacity (Desirable)-Not Available, * Biochemistry Analyzer (Desirable)-Not Available, * Soxhlet apparatus (different capacity)-Not Available, * Ultrasonic bath sonicator-Not Available, * Water distillation unit-Not Available, * Digital Balance (1mg sensitivity)-Not Available, * Digital balance (0.1 mg)-Not Available, * HPTLC-Not Available, * Organ bath assembly with aerator/kymograph-Not Available, * Digital Hot air oven (minimum 18"x18"x18" internal dimensions)-Not Available, * Digital balance (0.1 mg)q-Not Available, * UV-Vis Cabinet-Not Available, * Photomicrographic apparatus-Not Available, * Ultrasonic Probe sonicator-Not Available, * Fourier Transform Infra-Red Spectrometer (Desirable)-Not Available, * Steam distillation still-Not Available, * Lyophilizer-Not Available, * Muffle furnace-Not Available, * Flame Photometer-Not Available, * Deep Freezer (Desirable)-Not Available, * Carbon, Hydrogen, Nitrogen Analyzer (Desirable)-Not Available, * Colorimeter-Not Available, * Rotary microtome-Not Available, * UV spectrophotometer (double beam)-Not Available, * Sonicator-Not Available, * Franz diffusion cell apparatus (6 cell set)-Not Available, * Soxhlet apparatus (different capacity)-Not Available, * UV spectrophotometer (double beam)-Not Available, * TLC development chamber (different sizes)-Not Available. Check List:- * All Equipments Properly Displayed With SOP In Laboratories-Not Proper, * Triple Door Entering Setup For Aseptic Room-Not Available, * Machine Are Not Fixed On Cemented Blocks, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

20	K L E Society College Of Pharmacy J T College Campus Gadag	PCI-1056	438 EC	KARNATAKA	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Uploaded Documents Not Proper as per SIF. Building Fire Safety Certificate : Uploaded Documents Not Proper as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Library:- * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 4-Faculty SPANDANA KARADDI (BH-P-25-99137), Padmashree Mudholakar (BH-P-25-130457), MUSKAN KURTAKOTI (BH-P-25-99133), PREETI METI (BH-P-25-111887) Profile photo Not Available, * 13-Faculty PREETI METI (BH-P-25-111887), MALLIKARJUN WADER (BH-P-23-14891), Ravi Sondur (BH-P-23-11261), IRANNA GATIBYALI (BH-P-23-16133), Pradeep Mirje (BH-P-25-30840), RAMESH TELI (BH-P-23-16204), SHAHINKOUSAR AGASIMUNDIN (BH-P-23-17892), Padmashree Mudholakar (BH-P-25-130457), KIRAN SUTAR (BH-P-25-79753), Mahesh Hombal (BH-P-25-30575), BASAVARAJ VASTRAD (BH-P-23-11712), SHRIDHAR DAMAMI (BH-P-23-41397), SHIVALINGAPPA HASABI (BH-P-25-79705) Experience Details Not Available, * Non Teaching Staff Not Available as per Norms, * 8-Staff Verified but 5-Staff with Smartcard and 3-Staff without Smartcard, * 4-Lab Technician Not Available as per Norms, * 3-Lab Assistant &amp; 1-Lab Technician Qualification is Not D.Pharmacy. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * Micro Centrifuge-Not Available, * Precision Melting point Apparatus-Not Available, * Flame Photometer-Not Available, * Filtration assembly with Vacuum Pump-Not Available, * Atomic Absorption and Emission spectrophotometer (Desirable)-Not Available, * Paper Electrophoresis Unit-Not Available, * BOD Incubator-Not Available, * Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Available, * Precision Melting point Apparatus-Not Available, * Electric water bath unit-Not Available, * Automated Single Station Tablet punching machine-Not Available, * Tray dryer-Not Available, * Precision Melting point Apparatus-Not Available, * Desiccator*-Not Available, * Laminar airflow unit-Not Available, * Liquid Filling Machine-Not Available, * Brookfield's viscometer-Not Available, * All-purpose equipment with all accessories-Not Available, * some Equipments are Presents but their QR Not Verified on portal. Others Verification:- * Is social pharmacy laboratories maintained as per new regulations-Not Available. Check List:- * Bio Meteric Attendance System For Student-Not Available, * All Equipments Properly Displayed With SOP In Laboratories-Not Proper, * Instrument Numbering Register-Not Proper. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
21	VASAVI COLLEGE OF PHARMACY	PCI-5583	438 EC	ANDHRA PRADESH	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Statutory Documents Verification:- Not Available. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 20-Faculty SRAVANTHI SATTENAPALLI (BH-P-24-0016434305), SHAIK AFROZ (BH-P-25-114951), N REDDY (BH-P-25-116319), ESWARA V RAGHAVENDRA RAO YERRABOINA (BH-P-24-0817320303), NARAYANA REDDYK (BH-P-25-121370), ADINARAYANA VELPULA (BH-P-24-0126510029), M.LAKSHMI PRASANNA (BH-P-25-114676), MANTI ARUNA (BH-P-25-114671), SIVA D (BH-P-24-915458), NETTOORI MAHESH (BH-P-25-26866), (BH-P-24-0015708317), (BH-P-24-0666967217), VENKATA KESANAPALLI (BH-P-25-115103), SHAIK BASHA (BH-P-25-116335), SHAIK SALMA (BH-P-25-114687), J MAHA CHANDRA SEKHAR (BH-P-24-0188678326), SK REHANA (BH-P-25-114747), LAKSHMI PRASANNA KONIKI (BH-P-24-0544998238), Mr RAM (BH-P-25-115590), Bogineni Naidu (BH-P-25-119144) Profile photo Not Available, * 11-G F Nightingale (BH-P-25-18224), M.LAKSHMI PRASANNA (BH-P-25-114676), MANTI ARUNA (BH-P-25-114671), (BH-P-24-0666967217), VENKATA KESANAPALLI (BH-P-25-115103), SHAIK SALMA (BH-P-25-114687), SK REHANA (BH-P-25-114747), CH LAVANYA (BH-P-25-70252), CH SREENU (BH-P-25-63109), G Chinna Yellaiah (BH-P-25-20570), Mr RAM (BH-P-25-115590) Faculty Experience Details Not Available, * 37-Faculty Verified without Smartcard, * 12-Non Teaching Staff Verified without Smartcard, * 1-Lab Technician Not Available as per Norms, * 6-Lab Technician Verified without Smartcard, * 3-Lab Technician Qualification is Not D.Pharmacy, * 4-Lab Technician Qualification Not Available. Infrastructure:- * Machine Room Not Available. Equipment:- * In Sufficient Equipments as per Norms, * 75-Equipments Verified on portal, * List of Equipments which are Not Available. Check List:- * Bio Meteric Attendance System For Faculty-Not Available, * Bio Meteric Attendance System For Student-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
22	st.joseph college of pharmacy	PCI-8583	438 EC	ANDHRA PRADESH	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Available Documents as per SIF. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * 5-Faculty PEDAGARLA BABU (BH-P-25-64719), (BH-P-25-64312), VELPURI KUMAR (BH-P-25-64810), PEDAGARLA ARUNA (BH-P-25-65448), MANDAPATI KUMAR (BH-P-25-65391) Experience Details Not Available, Non Teaching Staff:- (8 Required): * 2-Non Teaching Staff Not Available as per Norms, * 6-Staff Verified without Smartcard, * 2-Lab Technician Verified without Smartcard, * 2-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * Central Instrumentation Room Not Available, * Is Previously Any Institution Running In Same Building-Not Proper Visible Documents. Equipment:- * In Sufficient Equipments as per Norms, * Only Two Equipments Verified on portal, * List of Equipments which are Not Available. Check List:- * Bio Meteric Attendance System For Student-Not Available, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year Not Proper Documents, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper, * Machine Are Fixed On Cemented Blocks-Not Proper, * Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Proper Documents, * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Proper, * Pharmacology Software-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

23	Rkp College Of Pharmacy	PCI-4354	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Statutory Documents Verification:- Not Available. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty SURESHA N (BH-P-25-95094) Profile photo Not Available, * 9-Faculty DHAMODHARA PRASAD V (BH-P-24-0703009358), DHAMODHARA PRASAD V (BH-P-24-0703009358), RAVIKELA WAHID (BH-P-25-46993), SARATHI S (BH-P-25-42203), K Ramnarayana (BH-P-25-60806), Jyothi N (BH-P-25-60854), Burra Chandrasekhar (BH-P-25-56059), VIDYA G (BH-P-25-6736), MUHAMMED NOURAZ AS ABDUL SAMED (BH-P-24-0483746553) Experience Details Not Available, * 8-Faculty without Smartcard , * Non Teaching Staff Not Available as per Norms, * 6-Staff Verified but 5-Staff without Smartcard and 1-Staff with Smartcard, * Lab Technician Not Available as per Norms, * 4-Lab Tech. Details show on portal but All are Leave. Infrastructure:- * Machine Room Not Available, * Central Instrumentation Room Not Available. Equipments:- * Dissection Tray and Boards-Not Available, * All-purpose equipment with all accessories-Not Available, * Liquid Filling Machine-Not Available, * Dissection Tray and Boards-Not Available, * Filtration assembly-Not Available, * Respinometer-Not Available, * Display windows, shelves-Not Available, * Sterility testing unit-Not Available, * Nessler's Cylinders-Not Available, * Diagnostic kits to identify infectious I agents-Not Available, * Incubator water bath-Not Available, * Diagnostic kits to identify infectious I agents-Not Available, * Conical Percolator (glass/ copper/ stainless steel)-Not Available, * Ion- Exchanger-Not Available, * Dummy Inhalers and Nebulizer-Not Available, * Orbital shaker incubator-Not Available, * Arsenic Limit Test Apparatus-Not Available, * Nephelo Turbidity meter-Not Available, * Ball mill-Not Available, * Nephelo Turbidity meter-Not Available, * Phase contrast/Trinocular Microscope-Not Available, * Brookfield's viscometer-Not Available, * Human Permanent Slides for various tissues-Not Available, * Mannequins for injection IV Arm-Not Available, * Respinometer-Not Available, * Buchner Funnels (Medium)-Not Available, * Sonicator-Not Available, * Homogenizer-Not Available, * Nessler's Cylinders-Not Available, * Folin-Wu tubes-Not Available, * Andreasen's Pipette-Not Available, * Sonicator-Not Available, * Peak Flow meter-Not Available, * Paper Electrophoresis Unit-Not Available, * Ion- Exchanger-Not Available, * Flame Photometer-Not Available, * Filtration assembly-Not Available, * Lucas Moist Chamber-Not Available, * Myographic Lever-Not Available, * Flame Photometer-Not Available, * Orbital shaker incubator-Not Available, * Collapsible tube - Filling and Sealing-Not Available, * Levers, cannulae-Not Available, * Incubator water bath-Not Available, * Water Testing Kit-Not Available, * Permanent slide set of plants and charts for Pharmacognosy Lab-Not Available, * Some equipments are shown twice or thrice, so the equipments are not as per requested, * In Sufficient Equipments as per Norms. Check List:- * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, * Machine Are Not Fixed On Cemented Blocks * Bio Meteric Attendance System For Student-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
24	THE KAAVERY PHARMACY COLLEGE	PCI-8366	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. Teaching And Non Teaching Staff:- * 10-Faculty DIVYA G (BH-P-24-0503744285), ABIRAMI R (BH-P-25-116055), KANTHAMANI A (BH-P-24-0507523119), KARTHIKEYAN A (BH-P-24-0435700012), RENUKA PRIYA (BH-P-25-130560), VENI E (BH-P-25-116036), Kaviya R (BH-P-25-78744), NANDHAKUMAR R (BH-P-24-1116400885), SANGEETHA R (BH-P-25-115831), R ASHWINI (BH-P-25-111909) Profile photo Not Available, * 6-Faculty RENUKA PRIYA (BH-P-25-130560), VENI E (BH-P-25-116036), Kaviya R (BH-P-25-78744), AMRITHA J (BH-P-24-0948490759), SANGEETHA R (BH-P-25-115831), R ASHWINI (BH-P-25-111909) Experience Details Not Available, * 33-Non Teaching Staff Verified but 26-Staff without Smartcard and 7-Staff with Smartcard, * 5-Lab Technician Not Available as per Norms, * 2-Lab Technician Verified without Smartcard, * 12-Lab Asst. Qualification is Not D.Pharmacy. Equipment:- * In Sufficient Equipments as per Norms, * 99-Equipments Verified on portal so Equipments Not Available as per Requirements. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027</p>
25	Erk College Of Pharmacy	PCI-2852	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 3-Faculty KAMILI CHANDANA (BH-P-25-120449), SELVAM S (BH-P-23-49422), KATHIRAVAN G (BH-P-23-49502) Profile photo Not Available, * 6-Faculty without Smartcard, * 25-Non Teaching Staff Verified without Smartcard, * 2-Lab Technician Not Available as per Norms, * 5-Lab Technician Verified without Smartcard, * 13-Lab Assistant &amp; 1-Lab Technician Qualification is Not D.Pharmacy. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * Lyophilizer (Desirable)-Not Available, * Deep Freezer (Desirable)-Not Available, * Biochemistry Analyzer (Desirable)-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027</p>

26	College of Pharmacy, Sri Venkateswaraa University	PCI-8623	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty PAVITHRA S (BH-P-23-25197) Profile photo Not Available, * 9-Faculty PRASANTH N (BH-P-25-130583), MOTHISHWARAN B. (BH-P-25-130520), RAKESH A (BH-P-25-130489), PAVITHRA S (BH-P-25-128819), SANTHIYAPRIYA G (BH-P-25-130516), Karthick Kannan (BH-P-25-11070), GOMATHI S (BH-P-25-130512), PRIYADHARSHINI V (BH-P-25-128790), Jawaharsamuvel R (BH-P-25-26142) Experience Details Not Available, * 3-Lab Technician Not Available as per Norms, * 4-Lab Technician Verified with Smartcard, * 5-Lab Assistant Qualification is Not D.Pharmacy. Equipments:- * Fermenters of different capacity (Desirable)-Not Available, * Ampoule filling and sealing machine (Jet Burner)-Not Available, * In Sufficient Equipments as per Norms, * Equipments Not Available as per Requirements. Check List:- * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
27	SIV COLLEGE OF PHARMACY	PCI-5477	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty JOICE MERLIN (BH-P-25-89431) Profile photo Not Available, * Teaching Staff Not Available as per Norms, * 5-Faculty Verified without Smartcard, * Non Teaching Staff Not Available as per Norms, * 1-Staff Verified without Smartcard, * 5-Lab Technician Not Available as per Norms, * 2-Lab Technician Verified without Smartcard, * Lab Tech. Qualification Not Available. Check List:- * Machine Are Not Fixed On Cemented Blocks, * Triple Door Entering Setup For Aseptic Room-Not Proper, * All Equipments Properly Displayed With SOP In Laboratories-Not Proper, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Proper. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
28	KANGHEYAM INSTITUTE OF PHARMACEUTICAL SCIENCES AND RESEARCH	PCI-8343	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. Teaching And Non Teaching Staff:- * 3-Faculty SANTHIYAKUMARI U (BH-P-25-95386), Dharani P (BH-P-25-95384), HARANI SUBRAMANI (BH-P-25-130501) Experience Details Not Available, * 5-Faculty without Smartcard, * Non Teaching Staff Not Available as per Norms, * 11-Staff Verified without Smartcard, * 1-Lab Technician Not Available as per Norms, * 6-Lab Technician Verified without Smartcard, * 2-Lab Assistant Qualification is Not D.Pharmacy, * 3-Lab Technician Qualification Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
29	Pgp College Of Pharmaceutical Science And Research Institute Karur Main Road Pgp Campus Namakkal	PCI-1566	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm,B.Pharm,M.Pharm Pharmaceutical Quality Assurance,M.Pharm Pharmaceutical Analysis,M.Pharm Pharmaceutics,Pharm.D</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents. brary:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 4-Faculty DEEPIKA A (BH-P-25-18483), DEEPIKA A (BH-P-25-18483), DEEPIKA A (BH-P-25-18483), LAVANYA SUBRAMANIAN (BH-P-24-1273818717) Profile photo Not Available, * 3-Faculty HINTHUJA M (BH-P-25-18765), NIVETHA S (BH-P-25-18916), RAJESH RASAPPAN (BH-P-25-66027) Experience Details Not Available, * Non Teaching Staff Not Available as per Norms, * 12-Staff Verified but 9-Staff without Smartcard and 3-Staff SHARMILA G, MANIKANDAN S, VETRIKANNAN R wrong photo uplod on portal, * Lab Technician Not Available as per Norms, * 1-Lab Technician Verified with Smartcard, * 6-Lab Assistant Qualification is Not D.Pharmacy. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipment:- * In Sufficient Equipments as per Norms, * 55-Equipments Verified on portal, * List of Equipments which are Not Available. Check List:- * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * Herbal Garden-Not Proper. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

30	PANNAI MARIMUTHU COLLEGE OF PHARMACY	PCI-8582	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Uploded Documents Not Proper as per SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents. Teaching And Non Teaching Staff:- * 14-Faculty VIJAY M (BH-P-24-1108242821), PAVADAI PRIYAN (BH-P-23-40330), MADHYAARJUN R (BH-P-25-33052), NITHISH R (BH-P-25-124043), MUTHULAKSHMI S (BH-P-25-124509), RAGUMATHI M (BH-P-23-5382226), UMASANKAR M (BH-P-25-124046), PRATHITHA S (BH-P-25-57913), KARTHICK RAJAN N (BH-P-24-001502), (BH-P-25-124689), RAMKUMAR R (BH-P-25-124239), LAVANYA S (BH-P-23-5846), SELVI K (BH-P-25-81918), (BH-P-25-124124) Profile photo Not Available, * 2-Faculty MADHYAARJUN R (BH-P-25-33052), PRATHITHA S (BH-P-25-57913) Experience Details Not Available, * 4-Faculty without Smartcard and 1-Faculty JESUPILLAI M (BH-P-25-30650) wrong photo uploded on portal, * 31-Non Teaching Staff Verified but 25-Staff with Smartcard and 6-Staff without Smartcard, * 3-Lab Technician Not Available as per Norms, * 4-Lab Technician Verified with Smartcard, * 6-Lab Assistant Qualification is Not D.Pharmacy. Equipments:- * Ion- Exchanger-Not Available, * Respinometer-Not Available, * Clavengers apparatus-Not Available, * ESR Apparatus (Westergren and Wintrobe)-Not Available, * Muscle electrodes-Not Available, * Stimulator-Not Available, * Flourimeter-Not Available, * Gel Electrophoresis (Vertical and Horizontal)-Not Available, * HPLC-Not Available, * Pole Climbing apparatus-Not Available, * Stadiometer-Not Available, * Paper Electrophoresis Unit-Not Available, * Micrometre slide Stage-Not Available, * Rheometer-Not Available, * Thieles Tube-Not Available, * Clavengers apparatus-Not Available, * Conductivity meter-Not Available, * Moisture balance-Not Available, * Myographic Lever-Not Available, * Colony counter-Not Available, * Diagnostic kits to identify infectious I agents-Not Available, * Dissection Tray and Boards-Not Available, * Biochemistry Analyzer (Desirable)-Not Available. Check List:- * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
31	L.N COLLEGE OF PHARMACY	PCI-7500	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Statutory Documents Verification:- Not Available. Bank Details:- Bank Details Not Available as per IR and SIF. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 8-Faculty (BH-P-25-114665), DHIVYABHARATHI P (BH-P-23-39758), M VENMANI (BH-P-25-114804), DEEPIKA C (BH-P-24-66590), CHANDRU S (BH-P-25-11922), ANAND DURAI (BH-P-24-1038253987), K NITHYASRI (BH-P-25-118235), (BH-P-25-118354) Profile photo Not Available, * 5-Faculty (BH-P-25-114665), CHANDRU S (BH-P-25-11922), MANIVEL T (BH-P-25-82281), Prakasah M (BH-P-25-2637), PAVITHRA V (BH-P-25-82280) Experience Details Not Available, * Faculty MADESH M (BH-P-25-51961) wrong photo uploded on portal, * 20-Non Teaching Staff Verified without Smartcard, * 6-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified without Smartcard, * 5-Lab Assistant Qualification is Not D.Pharmacy. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
32	BETHLAHEM COLLEGE OF PHARMACEUTICAL SCIENCES	PCI-8518	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 8-Faculty GNANA JEBASLIN G (BH-P-25-10531), Shamlin Ashwini (BH-P-25-110635), KEERTHANA M (BH-P-25-82657), KARTHICK S (BH-P-25-10209), Surya Vijay P (BH-P-25-3183), (BH-P-25-114838), Banu Kumar S (BH-P-25-4823), Prabu P (BH-P-25-122235) Experience Details Not Available, * 27-Non Teaching Staff Verified but 23-Staff without Smartcard and 4-Staff with Smartcard, * 3-Lab Technician Not Available as per Norms, * 4-Lab Technician Verified but 2-with Smartcard and 2-without Smartcard, * 3-Lab Assistant &amp; 1-Lab Technician Qualification is Not D.Pharmacy, * Lab Technician Qualification Not Available. Check List:- * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Proper Visible Documents, * Machine Are Not Fixed On Cemented Blocks, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
33	Karpagam College Of Pharmacy Othakkaimandapam Coimbatore Tamil Nadu	PCI-1106	438 EC	TAMIL NADU	inspection completed	<p><b>B.Pharm,M.Pharm Pharmacology,M.Pharm Pharmaceutical Analysis,M.Pharm Pharmaceutics,Pharm.D,Pharm.D(PB)</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents,* Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 2-Faculty SUBITCHA G (BH-P-25-130558), (BH-P-25-4531) Profile photo Not Available, * 9-Faculty SIVASAKTHI R (BH-P-23-23999), SABARINATHAN A (BH-P-25-18620), SUBITCHA G (BH-P-25-130558), BALAJI R (BH-P-25-71246), NANDHINI DEVI M (BH-P-25-71241), Manikandan V (BH-P-25-60476), POOJAA SHRI N (BH-P-25-78591), Gilas G (BH-P-25-130564), (BH-P-25-4531) Experience Details Not Available, * Teaching Staff Not Available as per Norms, * 7-Faculty without Smartcard. Non Teaching Staff Verification as per IR:- Not Available but * 26-Non Teaching Staff Details Verified on SIF, * 7-Lab Assistant &amp; 7-Lab Technician Qualification is Not D.Pharmacy. Lab Technician Verification as per IR:- Not Available but * 3-Lab Technician Details Verified on SIF so Lab Technician Not Available as per Norms. Infrastructure Verification:- Not Available. Equipment Verification:- Not Available. Others Verification:- Not Available. Hospital Verification:- Not Available. Inspector Check List Verification:- Not Available. AEBAS Verification:- Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

34	st peters pharmacy college and Research Institute	PCI-5805	438 EC	TAMIL NADU	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Available Documents as per SIF. Account Details:- * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents,* Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 5-Faculty MOHANA S (BH-P-25-124001), SHUBHA D B (BH-P-23-37245), ANANTHAN M (BH-P-25-15405), VENKATACHALAM M (BH-P-25-17661), D.C.PREM ANAND (BH-P-23-14538) Profile photo Not Available, * 1-Faculty D.C.PREM ANAND (BH-P-23-14538) Experience Details Not Available, * Faculty YASIN KAPIL (BH-P-25-0576) wrong photo uplod on portal, * Non Teaching Staff Not Available as per Norms, * 6-Staff Verified but 5-Staff without Smartcard and 1-Staff with Smartcard, * 4-Lab Technician Not Available as per Norms, * 3-Lab Technician Verified but 2-without Smartcard and 1-with Smartcard, * 2-Lab Technician Qualification Not Available. Infrastructure:- * Is Previously Any Institution Running In Same Building-Not Available. Equipments:- * Moisture balance-Not Available, * Vacuum pump-Not Available, * ESR Apparatus (Westergren and Wintrobe)-Not Available, * Propeller type mechanical agitator-Not Available, * Paper Electrophoresis Unit-Not Available, * Sterility testing unit-Not Available, * Lucas Moist Chamber-Not Available, * Tray dryer-Not Available, * Sonicator-Not Available, * Rheometer-Not Available, * Incubator water bath-Not Available, * Phase contrast/Trinocular Microscope-Not Available, * Ion- Exchanger-Not Available. Others Verification:- * Is social pharmacy laboratories maintained as per new regulations-Not Available. Check List:- * Machine Are Not Fixed On Cemented Blocks, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Uploaded Documents Not Proper, * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Uploaded Documents Not Proper. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
35	Moulana College Of Pharmacy Near Railway Station Angadippyram P O Perinthalmanna	PCI-1394	438 EC	KERALA	inspection completed	<p><b>D.Pharm,B.Pharm,M.Pharm Pharmaceutics,Pharm.D,Pharm.D(PB)</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Fire Safety Certificate : Not Available Documents as per SIF. Account Details:- * Details Of Salary Disbursement-bank Transfer Details-Not proper Documents, * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty KEERTHI R (BH-P-25-62663) Profile photo Not Available, * 3-Faculty C P PRASEETHA (BH-P-24-0976792743), RINSA A (BH-P-24-1388679139), (BH-P-24-0044912598) Experience Details Not Available, 7-Faculty without Smartcard * 22-Non Teaching Staff Verified but 14-Staff with Smartcard and 8-Staff without Smartcard, * Lab Technician Not Available as per Norms, * 5-Lab Technician Verified with Smartcard, * 7-Lab Assistant &amp; 4-Lab Technician Qualification is Not D.Pharmacy. Equipments:- * Spray dryer-Not Available. Hospital (Pharm D):- Hospital photographs Not Available as per IR. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
36	Dr Moopen's College of Pharmacy	PCI-533	438 EC	KERALA	inspection completed	<p><b>D.Pharm,B.Pharm,M.Pharm Pharmacy Practice,M.Pharm Pharmaceutics,Pharm.D</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents. Teaching And Non Teaching Staff:- * 6-Faculty ANANDU SATHEESH (BH-P-25-130494), PRIJIN P (BH-P-25-118586), NEETHU R (BH-P-25-110088), DURGHA SURESH (BH-P-25-129613), ANAGHA P (BH-P-25-9817), ATHIRA H (BH-P-25-108788) Experience Details Not Available, 23-Faculty without Smartcard, * 7-Non Teaching Staff without Smartcard, * Lab Technician Not Available as per Norms, * 17-Lab Assistant Qualification is Not D.Pharmacy. Equipments:- * Atomic Absorption and Emission spectrophotometer (Desirable)-Not Available, * HPTLC (Desirable)-Not Available, * Deep Freezer (Desirable)-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
37	St John'S College Of Pharmaceutical Sciences & Research Idukki Kerala	PCI-2396	438 EC	KERALA	inspection completed	<p><b>D.Pharm and B.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Uploved Documents Not Proper as per SIF. Building Fire Safety Certificate : Uploved Documents Not Proper as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- 4-Faculty without Smartcard, * 24-Non Teaching Staff Verified but 16-Staff without Smartcard and 8-Staff with Smartcard, * 2-Lab Technician Not Available as per Norms, * 5-Lab Technician Verified but 1-with Smartcard and 4-without Smartcard, * 12-Lab Assistant Qualification is Not D.Pharmacy. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>

38	Mgm Silver Jubilee College Of Pharmaceutical Sciences And Research	PCI-3989	438 EC	KERALA	inspection completed	<b>D.Pharm and B.Pharm</b> The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Available Documents as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty SWAPNA Raveendran (BH-P-25-59227) Profile photo Not Available, * 2-Faculty DEVIKA ABHILASH (BH-P-25-130352), Deepika N P (BH-P-25-95273) Experience Details Not Available, 6-Faculty without Smartcard, * 5- Not Teaching Staff without Smartcard, * 5-Lab Technician Not Available as per Norms, * 2-Lab Technician Verified without Smartcard, * 7-Lab Assistant & 2-Lab Technician Qualification is Not D.Pharmacy, * 1-Lab Tech. Qualification Not Available. Infrastructure:- * Machine Room Not Available. Check List:- * Machine Are Not Fixed On Cemented Blocks, * General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Proper visible Documents. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.
39	K T N College Of Pharmacy Chalavara Po Ottapalam Via Distt Palakkad Kerala	PCI-1072	438 EC	KERALA	inspection completed	<b>D.Pharm,B.Pharm,M.Pharm Pharmaceutical Chemistry,Pharm.D</b> The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Account Details:- * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Government-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not proper view documents,* Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 9-Faculty SHIFA K (BH-P-24-1807339347), SHAHLA IQBAL (BH-P-25-115265), KIRANMARY PAUL (BH-P-24-0861384777), RISHANA K (BH-P-23-45842), S RAJKUMAR (BH-P-24-0540511698), Alida Monica (BH-P-25-122804), Rajarajan S (BH-P-23-16297), AISHWARYA PILLAI (BH-P-24-63364), Riya K (BH-P-23-36969) Profile photo Not Available, * 9-Faculty Megha H (BH-P-25-0184), JISHA U (BH-P-24-0193074431), MARVA ASHRAF (BH-P-25-0420), SHIFA K (BH-P-24-1807339347), KIRANMARY PAUL (BH-P-24-0861384777), ATHIRA DAS (BH-P-24-0271853215), Alida Monica (BH-P-25-122804), RESHMI K (BH-P-25-9695), Nisha Joy (BH-P-24-0163547137) Experience Details Not Available, * 46-Non Teaching Staff Verified but 39-Staff with Smartcard and 7-Staff without Smartcard, * Lab Technician Not Available as per Norms, * 9-Lab Assistant Qualification is Not D.Pharmacy, 3-Lab Technician Qualification Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.
40	Jkk Munirajah Institute Of Health Sciences College Of Pharmacy T N Palayam Gobi Taluk Erode	PCI-1019	438 EC	TAMIL NADU	inspection completed	<b>D.Pharm,B.Pharm,M.Pharm Pharmaceutical Chemistry,M.Pharm Pharmaceutics,Pharm.D</b> The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 6-Faculty SATHISH PALANISAMY (BH-P-25-42359), SURYAPRASANTH V (BH-P-25-61470), KARUNAKARAN K (BH-P-25-82364), KIRUTHIKA V (BH-P-25-88369), SATHISHKUMAR B (BH-P-25-130630), SONA R (BH-P-25-111227) Experience Details Not Available, 2-Faculty without Smartcard * 23-Non Teaching Staff Verified but 19-Staff without Smartcard and 4-Staff with Smartcard, * Lab Technician Not Available as per Norms, * 5-Lab Technician Verified without Smartcard, * 5-Lab Assistant Qualification is Not D.Pharmacy. Equipments:- * Out of the list of 271 Equipments, 53-Equipments are present but their QR is not verified on portal. Hospital (Pharm D):- Hospital photographs Not Available as per IR. Check List:- * Bio Meteric Attendance System For Student-Not Available, * Machine Are Not Fixed On Cemented Blocks. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.
41	HIPER PULWAMA	PCI-5241	438 EC	JAMMU AND KASHMIR	inspection completed	<b>D.Pharm</b> The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not proper view documents, * Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * 3-Faculty IRFAN LONE (BH-P-25-95489), Mohammad Malik (BH-P-25-115674), Tanzeel Lone (BH-P-24-482721) Experience Details Not Available, Non Teaching Staff:- (8 Required): 4-Staff without Smartcard, * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Qualification is Not D.Pharmacy. Infrastructure:- * Is Municipality Registration Office Available-Not Available, * Central Instrumentation Room Not Available. Equipments:- * Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Available, * Stop watch-Not Available, * Wall Mounted Water Distillation Unit-Not Available, * Bill book (dummy) Computer stationary for bill printing-Not Available, * Pfizer type hardness tester-Not Available, * Ampoule filling and sealing machine (Jet Bumer)-Not Available, * Projection microscope-Not Available, * Autoclave-Not Available, * Capsule filling machine-Not Available, * Collapsible tube - Filling and Sealing-Not Available, * All-purpose equipment with all accessories-Not Available, * Vacuum Pump-Not Available, * Ampoule washing machine-Not Available, * Andreasen's Pipette-Not Available, * Automated Single Station Tablet punching machine-Not Available, * Permanent slide set of plants and charts for Pharmacognosy Lab-Not Available, * Liquid Mixer-Not Available, * Distillation Unit-Not Available, * Ointment filling machine-Not Available, * Clarity test apparatus-Not Available, * Liquid Filling Machine-Not Available, * Collapsible tube - Filling and Sealing-Not Available, * Colostomy bags-Not Available, * Digital balance 10mg sensitivity-Not Available, * Permanent slide of different microbes-Not Available, * Various devices for screening services (B.P. monitor, glucometer etc)-Not Available, * Sintered glass filter with vacuum-Not Available, * Bottle washing Machine-Not Available, * Thieles Tube-Not Available, * Micrometre slide Stage-Not Available, * Filtration assembly with Vacuum Pump-Not Available, * Bottle Sealing Machine-Not Available, * Sieve shaker with sieve set-Not Available, * Digital Colorimeter-Not Available, * Capsule Counter- Not Available. Check List:- * Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Proper, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Proper Documents, * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * Machine Are Fixed On Cemented Blocks-Not Available, * CCTV Available-Not Available, * Availability Of Institute Website-Not Available, * Herbal Garden-Not Available, * Triple Door Entering Setup For Aseptic Room-Not Available, * Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Proper. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.

42	Amity Institute Of Pharmacy Amity University Amity Education Valley Village Gwalior Panchgaon Near Manesar Distt Gurgaon	PCI-85	438 EC	HARYANA	inspection completed	<p><b>B.Pharm,M.Pharm Pharmaceutical Chemistry &amp; M.Pharm Pharmaceutics</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Building Completion Certificate: Not Available Documents as per SIF. Building Fire Safety Certificate : Not Available Documents as per SIF. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not proper view documents. Library:- * No Of National Journals Available-Not Available as per IR, * No Of International Journals Available-Not Available as per IR. Teaching And Non Teaching Staff:- * 1-Faculty Gulshan Kumar (BH-P-24-0299666186) Experience Details Not Available, * Non Teaching Staff Not Available as per Norms, * Lab Technician Not Available as per Norms, * 3-Lab Technician Verified with Smartcard, * 13-Lab Assistant Qualification is Not D.Pharmacy as per SIF. Infrastructure:- * Is Municipality Registration Office Available-Not Available. Aebas:- Aebas Details Not Available as per IR and SIF. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>
43	S.R. PHARMACY COLLEGE	PCI-10470	438 EC	CHHATTISGARH	inspection completed	<p><b>D.Pharm</b></p> <p>The latest information including SIF and Inspection Report were placed. Following deficiencies are pointed out. Account Details:- * Salary Acquaintance Register Of Staff(teaching &amp; Non-teaching)-Not proper view documents, * Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit &amp; Loss Account Of The College)-Not proper view documents, * Pay Scale , Teaching Or Non-teaching As Per UGC or Central/State Governm-Not Available, * Details Of Salary Disbursement-bank Transfer Details-Not proper view documents. Teaching Staff: (8 Faculty required) (1 principal + 7 teachers) * Principal Experience Details Not Available as per Norms, * 1-Faculty NEELAM CHANDRAKAR (BH-P-25-115199) Profile photo Not Available, * 6-Faculty ARCHISH INDURKAR (BH-P-25-58168), REENA VERMA (BH-P-25-65251), KHILENDRA DHANKAR (BH-P-25-115303), (BH-P-25-115246), NEELAM CHANDRAKAR (BH-P-25-115199), (BH-P-25-115439) Experience Details Not Available, Non Teaching Staff:- (8 Required): * 1-Lab Technician Not Available as per Norms, * 1-Lab Technician Verified with Smartcard. Infrastructure:- * 1-Lab Not Available as per Norms, * Is Previously Any Institution Running In Same Building-Not Available, * Is Municipality Registration Office Available-Not Available. Equipments:- * Various name plates indicating different parts of Pharmacy,-Not Available, * Inventory Software for Retail Pharmacy-Not Available, * Lock and key arrangement for Schedule X and NDPS medicines,-Not Available, * Display of name of owner-Not Available. Check List:- * THE EXAMINING AUTHORITY U/S 12(2) OF THE PHARMACY ACT-Not Available, * Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available. In view of above, It decided to submit compliance on portal within seven days, failing which application will be automatically rejected for academic session 2026-2027.</p>