

Recommendations of 02.419thExecutive Committee (EC) meeting of the Council held on 16th October, 2024 by Online for 120/CC scheduled to be held on 31st May and 1st June, 2025 at Maharashtra.

AGENDA ITEMS

02.419.001: Consideration of Inspection Report dated 04.10.2024 regarding Affiliation of D.Pharm and B.Pharm Course conducted at School of Pharmacy, Sikkim Alpine University, MamleyKamrang GPU, Near Church Panchayat Namchi, Village, Namchi Post office, Namchi-727126 (Sikkim).

File No. PCI-5961/2022

- 1.1 The latest information on record was placed and considered.
- 1.2 The EC noted inspector's remarks as under-

"We both visited the institute as per order where Govt building and campus is shared with NCC department of Law Sciences The building has a common library for all courses including pharmacy The university claims to have Pharmacy labs in Girls hostel converted premises which aprox 50 mtr but they showed inability to open any lab and show equipments saying the Principal has taken keys with him School has no class rooms to show We declare that college dont have required infrastructure and faculty."

- 1.3 In view of above, it was decided to seek compliance of the deficiencies pointed out in the inspection report within 7 days.
- 1.4 It was further decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.002: Consideration of Surprise Inspection Report dated 20th& 21st September, 2024 regarding Affiliation of D.Pharm and B.Pharm Course Conducted at Department of Pharmacy, William Carey University, Village Lumkdait, G.S. Road Village Lumkdait, RI Bhoi (Meghalaya).

File No. PCI-5266/2021

2.1 The latest information on record was placed and considered.

2.2 EC noted inspector's remarks as under -

- | |
|---|
| <ul style="list-style-type: none">a. Salary acquaintance register was not properly maintained.b. Latest Indian Pharmacopoeia is to be procured.c. Arrangement of Instruments machine room, cleaning of labs, was not maintained properly during Inspection.d. FT-IR, flame photometer was not available. |
|---|

2.3 In view of above, it was decided to seek compliance of the deficiencies pointed out in the inspection report within 7 days.

2.4 It was further decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.003: Consideration of Appeal dt.5.9.2024 from Agnihotri College Of Pharmacy Agnihotri College Campus Bapuji Wadi Sindi Meghe Wardha regarding the restoration of the intake for the M.Pharm Pharmacology program for academic session 2024-2025.

PCI-55/2019

3.1 The latest information on record was placed and considered.

3.2 EC noted that institution doesn't have requisite teaching staff for M.Pharm (Pharmacology) as per prescribed M.Pharm Regulations.

3.3 In view of above, it was decided not to consider appeal regarding restoration of M. Pharm (Pharmacology) seats

3.4 It was further decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.004: Consideration of joint inspection reports and status of joint inspection of PCI and BTE in Uttar Pradesh institutions.

File No. 17-137/2024 Lead file UP

- 4.1 The latest information on record including present status of joint inspection of PCI and BTE was placed and considered.
- 4.2 It was noted that -
- a) 79 institutions have not applied to PCI during 2024-2025 academic session.
 - b) 12 institutions are not found in PCI record.
 - c) some inspections are pending due to want of panel.
 - d) 370 inspection reports received.
 - e) some BTE inspectors did not join the joint inspection with PCI.
 - f) in the year 2024-2025 academic session Secretary BTE has forwarded a list of 1098 institutions for joint inspection with PCI, out of which 427 institutions had already filed court case against BTE in the year 2023-2024.
- 4.3 In view of above, EC decided as under -
- a) inform to BTE where institutions have not applied to PCI for 2024-2025 academic session.
 - b) institutions not found in PCI record be also inform to BTE.
 - c) in some institutions BTE inspectors not joined the PCI inspectors hence inspection was carried by PCI inspectors only.
- 4.4 The inspection report already reflected on EC portal. EC will give decisions through portal.
- 4.5 It was also decided to forward the list of 427 institutions to all EC members which had filed court case against BTE.
- 4.6 It was further decided to take action in anticipation of approval of the minutes from Hon'ble President.

02.419.005: Ratification of action taken letter dt. 8.10.2024 by Council in r/o Extension of approval of D.Pharm and B.Pharm course conducted at ABSS Institute of Technology, UP for running pharmacy courses on false and fabricated documents since 2019-reg.

File No. PCI-3521/2024

- 5.1 The latest information on record including complaint received from Shri Dhananjay Vats was placed and considered.
- 5.2 It was decided to ratify the action taken by Council in conveying the decision letter dt.8.10.2024 with the approval of competent authority to institution.

02.419.006: Consideration of Order dt.01.10.2021 in W.P. No. 1981 of 2021 and Order dt. 04.10.2024 in CLCON 79 of 2022 passed by Hon'ble High Court of Uttarkhand, Nainital in the matter of Kukreja Institute of Pharmacy vs. PCI.

(File No. PCI-5216/2021)

6.1 The latest information on record was placed and considered.

6.2 It was noted that -

- a) Kukreja Institute of Pharmacy was approved conditionally to conduct the course for 1st year for 2017-2018 for D. Pharm and B. Pharm subject to appointment of Principal and teaching staff and submission of Staff Declaration Form (SDF) for the same. However, the institution had failed to submit full compliance (appointment of Principal, teaching staff, equipment, labs. etc.) with documentary evidence and therefore the approval is deemed to be withdrawn in view of conditional approval granted by the PCI.
- b) Also, the institution had also failed to submit the Standard Inspection Form (SIF-C) in 2018-2019, 2019-2020 and 2020-2021 with the requisite statutory documents.
- c) The 111th CC has decided that:
“there is a break in the approval in terms of no admissions, such institutions be considered as new institutions covered under Council’s moratorium and not to consider for approval.”

A copy of the decision is annexed as **Annexure-1**.

d) Thereafter, the 112th C.C. held on 10.06.2021 has decided as under:

Item.No.	Institute Name/ ID	112 CC (10.6.2021) Decision
438 UK-56 / 2021- 2022	Kukreja Institute of Pharmacy Ajabpur Khurd Mata mandir Road Dharampur Chowk Dehradun PCI-5216 D. Pharm & B. Pharm Course	<p>1. It was noted that –</p> <ol style="list-style-type: none"> a) Institution was approved for 2017-2018 academic session for conduct of 1st year D. Pharm and B. Pharm course subject to submission of statutory documents which it failed to submit. It also failed to apply in subsequent years. b) In view of above, institution is not covered under exemption to moratorium as per Council’s policy circular dt.9.9.2019. <p>2. In view of above, it was decided to reject the application for D. Pharm and B. Pharm course.</p>

- e) The institution had preferred a Writ Petition (W.P. No. 1981 of 2021) before the Hon'ble Court of Uttarakhand, Nainital, the Hon'ble Court vide Order dated 01.10.2021 directed the PCI to consider the application of the institution herein for approval of B.Pharm and D. Pharm Course as per rules prevalent for granting of recognition. It was also noted that the Council's lawyer could not appear before the Hon'ble Court and therefore, the Council was not able to place some material facts which are necessary for proper adjudication of the matter. A copy of the order dt. 01.10.2021 is annexed as **Annexure-2**.
- f) The institution had also filed a Contempt case CLCON 79 of 2022 wherein the Court vide its Order dt. 04.10.2024 had again observed that despite direction issued by Writ Court to Pharmacy Council of India to take decision on petitioner's application within one month, no decision has been taken so far. A copy of the order dt. 04.10.2024 is annexed as **Annexure-3**.
- g) The last date for consideration of application for the academic-session 2021-2022 was 30.06.2021 which was already over and therefore PCI could not have granted approval as it would be in contempt of Supreme Court direction in Parshavanath Charitable Trust & Anr. Vs. All India Council for Tech. Edu and Ors. (Order dt. 07.05.2021 in MA No. 599/2021 in C.A. No. 9048/2012). A copy of the Order dt. 07.05.2021 is annexed as **Annexure-4**.
- h) Also, the institution applied for the 2024-2025 academic session. The Council had conducted the scrutiny of the application and conveyed deficiencies based on the SIF report to the institution on 15.05.2024 and 20.06.2024 and the institution was provided ample time i.e. till 30.06.2024 to submit the compliance, however, the institution again submitted the old documents over the PCI portal which were invalid.
- i) Also, till date, the institution failed to submit full compliance and SIF as per the requirement of the Pharmacy Act and Education Regulations made thereunder.
- 6.3 In view of above, after due deliberation and discussion, the EC decided –
- a) Decision letter for 2021-2022 academic-session:

For 2021-2022 academic-session:

In view of the above, in compliance of:

- i. Order dt. 01.10.2021 in W.P. No. 1981 of 2021 passed by Hon'ble High Court of Uttarakhand, Nainital
- ii. Order dt. 04.10.2024 in CLCON 79 of 2022 passed by Hon'ble High Court of Uttarakhand, Nainital
- iii. Order dt. 30.06.2021 in *Parshavanath Charitable Trust & Anr. Vs. All India Council for Tech. Edu and Ors.* (MA No. 599/2021 in C.A. No. 9048/2012).

Your application for the academic-session 2021-2022 cannot be considered at this later stage.

- b) to refund the fee (PERC) submitted by the institution, if any, for the academic-sessions in which the Council has not processed the application of the Institution.

- c) to issue the following decision letter to the institution as the institution has failed to submit the valid statutory documents for the academic-session 2024-2025:

S.NO.	State/Institute Name/ID/Course	Examining Authority/Hospital	Proposed Decision
1.	Kukreja Institute of Pharmacy Ajabpur Khurd Mata mandir Road Dharampur Chowk Dehradun PCI-5216 D.Pharm B.Pharm	D.Pharm The Secretary Uttarakhand Board of Technical Education Civil Lines Opp Shiv Mandir Roorkee Distt Haridwar B.Pharm The Controller of Examination Uttarakhand Technical University Govt Girls Polytechnic Premnagar Sudhowala Dehradun	D.Pharm&B.Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied courses for the 2024-2025 Academic Session. <u>D.Pharm Course</u> -Consent of Examining Authority for 2024-2025 academic session <u>B.Pharm Course</u> -Consent of Examining Authority for 2024-2025 academic session In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected.

- 6.4 It was also decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.007: Consideration of inspection reports of following colleges on complaints received from OSD, West Bengal State Council of Technical and Vocational Education and Skill Development, West Bengal regarding anomalies detected in most of the institutes of West Bengal State –

1. Bhagawan Prasad Pharmacy College (PCI-6256)
2. Raja Rammohan college of Pharmacy (PCI-8645)
3. North Bengal college of Pharmacy (PCI-8511)
4. Hooghly College of Pharmaceutical Sciences (PCI-9083)
5. Vivekananda College of Education & Pharmacy (PCI-6460)
6. Pioneer College of Pharmacy (PCI-8173)

F.No. PCI-6256, PCI-8645, PCI-8511, PCI-9083, PCI-6460, PCI-8173

- 7.1 The latest information on record was placed and considered.

7.2 It was noted that the Council received complaint dt.30.08.2024 from OSD, West Bengal State Council of Technical and Vocational Education and Skill Development regarding malfunctioning of the Institutions.

7.3 Matter discussed during meeting and it was decided as under -

Sl.	Institute Name	Decision
1.	<p>Bhagawan Prasad Pharmacy College, Malda</p> <p>Houseno: 791 ,Street: PANCHAYAT ROAD ,Landmark: NEAR BEJPURA KALIKAPUR HIGH SCHOOL ,Panchayat: DAULATPUR GRAM PANCHAYAT ,Village: BEJPURA ,Postoffice: MALIKAN ,Pincode: 732123</p> <p>PCI-6256</p>	<p>The Council has conducted the Inspection of the Institution on 05.10.2024.</p> <p>Remarks of the Inspectors:</p> <p>“I have inspected Bhagawan Prasad Pharmacy college and verified all documents staff Members infrastructure and facilities provided to students and found as per the norms Few more equipment are needed to purchase for satisfaction of the course materials”.</p> <p>In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.</p>
2.	<p>Raja Rammohan College of Pharmacy, Hooghly</p> <p>Houseno: Bhuinpara ,Street: BHUINPARA ,Landmark: OPP. GOVT PRIMARY SCHOOL ,Panchayat: Belun Dhamasin ,Village: Bhuinpara ,PostOffice: BELUN ,Pincode: 712149</p> <p>PCI-8645</p>	<p>The Council has conducted the Inspection of the Institution on 05.10.2024.</p> <p>Remarks of the Inspectors:</p> <p>“We have physically carried out inspection Physically at Raja Rammohan College of Pharmacy Hooghly West Bengal PCI code 8645 on 5th October 2024 verified facilities equipments and laboratories Submitting report for your reference and necessary action atyour end.”</p> <p>In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.</p>
3.	<p>North Bengal College of Pharmacy, Jalpaiguri</p> <p>Houseno: SAHEBBARI ,Street: SAHEBBARI ,Landmark: PWD ROAD ,Panchayat: PAGARPUR GP ,Village: SAHEBBARI ,PostOffice: DENGUAJHAR ,Pincode: 735121</p> <p>PCI-8511</p>	<p>The Council has conducted the Inspection of the Institution on 06.10.2024.</p> <p>Remarks of the Inspectors:</p> <p>“visited to location as per the communication address given in inspectors deputation letter for availability of infrastructure of North Bengal college of Pharmacy has not found There at local enquiry did not contact numbers given on deputation letter communications done but not taken responsibility of authority of said college There no responsible person found no concern infrastructure faculty or any concern thing found so said institute is not exist.”</p> <p>In view of the above, it was decided to issue show cause notice to the institution giving 7 days time failing which the approval shall be deemed to be withdrawn.</p>
4.	Hooghly College of	The Council has conducted the Inspection of the

	<p>Pharmaceutical Sciences, Hooghly</p> <p>Houseno: AKNA ,Street: POLBA MAGRA ROAD ,Landmark: AKNA HIGH SCHOOL ,Panchayat: AKNA ,Village: AKNA ,PostOffice: AKNA ,Pincode: 712148</p> <p>PCI-9083</p>	<p>Institution on 04.10.2024.</p> <p>Remarks of the Inspectors:</p> <p>“we have jointly conducted the at Hooghly college of pharmaceutical sciences Akna West Bengal on 4th October 2024 and verified the facilities and equipments as per PCI inspection tab submitting the report for your necessary action at your end.”</p> <p>In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.</p>
5.	<p>Vivekananda College of Education & Pharmacy, Purba Medinipur</p> <p>Houseno: 404 ,Street: NH 116B DIGHA ROAD ,Landmark: BAJKUL ,Panchayat: GARBARI I ,Village: BAJKUL ,PostOffice: KISMAT BAJKUL ,Pincode: 721655</p> <p>PCI-6460</p>	<p>The Council has conducted the Inspection of the Institution on 03.10.2024.</p> <p>Remarks of the Inspectors:</p> <p>“We carried out the inspection physically and verified the relevant documents and facilities as per data provided in mobile inspection app on 3rd October 2024 at Vivekananda College of education and pharmacy PCI Code 6460 we herewith submitted the Inspection report for your kind information and necessary action at your end.”</p> <p>In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.</p>
6.	<p>Pioneer College of Pharmacy, Murshidabad</p> <p>Houseno: DAULTABAD ,Street: DAULTABAD ,Landmark: DAULTABAD ,Panchayat: DAULTABAD ,Village: DAULTABAD ,PostOffice: DAULTABAD ,Pincode: 742302</p> <p>PCI-8173</p>	<p>The Council has conducted the Inspection of the Institution on 04.10.2024.</p> <p>Remarks of the Inspectors:</p> <p>“This college is situated in Chhaigori Gram in Daulatabad around 220 kms from Kolkata West Bengal seeking approval for D.Pharm programs. The college has not yet received approval from State Government for D.Pharmas well B.Pharm programs. The college does not have sufficient facilities for running B.Pharm. Both inspectors have thoroughly verified all the modules, and all faculty members have been physically identified in accordance with the SIF report submitted by college. Infrastructure and.”</p> <p>In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.</p>

7.4 It was also decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.008: Consideration of 410 Inspection reports received from 04.10.2024 to 15.10.2024 in PCI office through portal for 2024-2025 academic session.

File No. Online Application for 2024-2025 / Existing Institutes / Part -3

- 8.1 The latest information on record was placed and considered.
- 8.2 It was noted that the following categories of institutions are mixed in 410 inspection reports -
- Institutions already approved for 2024-2025 as per policy.
 - Institutions applied for raise in admissions
 - Institutions applied for introduction of new course
 - New Institutions applied first time.
 - Institutions granted u/s 12 approval.
 - Joint inspection of PCI with BTE, UP.
- 8.3 The list of 410 institutions where IR received is enclosed as **Annexure-5**. The inspection report already reflected on EC portal. EC will give decisions through portal.
- 8.4 It was further decided that IR received after 15.10.2024 be also sent to EC members through portal till next EC.
- 8.5 It was further decided to take action in anticipation of approval of the minutes from Hon'ble President.

02.419.009: Consideration of Surprise Inspection Report dated 18th& 19th September, 2024 in respect of Department of Pharmacy Mewar University, Gangrar Chittorgarh, Rajasthan.

PCI-465/2023

- 9.1 The latest information on record including inspection report dt.18th & 19th September, 2024 was placed and considered.
- 9.2 It was noted that –
- institution is running D.Pharm, B.Pharm, B.Pharm (Practice) and M.Pharm course. The approval status is as under –

Name of the Course	Approval status
D.Pharm	Approved upto 2023-2024 for 60 intake
B.Pharm	Approved upto 2023-2024 for 100 intake
B.Pharm (Practice)	Approved upto 2023-2024 for 40 intake
M.Pharm	M.Pharm (Pharmaceutics) - 6 M.Pharm (Pharmaceutical Assurance) - 12

- institution applied for new Pharm.D course and submitted the MOU which is not in Council's prescribed format.
- 9.3 In view of above, it was decided to –

- a) grant approval for already existing course for 2024-2025 academic session.
- b) instruct the institution to submit the MOU in Council's prescribed format within 5 day.

9.4 It was further decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.010: Consideration of appeal/compliance received from 04.10.2024 to 15.10.2024 on EC decisions.

File No. Online Application for 2024-2025 / Existing Institutes / Part -3

- 10.1 The latest information on record was placed and considered.
- 10.2 It was noted that 11 appeals / compliance received from 04.10.2024 to 15.10.2024 on PCI Portal which is enclosed as **Annexure-6**.
- 10.3 It was decided that PCI office will forward the 11 appeals / compliance received from 04.10.2024 to 15.10.2024 to EC members for decision, through portal.
- 10.4 It was further decided that appeal/compliance received after 15.10.2024 be also sent to EC members through portal till next EC.
- 10.5 It was further decided to take action in anticipation of approval of the minutes from Hon'ble President.

02.419.011: Disbursement of Scholarships under GPAT Exam Scholarship Schemes-reg.

14-401/2024-PCI (Part File)

- 11.1 The latest information on record was placed and considered.
- 11.2 It was noted that
 - a) 416th EC (20th-21st Sept, 2024) has decided that simultaneously PCI start the process for generate PFMS code from the concerned department.
 - b) Accordingly, Council has sent the letter dt. 04.10.2024 to PFMS office. STA had visited the PFMS Office at Shivaji Stadium Annexue Building, Cannought Place, New Delhi on 15.10.2024 and meet the PFMS officials and briefed about the GPAT Scheme.
 - c) PFMS officials informed that if PCI is using own fund to distribute so it doesn't need PFMS. If Ministry is giving the fund/grant, then PCI may approach to Ministry and Ministry will initiate the process of PFMS and scheme creation. So, PCI may direct to Canara Bank to disburse the GPAT Scheme Scholarships to the students directly.
 - d) With the approval of Competent Authority on 16.10.2024, Council has sent the mail to Canara Bank to intimate to PCI for further process for disbursement of fund.
- 11.3 It was decided to ratify the action taken by the Council.

02.419.012: Review of Standard Inspection Form. (SIF)

F.No. 14-419/2024-PCI

- 12.1 The latest information on record was placed and considered.
- 12.2 It was noted that after approval from Competent Authority, vide mail dt.10.10.2024, the current SIF was sent to following members of the PCI for review -
- a) Prof Dr. Pramod Yeole, Vice President, PCI.
 - b) Prof. B. Jaykar, EC Member
 - c) Dr.Deependra Singh, ERC Chairman
- 12.3 It was decided to forward the SIF format to Dr. M.Venkata Ramana for review.
- 12.4 The comments received, if any, from the member be consolidated and place in EC so that PCI portal can be opened for inviting the application for 2025-2026 academic session.
- 12.5 It was further decided to take action in anticipation of comments from the EC members on the EC minutes.

02.419.013: Consideration of cashless and paperless function of Accounts Department of PCI.

(F.No. 20-4/2024/PCI)

- 13.1 The latest information on record including e.mail dt.16.10.2024 from Shri Abhishek Jain, VCAN & Co, was placed and considered.
- 13.2 It was decided to –
- a) approve the list of suggestive SOPs suggested by Mr. Chitesh Jain, C.A. of M/s. VCan & Co.
 - b) seek the quotation of preparation of suggestive SOPs as per Government norms.
- 13.3 It was noted that the PCI C.As. visited to PCI office for quarterly review and during internal review they have come across multiple discrepancies in the reports provided by the IT system which is resulting in variances in sales booking vs. Invoicing vs collection. Moreover, due to absence of system testing there seems to be major issue with user access rights, transaction controls leading to revenue leakages.

In view of above, it was decided to conduct the independent system audit of IT system to resolve the issues.

Any other Item which was taken up by the EC with the approval of the chair

02.419.014: Registry / Conveyance Deed of Flat B1, Ranjeet Singh Block, Asian Games Village- -reg.

(F.No. 10-5/2023-PCI (Residential))

14.1 It was directly taken up.

14.2 It was noted that the Registry/ Conveyance Deed of Flat B1, Ranjeet Singh Block, Asian Games Village was done on 16.10.2024.

14.3 It was decided to ratify the action taken by the Council.

02.419.015: Invitation for Puja Ceremony of new premises I-300, 3rd floor, Tower-I, World Trade Center, Nauroji Nagar, New Delhi to be held on 29.10.2024 on auspicious day i.e Dhanteras.

10-5/2024-PCI (Inauguration)

15.1 It was directly taken up.

15.2 It was also decided to conduct a Puja Ceremony of new premises I-300, 3rd floor, Tower-I, World Trade Center, Nauroji Nagar, New Delhi on 29.10.2024 on auspicious day i.e. Dhanteras and invite all EC Members and PCI staff.

15.3 It was decided to take action in anticipation of approval of the minutes from Hon'ble President.

02.419.016: Consideration of e.mail dt.16.10.2024 received from Shri Dharmendra Singh, EC member regarding Lalji Pharmacy College, Uttar Pradesh regarding demanding Rs.5 lakh by each PCI inspectors for submission of inspector report.

(PCI-5421)

16.1 It was directly taken up.

16.2 It was noted that as per the e.mail, inspectors are demanding Rs.5 lakh each from the institution for submission of the inspector report.

16.3 The matter was discussed during the meeting and it was decided to call the institution and PCI inspectors before following Personal Hearing Committee (PHC) of PCI by online mode –

- | | | |
|---------------------------|---|---------------------|
| 1. Prof. Dr. Pramod Yeole | - | Vice-President, PCI |
| 2. Prof. B. Jayakar | - | EC Member, PCI |
| 3. Prof. Vibhu Sahani | - | Chairman FC |
| 4. Shri Sushil Sudan | - | Member, PCI |

A copy of mail dt.16.10.2024 is enclosed as **Annexure-7**.

16.4 It was further decided to take action in anticipation of comments from the EC members on the EC minutes.

The meeting concluded with a vote of thanks to the chair.

“01.111.030: *The PCI approved institutions which have been closed earlier / did not make admissions / did not apply to PCI earlier – Now approaching the PCI for approval but not able to do so in the light of Council’s Moratorium.*

*F.No.32-396/2012-PCI
14-56/2019(A)*

30.1 *The latest information on record was placed.*

30.2 *The matter was threadbarely discussed. It was noted that PCI vide circular dt.17.7.2019 has imposed moratorium on opening of new D.Pharm and B.Pharm institutions for a period of 5 years from 2020-2021 academic session. In view of it, the institutions which have failed to maintain the approval of PCI i.e. there is a break in the approval in terms of no admissions, such institutions be considered as new institutions covered under Council’s moratorium and not to consider for approval.*

30.3 *In view of above, the following Resolution was unanimously taken –*

Resolution

In the light of Council’s moratorium dt.17.7.2019, the Central Council unanimously resolved that the institutions that have failed to maintain the approval of PCI and /or have been closed with no admissions (with or without intimation to PCI) will be viewed as new institutions and treated as such.”

sl. No	Date	Office Notes, reports, orders or proceedings or directions and Registrar's order with Signatures	COURT'S OR JUDGES'S ORDERS
			<p>WPMS No.1981 of 2021</p> <p><u>Hon'ble Sharad Kumar Sharma, J.</u></p> <p>Mr. Abhijay Negi, Advocate, for the petitioner.</p> <p>The petitioner has contended that the petitioner's Institution happens to be one of the leading Institutions in the field of hospitality and higher education, which has been engaging itself into such type of courses ever since 2005.</p> <p>The petitioner has further contended, that the petitioner's Institution enjoys an approval from All India Council of Technical Education, Ministry of Human Resources Development, Government of India, as well as, that of the State, and in fact it is the only private Institution, which has been recognized by the AICTE, in the Garhwal Region, for running their Bachelor courses of hotel management and catering technology. The National Council of Hotel Management and Catering Technology, too has approved the Institution of the petitioner. In fact, the records of the writ petition shows that the petitioner's Institution has filed an application before the Pharmacy Council of India for the academic session 2017-2018, along with all the requisite testimonials in order to process the application of the petitioner for the approval of the subject, for the said academic year. In fact, the petitioner was even also granted a temporary</p>

			<p>permission, for administering the courses of B. Pharma and D. Pharma, but it was confined to for the academic session 2017-2018, which was temporarily granted to the petitioner's Institution, and later on it was temporarily continued from time to time. In fact, the controversy, arose when the petitioner's Institution applied for its renewal for the academic session 2020-2021, but on account of certain technical glitch, the application of the petitioner for renewal of the petitioner Institution, could not be processed for the said academic year 2020-2021, despite of the fact that the petitioner had consistently made several requests, to the Pharmacy Council of India, to consider the request for the approval of the courses by which the temporary permission was granted for the year 2017 -2018. However, nothing was forthcoming so far it relates to the academic year 2020-2021, is concerned.</p> <p>Be that as it may, that with the commencement of the academic session for the year 2021-2022, the petitioner's Institution once again applied before the respondent, but while considering the petitioner's Institution request for the continuation of the recognition which was already granted for the academic session 2017 - 2018, onwards to be made applicable for the academic year 2021 -2022 also, the respondent by virtue of their correspondence dated 15.06.2021, in fact had created an impediment, in continuing with the recognition granted since</p>
--	--	--	--

			<p>2017-2018, on the pretext, that since the petitioner's Institution recognition was not continued for the academic year 2020-2021 as there was a break in recognition, the petitioner's application for the grant of recognition, would be treated as to be a new applicant, for the grant of recognition of the courses to be recognized by the Pharmacy Council of India.</p> <p>When the writ petition was filed, the respondents were noticed, the petitioner has filed an affidavit of service of having served "dasti" notices on the Pharmacy Council of India, but till date none has appeared to raise a pleadings to the contrary, then what has been raised by the petitioner in the writ petition to substantiate his case, that owing to the infrastructure facilities and the facility of adequate faculty, which is available to him which rather satisfies the norms of the Pharmacy Council of India, the recognition of the petitioner's Institution by the Pharmacy Council of India for the academic year 2021-2022, ought to have been continued. But no positive mandamus, at this stage, could be issued to the Pharmacy Council of India by this Court to grant the recognition to the petitioner's Institution in the absence of their appearance in the writ petition before this Court.</p> <p>Hence, since the respondent/Pharmacy Council of India, despite of service of notice has not put in appearance before this Court. It is hereby directed, that the petitioner's Institution</p>
--	--	--	---

would approach the Pharmacy Council of India, by filing an application for the grant of the recognition for the B. Pharma and D. Pharma courses, for the academic year 2021- 2022, that would be pragmatically considered by the Pharmacy Council of India, as per the Rules prevalent, governing the field of recognition of the courses, and the impugned orders dated 10.06.2021 and 27.06.2021, whereby the petitioner's Institution has been determined as to be a new applicant for the grant of the recognition; would not create any impediment in considering the application for the grant of continuity of recognition of the petitioner's Institution in continuance to the recognition, already granted to the Institution of the petitioner in the year 2017-2018. The decision on the application of the petitioner's Institution, would be taken by the Pharmacy Council of India within a period of one month from the date of the production of a certified copy of this judgment.

Subject to the above observations, the writ petition stands disposed of accordingly.

(Sharad Kumar Sharma, J.)

01.10.2021

NR/

--	--	--	--

SL. No	Date	Office Notes, reports, orders or proceedings or directions and Registrar's order with Signatures	COURT'S OR JUDGES'S ORDERS
			<p>CLCON No. 79 of 2022 <u>Hon'ble Manoj Kumar Tiwari, J.</u></p> <ol style="list-style-type: none">1. Mr. Ravi Babulkar, Advocate for the petitioner.2. Mr. Harsh Vardhan Dhanik, learned counsel for opposite party.3. It is alleged that despite direction issued by Writ Court to Pharmacy Council of India to take decision on petitioner's application within one month, no decision has been taken so far.4. In such view of the matter, Registrar, Pharmacy Council of India shall appear before this Court, through VC, on 24.10.2024.5. List this case on 24.10.2024 immediately after fresh cases. <p style="text-align: right;">(Manoj Kumar Tiwari, J.) 04.10.2024</p> <p>Aswal</p>

--	--	--	--

ITEM NO.23 Court 6 (Video Conferencing) SECTION IX

S U P R E M E C O U R T O F I N D I A
R E C O R D O F P R O C E E D I N G S

Miscellaneous Application No. 599/2021 in C.A. No. 9048/2012

PARSHAVANATH CHARITABLE TRUST & ANR. Petitioner(s)

VERSUS

ALL INDIA COUNCIL FOR TECH.EDU & ORS. Respondent(s)

(IA No.49945/2021-APPROPRIATE ORDERS/DIRECTIONS)

Date : 07-05-2021 This application was called on for hearing today.

CORAM :

HON'BLE MR. JUSTICE L. NAGESWARA RAO

HON'BLE MR. JUSTICE S. RAVINDRA BHAT

For Petitioner(s) Mr. Zoheb Hossain, AOR

Mr. Piyush Goyal, Adv.

For Respondent(s)

UPON hearing the counsel the Court made the following
O R D E R

By a judgment dated 13.12.2012, this Court in *Parshvanath Charitable Trust v. All India Council of Technical Education*, (2013) 3 SCC 385, determined a time schedule for approval process of institutions, admissions and completion of admission process. According to the schedule fixed pursuant to the aforementioned judgment, 10th April of the relevant year would be the last date for granting or refusing approval by the authorities and appeals have to be disposed of before 30th April of the relevant year.

Pharmacy Council of India has filed this M.A. No.599

of 2021 seeking extension of time for disposal of the appeals till 30.06.2021 for the academic year 2021-2022.

Taking into account the present situation caused due to the surge of the pandemic, we permit extension of the last date for granting or refusing the approval by the authorities till 15.06.2021. Appeals filed, if any, shall be decided before 30.06.2021. The above dates shall be applicable for admission for the academic year 2021-2022.

M.A. is accordingly, allowed. Pending application(s), if any, shall stand disposed of.

(Geeta Ahuja)
Court Master

(Anand Prakash)
Court Master

IR report received from 04.10.2024 to 15.10.2024 on the portal									
S. No	Institution Name	Pci Code	State Name	From Date	To Date	Type	Inspection Status	Inspection Type	Inspection Date
1	RMS COLLEGE	PCI-8165	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
2	R K D COLLEGE OF PHARMACY	PCI-7323	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
3	Sahu Onkar Saran School of Pharmacy IFTM University Moradabad	PCI-5516	UTTAR PRADESH	10/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
4	Himalayan School of Pharmaceutical Sciences	PCI-8362	UTTARAKHAND	11/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
5	PARMESHWAR SINGH MEMORIAL COLLEGE OF PHARMACY	PCI-6671	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	14/10/2024
6	SIDDHI VINAYAK COLLEGE OF PHARMACY	PCI-7734	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
7	N K College of Pharmacy	PCI-5690	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
8	SIDDHARTH COLLEGE OF PHARMACY & RESEARCH CENTRE	PCI-8780	MAHARASHTRA	11/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
9	J S INSTITUTE OF PHARMACY	PCI-7678	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
10	SHIV SHYAM PHARMACY COLLEGE	PCI-6321	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	14/10/2024
11	RAM JANKI COLLEGE OF PHARMACY	PCI-7337	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
12	PREMA COLLEGE OF PHARMACY	PCI-7080	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	13/10/2024
13	A R C INSTITUTE OF PHARMACY	PCI-6329	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	13/10/2024
14	Pt. Rakesh Mishra College of Pharmacy and Medical Science	PCI-6859	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	14/10/2024
15	SATYAM SHIVAM COLLEGE OF PHARMACY TIKARI KAURIHAR PRAYAGRAJ	PCI-7503	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
16	MAA SHARDA INSTITUTE OF PHARMACY	PCI-7929	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	14/10/2024
17	CB LAL MEMORIAL INSTITUTE OF MEDICAL SCIENCES	PCI-9818	UTTAR PRADESH	10/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
18	Chandrabhan Singh College Of Pharmacy	PCI-5815	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
19	DR. AJAY PAL SINGH COLLEGE OF PHARMACY	PCI-5791	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	14/10/2024
20	SMRITISHESH PANDIT SINGH EDUCATIONAL INSTITUTE	PCI-8096	UTTAR PRADESH	11/10/2024	19/10/2024	New	Completed	Normal	15/10/2024
21	SABARMATI UNIVERSITY	PCI-1981	GUJARAT	10/10/2024	18/10/2024	Revised Inspection	Completed	Surprise	15/10/2024
22	FACULTY OF PHARMACY RANJEET SINGH MAHAVIDYALAYA TULSIPUR KUMHABAR ETAWAH	PCI-7647	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
23	RAM KRISHNA MAHAVIDYALAYA	PCI-8301	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	11/10/2024
24	CHAUDHARY SHRIRAM YADAV MAHAVIDYALAYA	PCI-7869	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
25	SHARTHAK COLLEGE OF PHARMACY PEERUPUR PURENEWAL SADAR PRATAPGARH	PCI-7686	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
26	S N COLLEGE OF PHARMACY	PCI-5529	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
27	A.P. Singh Pharmacy College	PCI-5528	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	14/10/2024
28	PLATINUM INSTITUTE OF PHARMACY	PCI-6486	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
29	OM BUDHESHWARNATH R S V S COLLEGE OF PHARMACY	PCI-7685	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
30	BABU MAHIPAT SINGH COLLEGE OF PHARMACY	PCI-5937	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
31	Parmeshwer Prasad Mewa Lal Pharmacy College	PCI-6401	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
32	MAS COLLEGE OF PHARMACY	PCI-5517	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	14/10/2024
33	N B S COLLEGE OF PHARMACY	PCI-7648	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
34	ROHINI COLLEGE OF PHARMACY	PCI-6696	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
35	DAV COLLEGE OF PHARMACY	PCI-7023	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
36	SBSF COLLEGE OF PHARMACY	PCI-5880	WEST BENGAL	10/10/2024	17/10/2024	New	Completed	Normal	15/10/2024

37	Adina College Of Pharmacy Sagar.	PCI-2795	MADHYA PRADESH	10/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
38	DEV PARAMEDICAL INSTITUTE OF MEDICAL SCIENCES	PCI-7308	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	13/10/2024
39	SHRI RAM COLLEGE OF PHARMACY	PCI-6852	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
40	GEETA SHUKLA COLLEGE OF PROFESSIONAL STUDIES	PCI-7545	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	14/10/2024
41	SHRI DURGA SAPTSATI COLLEGE OF PHARMACY	PCI-7423	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
42	K K L K COLLEGE OF PHARMACY	PCI-7809	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	12/10/2024
43	PT RAM NARAYAN SHARMA MAHAVIDYALAYA	PCI-5386	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
44	GANGA SAGAR SINGH PHARMACY COLLEGE	PCI-7079	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	14/10/2024
45	ANJANA COLLEGE OF PHARMACY	PCI-8030	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
46	ACHARYA SADASHIV COLLEGE OF PHARMACY	PCI-8226	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
47	KP INSTITUTE OF MEDICAL SCIENCES	PCI-6736	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	13/10/2024
48	GAUTAM BUDDHA COLLEGE OF PHARMACY	PCI-8258	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
49	BABU SINGH MAHAVIDHYALAY	PCI-8101	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	12/10/2024
50	Shakuntala Memorial Educational Institute Of Pharmacy	PCI-5976	UTTAR PRADESH	10/10/2024	18/10/2024	New	Completed	Normal	15/10/2024
51	PT JUGGI LAL ARUN KUMAR SHIKSHA SANSTHAN	PCI-7723	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
52	RAM RATAN SINGH MEMORIAL DEGREE COLLEGE	PCI-8088	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
53	C R K College Of Pharmacy	PCI-4475	BIHAR	8/10/2024	15/10/2024	New	Completed	Normal	15/10/2024
54	SWATANTRATA SANGRAM SENANI BHAGAUTI PRASAD YADAV INSTITUTE OF MEDICAL SCIENCE	PCI-7045	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	13/10/2024
55	VNS COLLEGE OF PHARMACY	PCI-5702	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
56	S.THANGAPAZHAM PHARMACY COLLEGE	PCI-9692	TAMIL NADU	9/10/2024	16/10/2024	New	Completed	Normal	13/10/2024
57	K. K VERMA PHARMACY COLLEGE	PCI-6240	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
58	Satyaprabha College of Pharmacy	PCI-6446	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
59	ANUPAMA COLLEGE OF PHARMACY	PCI-8175	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
60	DR. SHIV SAGAR LAL COLLEGE OF PHARMACY	PCI-7624	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
61	parwati college of pharmacy gadankhera unnao up	PCI-6087	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
62	DHARMA DEVI BADRI PRASAD SMARAK PHARMACY COLLEGE	PCI-7293	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
63	SHREE BAJRANG SINGH COLLEGE OF PHARMACY	PCI-7324	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	13/10/2024
64	LAL CHANDRA COLLEGE OF PHARMACY	PCI-8281	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
65	SPARSH COLLEGE SAKRA RAMNAGAR AMETHI	PCI-7119	UTTAR PRADESH	9/10/2024	16/10/2024	New	Completed	Normal	15/10/2024
66	BABU VASUDEO COLLEGE OF PHARMACY	PCI-6411	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	13/10/2024
67	PT.SATAY NARAYAN DWIVEDI COLLEGE OF PHARMACY	PCI-6059	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	12/10/2024
68	Alite College Of Pharmacy	PCI-6682	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	13/10/2024
69	Panchsheel College of Pharmacy	PCI-5955	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	11/10/2024
70	SRI VIJAY VIDYALAYA COLLEGE OF PHARMACY	PCI-9941	TAMIL NADU	9/10/2024	16/10/2024	New	Completed	Normal	12/10/2024
71	CKSM COLLEGE OF PHARMACY	PCI-5296	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	12/10/2024
72	Prudential Pharmacy College Egra	PCI-10086	WEST BENGAL	9/10/2024	16/10/2024	New	Completed	Normal	15/10/2024
73	B.D.M.INTERNATIONAL PHARMACY SCHOOL	PCI-8028	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
74	THAKUR SATYA NARAYAN INSTITUTE OF PHARMACY	PCI-8155	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
75	sardar patel bansh gopal college of pharmacy mahai unnao	PCI-6111	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
76	ARIHANT INSTITUTE OF PHARMACY	PCI-7393	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	13/10/2024
77	Maa Sharda College of Pharmacy Sultanpur UP	PCI-7680	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
78	Dr Ram Manohar Lohiya Mahavidhyalya Lalumau Raibareilly	PCI-8091	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
79	BIRAJA INSTITUTE OF PHARMACEUTICAL SCIENCE	PCI-9377	ODISHA	9/10/2024	16/10/2024	New	Completed	Normal	15/10/2024

80	PERMESHWARI DEVI TRIVENI PRASAD SHUKLA MAHAVIDYALAYA	PCI-7599	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	11/10/2024
81	MATHURA PRASAD SINGH INSTITUTE OF MEDICAL SCIENCES RAMGARH LAMBHUA SULTANPUR	PCI-8191	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
82	SHRI PRABHAT PHARMACY COLLEGE	PCI-8156	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	11/10/2024
83	KANCHAN PHARMACY COLLEGE	PCI-6051	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
84	KAMAYANI PHARMACY COLLEGE AJIYAUURDEI ALIGANJ SULTANPUR	PCI-7106	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	15/10/2024
85	RB INSTITUTE OF MEDICAL SCIENCES	PCI-8077	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	14/10/2024
86	R K PANDEY PHARMACY COLLEGE	PCI-6327	UTTAR PRADESH	9/10/2024	17/10/2024	New	Completed	Normal	12/10/2024
87	Shetty Institute Of Pharmaceutical Scinces 5th Km Kalaburagi Shahabad Road Kalaburagi 585 105	PCI-2037	KARNATAKA	8/10/2024	15/10/2024	New	Completed	Normal	13/10/2024
88	Sri Sangameshwar College Of Pharmacy	PCI-2707	KARNATAKA	8/10/2024	15/10/2024	New	Completed	Normal	14/10/2024
89	Pragati Educational Trust R Pragati College Of Pharmacy Ishwar Nagar Basavakalyan 585 327 Dist Bidar	PCI-1591	KARNATAKA	8/10/2024	15/10/2024	New	Completed	Normal	12/10/2024
90	S M D COLLEGE	PCI-6968	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
91	SHRI BALDEO COLLEGE OF NURSING AND MEDICAL RESEARCH	PCI-7017	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
92	Indira College Of Pharmacy	PCI-4149	KARNATAKA	8/10/2024	15/10/2024	New	Completed	Normal	11/10/2024
93	M T E Foundation S Bidar Institute Of Pharmacy Bidar Mother Teresa Education Foundation S Bidar Institute Of Pharmacy Manhalli Road Bidar 585 403	PCI-1246	KARNATAKA	8/10/2024	15/10/2024	New	Completed	Normal	12/10/2024
94	Sri Shahu Maharaj College Of Pharmacy	PCI-3860	KARNATAKA	8/10/2024	15/10/2024	New	Completed	Normal	10/10/2024
95	SRCS COLLEGE OF PHARMACY	PCI-6297	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
96	SHRI SANKAT MOCHAN PHARMACY SANSTHAN	PCI-5638	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
97	SANKATHA PRASAD PHARMACY COLLEGE	PCI-5635	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
98	SHRI HEERA LAL SMARAK COLLEGE OF PHARMACY	PCI-7202	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
99	DR.SHYAMA PRASAD MUKHARJEE COLLEGE OF PHARMACY	PCI-7205	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
100	SHRI BABU LAL INSTITUTE OF PHARMACY	PCI-7088	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
101	SHRI GIRRAJ MAHARAJ INSTITUTE OF PHARMACY	PCI-5602	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
102	Shashi Institute of Pharmaceutical Science and Research	PCI-5905	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
103	DR. RAM BAHADUR SINGH MEMORIAL DEGREE COLLEGE	PCI-7733	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
104	CHANDRADEV COLLEGE OF PHARMACY	PCI-6153	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
105	Satyadev Institute Of Management And Technology	PCI-5881	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
106	SHIVDAN COLLEGE OF PHARMACY	PCI-7176	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
107	U S COLLEGE OF PHARMACY	PCI-5518	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
108	BS COLLEGE OF PHARMACY	PCI-6917	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
109	MAA ANJANI PHARMACY COLLEGE	PCI-7828	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
110	APEX COLLEGE OF PHARMACY	PCI-5954	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
111	JAI BAJRANG PHARMACY INSTITUTE	PCI-6026	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
112	KAILASH NATH YADAV COLLEGE OF PHARMACY	PCI-6129	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
113	MAHACHARAN PHARMACY COLLEGE	PCI-6356	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
114	GANDHI MEDICAL COLLEGE	PCI-6063	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
115	HARIPAL JI COLLEGE OF PHARMACY	PCI-6863	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
116	JAIN PHARMACY COLLEGE OF EDUCATION	PCI-6096	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
117	SHYAMRAJ NURSING AND PHARMACY COLLEGE	PCI-6322	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024

118	M.S.B. COLLEGE OF PHARMACY	PCI-5427	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
119	S G COLLEGE OF PHARMACY	PCI-8081	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
120	KRISHNA INSTITUTE OF PHARMACY	PCI-6283	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
121	HARDAM SINGH VEDIC PHARMACY COLLEGE	PCI-7851	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
122	LONGSHREE EDUCATIONAL INSTITUTE	PCI-6397	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
123	Saharanpur Institute of Advanced Studies	PCI-6832	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
124	Sunderpur Pharmacy College	PCI-8038	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
125	SUSHIL COLLEGE OF PHARMACY	PCI-7748	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
126	CDS college of Pharmacy	PCI-7501	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
127	ORDIAL COLLEGE OF PHARMACY	PCI-5945	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
128	MBL COLLEGE OF PHARMACY	PCI-7492	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
129	RBS COLLEGE	PCI-5956	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
130	SMT. PHOOLMATI DEVI COLLEGE	PCI-7249	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
131	SHRI R.P. COLLEGE OF PHARMACY	PCI-5778	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
132	S M B L ACADEMY	PCI-7485	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
133	Global Genius College	PCI-8262	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
134	RBS PHARMACY COLLEGE	PCI-7708	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
135	SRLS College of Pharmacy Badapur Jaunpur	PCI-7653	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
136	SIR JP COLLEGE OF PHARMACY	PCI-7200	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
137	DR. APJ ABDUL KALAM COLLEGE OF EDUCATION	PCI-6515	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
138	MAHALAXMI PHARMACY COLLEGE	PCI-5849	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
139	KANISHKA COLLEGE OF PHARMACY FARAH MATHURA	PCI-8053	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
140	RAMVRIKSH COLLEGE OF PHARMACY	PCI-6274	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
141	JAIMURTI COLLEGE OF PHARMACY	PCI-6508	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	9/10/2024
142	NEELKANTH COLLEGE OF EDUCATION	PCI-6062	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
143	B R K PHARMACY COLLEGE	PCI-6248	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
144	MAA ASHA GYANDEEP COLLEGE OF PHARMACY	PCI-6336	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
145	BABA VISHWANATH COLLEGE OF PHARMACY	PCI-7409	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
146	KMCT INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH	PCI-9729	KERALA	5/10/2024	12/10/2024	New	Completed	Normal	10/10/2024
147	KMCT INSTITUTE OF PHARMACY	PCI-9770	KERALA	5/10/2024	12/10/2024	New	Completed	Normal	10/10/2024
148	BM Vidyapeeth Vaibhavpuri Dayalbagh Agra District Agra Uttar pradesh	PCI-4742	UTTAR PRADESH	6/10/2024	12/10/2024	New	Completed	Normal	6/10/2024
149	Spectrum Institute Of Pharmaceutical Sciences And Research Sipsar Knowledge Park I Gautam Budh Nagar	PCI-2254	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
150	MAA SARASWATI COLLEGE OF PHARMACY	PCI-8019	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
151	Maa Sharda College of Pharmacy	PCI-7747	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
152	SANT BULA CHHOYU YADUWANSHIY COLLEGE OF PHARMACY	PCI-7396	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
153	JAGATRAJ MAHAVIDYALAY	PCI-6916	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
154	SHAMBHUNATH COLLEGE OF PHARMACY	PCI-7360	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
155	MAA VINDHYAVASINI COLLEGE OF PHARMACY BANDHANPUR SURAJPUR MAU	PCI-5811	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
156	J.D. INSTITUTE OF PHARMACY	PCI-6418	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
157	RAM NAVAL SINGH COLLEGE OF PHARMACY	PCI-7171	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
158	P G GROUP OF COLLEGE PHARMACY	PCI-6276	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
159	SUGWANTI SAMBHUNATH SMARAK PHARMACY COLLEGE	PCI-6857	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
160	GOVINDI PHARMACY COLLEGE	PCI-6043	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024

161	RAHMANIYA D.PHARMA COLLEGE	PCI-8044	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
162	Maharaja Prithviraj Chauhan College of Pharmacy	PCI-7114	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
163	P S College Of Pharmacy	PCI-7965	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
164	K R B COLLEGE OF PHARMACY	PCI-7706	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	8/10/2024
165	DN MEDICAL COLLEGE AND RESEARCH	PCI-9847	ODISHA	5/10/2024	12/10/2024	New	Completed	Normal	10/10/2024
166	PATHANI SAMANTA INST. OF ENGG. & TECHNOLOGY(FACULTY OF PHARMACY)	PCI-9477	ODISHA	5/10/2024	12/10/2024	New	Completed	Normal	11/10/2024
167	Birsa Institute of Pharmaceutical Sciences	PCI-9512	JHARKHAND	5/10/2024	12/10/2024	New	Completed	Normal	8/10/2024
168	K P S COLLEGE OF PHARMACY	PCI-6315	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
169	S S INSTITUTE OF PHARMACY	PCI-5640	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
170	Kanhaiya College of Pharmacy	PCI-6433	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
171	SHREE MANSA RAM BRAMHA JI COLLEGE OF PHARMACY	PCI-8034	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
172	RAMDEV RAMHARSH COLLEGE OF PHARMACY	PCI-6128	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
173	LALSAR COLLEGE OF PHARMACY	PCI-7630	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
174	BARONIA GROUP OF INSTITUTIONS	PCI-7255	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
175	Ch. Ram Prakash Yadav Pharmacy College	PCI-4190	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
176	SHANTI DEVI JAIN DEGREE COLLEGE	PCI-7490	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
177	Vedansh College of Pharmacy	PCI-5822	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
178	RAM MURTI INSTITUTE OF PHARMACY	PCI-7288	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
179	VASHUDHA COLLEGE OF PHARMACY	PCI-7294	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
180	BHARAT EDUCATIONAL INSTITUTE PHARMACY	PCI-5771	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
181	SALAR COLLEGE OF PHARMACY	PCI-8203	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	7/10/2024
182	SWAMI KALYAN DEV COLLEGE OF PHARMACY	PCI-6670	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
183	R B COLLEGE OF PHARMACY	PCI-8185	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
184	Shri Ram Sanskrit Mahavidyalay Pharmacy College	PCI-7404	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
185	AAKANKSHA COLLEGE OF PHARMACY	PCI-6286	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
186	S.D.COLLEGE OF PHARMACY	PCI-7768	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
187	Swami Kalyan Dev College of Pharmacy	PCI-7642	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
188	SHRI RAJENDRA SINGH COLLEGE OF PHARMACY	PCI-6452	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
189	JB Singh College of Pharmacy	PCI-6608	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
190	ch prem singh premvati pharmacy college ganeshpur post kaithauli mainpuri	PCI-7229	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
191	SHRI GIRRAJ MAHARAJ COLLEGE OF PHARMACY	PCI-6150	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
192	PACHAINYA COLLEGE OF PHARMACY	PCI-7365	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
193	B.D.M. MAHAVIDYALAYA	PCI-8026	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
194	B.R. COLLEGE OF PHARMACY	PCI-8079	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
195	BANARAS INSTITUTE OF PHARMACY EDUCATION	PCI-8112	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
196	S B Institute of Pharmacy	PCI-6738	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
197	Indra Pharmacy College	PCI-7597	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
198	J.N.M. COLLEGE OF PHARMACY	PCI-6793	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
199	SHRI JAMUNA PRASAD MAURYA COLLEGE OF PHARMACY	PCI-6871	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
200	GD Memorial of pharmacy college	PCI-7302	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
201	Ramratti Devi College of Pharmacy	PCI-5470	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
202	CHANDRADEV SMARAK COLLEGE OF PHARMACY	PCI-7672	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
203	Aashirwad jamuna jamwanti institute of professional education	PCI-5932	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
204	Ramashankar Singh college of pharmacy	PCI-7425	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024

205	R K S COLLEGE OF PHARMACY	PCI-5732	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
206	SHAFI DEGREE COLLEGE	PCI-8083	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	7/10/2024
207	BALA DEVI ROSHAN LAL COLLEGE OF PHARMACY	PCI-6544	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
208	DOODHNATH GROUP OF INSTITUTIONS	PCI-6065	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
209	KS COLLEGE OF PHARMACY	PCI-7429	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
210	SANMUKH COLLEGE OF PHARMACY	PCI-7883	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
211	RAJ COLLEGE OF PHARMACY	PCI-6323	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
212	B P COLLEGE OF PHARMACY	PCI-5646	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
213	GSS KANYA MAHAVIDHYALAYA	PCI-6873	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
214	R LS COLLEGE OF PHARMACY AND RESEARCH CENTRE	PCI-6229	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
215	VIKRAM SINGH KANYA MAHAVIDYALAYA	PCI-7995	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
216	VIDYAWATI PHARMACY COLLEGE	PCI-7439	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
217	SIMS COLLEGE OF PHARMACY	PCI-5669	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
218	MOTHERHOOD INSTITUTE OF TECHNOLOGY	PCI-7836	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
219	SHANTI NIKETAN COLLEGE OF PHARMACY	PCI-8057	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
220	Sw Sunder Lal Shivhare College Of Pharmacy	PCI-8224	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
221	INSTITUTE OF APPLIED MEDICINES AND RESEARCH	PCI-6925	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
222	Institute for Higher Education and Health Science	PCI-8179	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
223	DIGAMBER JAIN COLLEGE OF EDUCATION	PCI-7578	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
224	BHARTI VIDHYAPEETH	PCI-7878	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
225	KASTURI COLLEGE OF EDUCATION	PCI-7766	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
226	R.B.S.COLLEGE OF PHARMACY	PCI-6083	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
227	ABS INTERNATIONAL SCHOOL AND COLLEGE SAWANSA BADLAPUR JAUNPUR	PCI-8100	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
228	SRDP PHARMACY COLLEGE	PCI-6654	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
229	R L Institute of Pharmacy	PCI-5350	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
230	SHREE PRAHLAD SMARAK COLLEGE OF PHARMACY	PCI-5560	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
231	MUSAFIR BAL GOPAL PHARMACY COLLEGE PADARIKALA RAMGARH Distt SONBHADRA UP	PCI-6427	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
232	MAA SAMRAJI DEVI COLLEGE OF PHARMACY	PCI-7507	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
233	Prince Institute of Innovative Technology	PCI-8208	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
234	G N COLLEGE OF PHARMACY	PCI-8293	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
235	Shanti Polytechnic and Pharmacy	PCI-5888	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
236	SHRI GURU HAR GOVIND SAHABH JI MEMORIAL COLLEGE OF EDUCATION	PCI-6762	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
237	shanti institute of technology and pharmacy	PCI-5657	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
238	Keshav Madhav Institute Of Pharmacy	PCI-3825	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
239	TUNDLA COLLEGE OF PHARMACY	PCI-7454	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
240	Sarvajanik Pharmacy College	PCI-6141	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
241	S.S. COLLEGE OF PHARMACY	PCI-7152	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
242	SUN INSTITUTE OF MEDICAL SCIENCES	PCI-7155	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
243	Kite School of Pharmacy and Medical Science	PCI-6267	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
244	J S ACADEMY	PCI-5994	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
245	MAA VAISHNO DEVI COLLEGE OF PHARMACY	PCI-5893	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
246	Hayward College Of Pharmacy	PCI-8535	MADHYA PRADESH	5/10/2024	12/10/2024	New	Completed	Normal	9/10/2024
247	Dr. V. P. Madnawat College Of Pharmacy	PCI-8247	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
248	DR RAM CHARITTAR NISHAD COLLEGE OF PHARMACY	PCI-7319	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
249	SRS COLLEGE OF PHARMACY	PCI-7407	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024

250	SHREE JEE BABA COLLEGE OF PHARMACY	PCI-7208	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
251	Gaura College Of Pharmacy Vill Amoura Post Pandaha Dist Azamgarh Uttar Pradesh	PCI-4635	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
252	SURYA INSTITUTE OF PHARMACY	PCI-7445	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
253	KAILASHNATH COLLEGE OF PHARMACY	PCI-7926	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
254	CAMBRIDGE SCHOOL OF PHARMACY	PCI-7160	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
255	Atul pharmacy college sirsaganj road mainpuri	PCI-6903	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	8/10/2024
256	SWAMI VIVEKANAND COLLEGE OF PHARMACY	PCI-7782	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
257	LN INSTITUTE OF PHARMACY	PCI-7311	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
258	SHRI VINAYAK PARAMADICAL COLLEGE	PCI-7920	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
259	SHRI KRISHNA COLLEGE OF EDUCATION	PCI-7704	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
260	RAM SHRI DEVI MAHAVIDYALAYA	PCI-7803	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
261	R B S MAHAVIDHYALYA DEPARTMENT OF PHARMACY	PCI-6314	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
262	RAJ RANI MAHAVIDHYALAYA FACULTY OF PHARMACY	PCI-6107	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
263	SHRI GAURI SHANKAR COLLEGE	PCI-5722	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	9/10/2024
264	C.B.S COLLEGE OF PHARMACY	PCI-6034	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	10/10/2024
265	SMT MAMTA VIDHYALAY	PCI-5723	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
266	S D R COLLEGE OF PHARMACY	PCI-5733	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	9/10/2024
267	ram bai patel college of pharmacy	PCI-6173	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	8/10/2024
268	Aapur College of Pharmacy	PCI-7134	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
269	ST.JANU BABA PARAMEDICAL COLLEGE	PCI-6790	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
270	M.R.S. PARAMEDICAL INSTITUTE	PCI-7113	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	14/10/2024
271	SHAIENDRA SINGH COLLEGE OF PHARMACY	PCI-7276	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	13/10/2024
272	VIVEK COLLEGE OF PHARMACY	PCI-7048	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	12/10/2024
273	SHIVA EDUCATIONAL AND PHARMACY INSTITUTE	PCI-5511	UTTAR PRADESH	7/10/2024	14/10/2024	New	Completed	Normal	11/10/2024
274	P R S COLLEGE OF PHARMACY	PCI-7030	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	8/10/2024
275	ANUBIS INSTITUTE OF MEDICAL SCIENCES	PCI-6877	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
276	KHANDELWAL COLLEGE OF PHARMACY	PCI-7955	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
277	Seva Shikshan Prasarak Mandals Dr N J Paulbudhe College Of Pharmacy Shaineshwar Nagar Vasant Tekadi Savedi Ahmednagar	PCI-2002	MAHARASHTRA	5/10/2024	12/10/2024	New	Completed	Normal	11/10/2024
278	ACMT COLLEGE	PCI-6638	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
279	S.P. COLLEGE OF PHARMACY	PCI-7885	UTTAR PRADESH	5/10/2024	11/10/2024	New	Completed	Normal	9/10/2024
280	Haldia Institute Of Pharmacy Icare Complex Hatiberia	PCI-818	WEST BENGAL	5/10/2024	12/10/2024	New	Completed	Normal	9/10/2024
281	M.D.COLLEGE OF PHARMACY	PCI-5514	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
282	PRITEE COLLEGE OF PHARMACY	PCI-6708	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
283	GURU NANAK PHARMACY COLLEGE	PCI-6629	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
284	Prathviraj Chauhan College of Pharmacy	PCI-6478	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
285	LAKSHYA COLLEGE OF ADVANCE EDUCATION	PCI-6898	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
286	SHRI JEET RAM SMARAK INSTITUTION OF PHARMACY	PCI-7570	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
287	SAI COLLEGE OF PHARMACY	PCI-7201	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
288	Pachamuthu College Of Pharmacy Krishnagiri Main Road Hale Dharmapuri Post Dharmapuri 636 701	PCI-1529	TAMIL NADU	4/10/2024	11/10/2024	New	Completed	Normal	8/10/2024
289	DEEPMALA COLLEGE OF PHARMACY	PCI-6861	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
290	Apollocollege Of Pharmacy Mevalooruppam Valarpuram Post Sriperumbudur Taluk Kanchipuram Dist 602 105	PCI-122	TAMIL NADU	4/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
291	MOHAN INSTITUTE OF PHARMACY	PCI-7865	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
292	RNS College of Pharmacy	PCI-8022	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024

293	AYUSH INSTITUTE OF PHARMACY	PCI-6115	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
294	MANNIYA KANSHIRAM COLLEGE OF PHARMACY AND HEALTH SCIENCE	PCI-7600	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
295	Shree GURURAGHAVENDRA COLLEGE OF PHARMACY	PCI-9950	KARNATAKA	5/10/2024	12/10/2024	New	Completed	Normal	11/10/2024
296	Sandesh Education Cultural Charitable Trust R Little Flower College Of Pharmacy Malhahahaalli Bangalore	PCI-1869	KARNATAKA	5/10/2024	12/10/2024	New	Completed	Normal	10/10/2024
297	TAJ MEMORIAL INSTITUTE OF PHARMACY	PCI-6448	RAJASTHAN	3/10/2024	10/10/2024	New	Completed	Normal	5/10/2024
298	BPS PHARMACY COLLEGE LAXMANGARH	PCI-5606	RAJASTHAN	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
299	KOPAL INSTITUTE OF PHARMACY	PCI-5415	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
300	Aalahazrat Pharmacy College, Devrania, Dist. Bareilly Uttar Pradesh	PCI-4695	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
301	NATIONAL INSTITUTE OF PHARMACEUTICAL SCIENCE AND RESARCH	PCI-8435	CHHATTISGARH	4/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
302	BRD COLLEGE OF PHARMACY	PCI-6307	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
303	KANGAYAM INSTITUTE OF PHARMACEUTICAL SCIENCES AND RESEARCH	PCI-8343	TAMIL NADU	4/10/2024	11/10/2024	New	Completed	Normal	10/10/2024
304	SHRI TRIDANDI DEV HANUMAT COLLEGE OF PHARMACY	PCI-8160	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
305	H D. COLLEGE OF PHARMACY	PCI-5746	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
306	ARYAN GLOBAL PHARMACY COLLEGE	PCI-6630	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
307	DHAMPUR COLLEGE OF PHARMACY	PCI-6116	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
308	VISION COLLEGE OF HEALTH AND MEDICAL SCIENCES	PCI-5909	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
309	MAA KHANDWARI COLLEGE OF PHARMACY	PCI-6402	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
310	Lokmani College Of Pharmacy Village Isharpur Paragana Seohara Tehsil Dhampur Dist Bijnor Uttar Pradesh	PCI-4645	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
311	RAMJI SINGH MEMOFRIAL COLLEGE OF PROFESSIONAL STUDIES	PCI-6716	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
312	RAMA INSTITUTE OF HIGHER EDUCATION	PCI-6287	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
313	VIMALA PHARMACY COLLEGE	PCI-7170	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
314	MAXWELL INSTITUTE OF MEDICAL SCIENCES	PCI-6279	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
315	YAMUNA COLLEGE OF PHARMACY	PCI-7299	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
316	UTKARSH INSTITUTE OF PHARMACY	PCI-5964	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
317	NIHAL SHYAM COLLEGE OF PHARMACY	PCI-5627	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	5/10/2024
318	SHIVGYAN PHARMACY COLLEGE	PCI-6836	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
319	SRI UMESH MISHRA RANJEET KUMAR PRAKASH COLLEGE	PCI-6543	BIHAR	5/10/2024	12/10/2024	New	Completed	Normal	6/10/2024
320	S R Hospital and Paramedical College	PCI-9976	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
321	GREATER NOIDA INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH	PCI-8118	UTTAR PRADESH	3/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
322	JAYAPRADA COLLEGE OF PHARMACEUTICAL SCIENCES MAGARMAAU ROAD RAMPUR	PCI-9721	UTTAR PRADESH	4/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
323	SJB COLLEGE OF PHARMACY	PCI-7093	UTTAR PRADESH	2/10/2024	9/10/2024	New	Completed	Normal	7/10/2024
324	VERMA SHYAMDULARI COLLEGE OF PHARMACY	PCI-6751	UTTAR PRADESH	2/10/2024	9/10/2024	New	Completed	Normal	8/10/2024
325	KAKA COLLEGE OF PHARMACY & PARAMEDICAL SCIENCES	PCI-10060	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	6/10/2024
326	BHAGWAN ADARSH COLLEGE OF PHARMACY	PCI-7411	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
327	Shamshul Qamar college of Pharmacy	PCI-8283	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
328	MAHADEV INSTITUTE OF TECHNOLOGY	PCI-7196	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
329	R S COLLEGE OF EDUCATION	PCI-6389	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	7/10/2024

330	ch. charan singh institute	PCI-5923	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
331	SETH DHANPAL CHAND JAIN COLLEGE OF PHARMACY	PCI-6054	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	10/10/2024
332	Jeevan Gopi Institute Of Pharmacy And Technology	PCI-4365	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
333	A.K. COLLEGE OF PHARMACY	PCI-6575	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
334	GAJADHAR GURUKUL COLLEGE OF PHARMACY	PCI-7755	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
335	ss college	PCI-5780	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	6/10/2024
336	Nav Chetna College of Pharmacy	PCI-8466	UTTARAKHAND	2/10/2024	9/10/2024	New	Completed	Normal	6/10/2024
337	ADARSH COLLEGE OF PHARMACY	PCI-9318	UTTARAKHAND	2/10/2024	9/10/2024	New	Completed	Normal	5/10/2024
338	Bm College Of Pharmacy	PCI-3045	HARYANA	1/10/2024	9/10/2024	New	Completed	Normal	7/10/2024
339	PT. UMAKANT COLLEGE OF PHARMACY	PCI-7307	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	9/10/2024
340	P.L.N.M. COLLEGE OF PHARMACY	PCI-5719	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
341	MAA KAILASHI BABURAM PANDEY COLLEGE OF PHARMACY	PCI-6837	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
342	SHRI DURGA JI COLLEGE OF PHARMACY	PCI-7006	UTTAR PRADESH	2/10/2024	9/10/2024	New	Completed	Normal	7/10/2024
343	MAA DURGA JI COLLEGE OF PHARMACY	PCI-5642	UTTAR PRADESH	2/10/2024	9/10/2024	New	Completed	Normal	8/10/2024
344	MAA DHANAWATI COLLEGE OF PHARMACY	PCI-6673	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
345	ULTRA MODERN COLLEGE OF PHARMACY	PCI-6472	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	7/10/2024
346	MAA JANAKRAJI RAMSARIKHAN PHARMACY COLLEGE	PCI-5633	UTTAR PRADESH	2/10/2024	10/10/2024	New	Completed	Normal	8/10/2024
347	DSM COLLEGE OF PHARMACY	PCI-5378	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
348	Vanasthali College of Pharmacy	PCI-6755	MADHYA PRADESH	2/10/2024	9/10/2024	New	Completed	Normal	5/10/2024
349	R S PHARMACY COLLEGE	PCI-8565	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	5/10/2024
350	ARAVALI INSTITUTE OF PHARMACY	PCI-6434	RAJASTHAN	27/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
351	KRISHNA COLLEGE OF PHARMACY	PCI-7232	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
352	EXCELLENT INSTITUTE OF PHARMACY	PCI-10065	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	5/10/2024
353	GAURAV COLLEGE OF PHARMACY	PCI-10064	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	6/10/2024
354	School of Pharmacy Sikkim Alpine University	PCI-5961	SIKKIM	1/10/2024	9/10/2024	New	Completed	Surprise	4/10/2024
355	V. V. Pharmacy College	PCI-9234	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	6/10/2024
356	New India Education Society R Diana College Of Pharmacy Hegde Nagar Bangalore	PCI-1448	KARNATAKA	1/10/2024	9/10/2024	New	Completed	Normal	5/10/2024
357	Vidya Bharath College Of Pharmacy	PCI-3155	KARNATAKA	1/10/2024	9/10/2024	New	Completed	Normal	6/10/2024
358	Itm College Of Pharmacy And Research	PCI-3814	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	5/10/2024
359	L N Pharmacy College	PCI-2995	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	7/10/2024
360	Rao Hanuman Singh Memorial Pharmacy College Sunrise University Alwar rajasthan	PCI-6948	RAJASTHAN	1/10/2024	9/10/2024	New	Completed	Normal	8/10/2024
361	Shri.Rajkumar Kamble Memorial Pharmacy College Kalaburagi	PCI-4428	KARNATAKA	1/10/2024	9/10/2024	New	Completed	Normal	6/10/2024
362	Arpit College Of Pharmacy	PCI-3802	KARNATAKA	1/10/2024	9/10/2024	New	Completed	Normal	4/10/2024
363	Sye Societys Sri Siddalingeshwar College Of Pharmacynaubad Bidar	PCI-2459	KARNATAKA	1/10/2024	9/10/2024	New	Completed	Normal	5/10/2024
364	JANTA PHARMACY COLLEGE	PCI-8483	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	4/10/2024
365	SANT SITARAM PHARMACY COLLEGE	PCI-10120	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
366	Maa Gayatri College Of Pharmacy	PCI-3660	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
367	MANGLA DEVI SMARAK POLYTECHNIC COLLEGE MASIKA NAINI PRAYAGRAJ	PCI-10132	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	6/10/2024
368	MCS EDUCATIONAL INSTITUTE	PCI-10031	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	4/10/2024
369	SHREE RAM SARAN MAHAVIDYALAYA	PCI-10039	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	4/10/2024
370	Shiva Pharmacy College	PCI-9202	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	7/10/2024
371	DR PANKAJ PAL GROUP OF INSTITUTION	PCI-10148	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	6/10/2024

372	NANDA INSTITUTE OF PHARMACEUTICAL SCIENCE	PCI-5550	UTTAR PRADESH	1/10/2024	7/10/2024	New	Completed	Normal	6/10/2024
373	AADVIK INSTITUTE OF PARAMEDICAL SCIENCES	PCI-9885	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
374	S V M Pharmacy College	PCI-1818	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
375	P.S.A. COLLEGE OF PHARMACY	PCI-7067	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
376	MAA BHAGWATI MAHAVIDHYALYA DEPARTMENT OF PHARMACY	PCI-6944	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
377	SSD COLLEGE OF PHARMACY	PCI-8548	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
378	Hooghly College Of Pharmaceutical Sciences	PCI-9083	WEST BENGAL	30/9/2024	7/10/2024	New	Completed	Normal	4/10/2024
379	PIONEER COLLEGE OF PHARMACY	PCI-8173	WEST BENGAL	30/9/2024	7/10/2024	New	Completed	Surprise	4/10/2024
380	SHEREE PRAKASH COLLEGE OF PHARMACY	PCI-7839	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
381	RAJA RAMMOHAN COLLEGE OF PHARMACY	PCI-8645	WEST BENGAL	30/9/2024	7/10/2024	New	Completed	Normal	5/10/2024
382	M.S.BHARTIYA COLLEGE OF PHARMACY	PCI-5430	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
383	G S Institute Of Pharmacy	PCI-5847	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
384	BHAGAWAN PRASAD PHARMACY COLLEGE	PCI-6256	WEST BENGAL	30/9/2024	7/10/2024	New	Completed	Surprise	5/10/2024
385	NORTH BENGAL COLLEGE OF PHARMACY	PCI-8511	WEST BENGAL	30/9/2024	7/10/2024	New	Completed	Surprise	6/10/2024
386	D.V.S. COLLEGE	PCI-8135	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
387	SUSHEELA DEVI INSTITUTE OF MEDICAL SCIENCE CHANDAUS ALIGARH	PCI-5441	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
388	Shri Siddh Baba Pharmacy College	PCI-5727	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
389	RORIA GROUP OF PHARMACY	PCI-7863	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
390	B S College of Pharmacy and Paramedical Science	PCI-8264	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
391	Pgp College Of Pharmaceutical Science And Research Institute Karur Main Road Pgp Campus Namakkal	PCI-1566	TAMIL NADU	28/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
392	A AND H COLLEGE OF PHARMACY	PCI-6690	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
393	ANEKANT COLLEGE OF PHARMACY	PCI-5770	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
394	SHRI SARDAR SINGH SMARAK PHARMACY COLLEGE	PCI-6686	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
395	SHRI BHARAT SINGH KAMLA DEVI PHARMACY COLLEGE RAIPUR KHAS ATRAULI ALIGARH	PCI-7724	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
396	MOTHER TERESA COLLEGE OF PHARMACY	PCI-7831	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
397	PARUL COLLEGE OF PHARMACY	PCI-7539	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	5/10/2024
398	SHYAMA SHYAM INSTITUTE OF MEDICAL SCIENCE AND RESEARCH	PCI-6919	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
399	Sri Shimusha Institute of Pharmacy	PCI-10129	KARNATAKA	28/9/2024	7/10/2024	New	Completed	Normal	4/10/2024
400	AIMS Pharmacy College	PCI-7783	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
401	Arunai College Of Pharmacy	PCI-2731	TAMIL NADU	28/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
402	C IMPACT INSTITUTE OF PHARMACY AGRA	PCI-8050	UTTAR PRADESH	30/9/2024	5/10/2024	New	Completed	Normal	4/10/2024
403	St Xavier Institute Of Pharmacy Deenapur Phirangipuram Guntur Andhra Pradesh	PCI-2394	ANDHRA PRADESH	28/9/2024	7/10/2024	New	Completed	Normal	4/10/2024
404	P A College Of Pharmacy Nadupadav Kairangala Village Bantwal Tq Dakshina Kannad	PCI-1511	KARNATAKA	28/9/2024	7/10/2024	New	Completed	Normal	5/10/2024
405	JNANAYOGI SHRI SHIDDHESHWAR MAHASWAMIJI INSTITUTE OF PHARMACEUTICAL SCIENCES, CHADCHAN	PCI-9527	KARNATAKA	28/9/2024	7/10/2024	New	Completed	Normal	5/10/2024
406	RESHMI COLLEGE OF PHARMACY	PCI-9623	KARNATAKA	28/9/2024	7/10/2024	New	Completed	Normal	4/10/2024
407	SRINIVASA COLLEGE OF PHARMACY	PCI-5509	ANDHRA PRADESH	28/9/2024	7/10/2024	New	Completed	Normal	5/10/2024
408	ARAMBAG PHARMACY COLLEGE	PCI-10144	WEST BENGAL	27/9/2024	4/10/2024	New	Completed	Normal	4/10/2024
409	KUSHMA COLLEGE OF PHARMACY HUBBALLI	PCI-9687	KARNATAKA	28/9/2024	7/10/2024	New	Completed	Normal	4/10/2024
410	B L INSTITUTE OF MEDICAL SCIENCES	PCI-5429	BIHAR	28/9/2024	7/10/2024	New	Completed	Normal	4/10/2024

Item No. 8 of 419 EC (16.10.2024) IR

S.NO	PCI Code	Institution Name	address	Examining Authority	Program	Decision
1	PCI-10065	EXCELLENT INSTITUTE OF PHARMACY	House No: NA ,Street: STATE ROAD ,Landmark: NA ,Panchayat: KATARI ,Village: VILLAGE-KATARI, POST-CHOLAPUR ,PostOffice: CHOLAPUR ,Pincode: 221101	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh , Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.)	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course., it was noted that your institution has withdrawn its B.Pharm Application. In view of the above, Your Application for B.Pharm course for 2024-2025 Academic Session is hereby rejected.
2	PCI-10064	GAURAV COLLEGE OF PHARMACY	House No: NA ,Street: NA ,Landmark: NA ,Panchayat: na ,Village: DEORAI, SULTANIPUR DANGANJ ,PostOffice: SULTANIPUR DANGANJ ,Pincode: 221101	The Registrar Dr APJ Abdul Kalam Technical University Institute of Engineering And Technology Sitapur road Lucknow, The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	B.Pharm, D.Pharm	It was noted that your institution has withdrawn the B.Pharm Application. In view of above, Your Application for B.Pharm course for 2024-2025 Academic Session is hereby rejected, D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
3	PCI-1246	M T E Foundation S Bidar Institute Of Pharmacy Bidar Mother Teresa Education Foundation S Bidar Institute Of Pharmacy Manhalli Road Bidar 585 403	House No: 09/10/2027 ,Street: Manhalli Road Bidar ,Landmark: Gumpa Road Bidar ,Panchayat: Bidar ,Village: bidar ,PostOffice: Gandhi Gunj Bidar ,Pincode: 585403	Board of Examining Authority III Floor, No. 2 Govt. College of Pharmacy Building, P. Kalingarao Road Subbaiah Circle Bengaluru - 560027, Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar	D.Pharm	D.Pharm Submit compliance of deficiencies pointed as below within 5 days' time. 1. Bank Details -Not Available, 2. GST Details-Not Available,3. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATEGOVERNMENT-Not Available 5. Details Of Salary Disbursement-bank Transfer Details-Not Available,6. Latest Project Budget & Expenditure Report-Not Available, 7. Subscription of National Journals Available-Not Available 8. Subscription of International Journals -Not Available, 9. Required No. Of Computer not Available,10. Is Computer Laboratories Available As Per Norms-Not Available,11. Out of Total 9 faculties shown in IR 4 were Absent on the day of inspection. 12. Experiences of staff having B. Pharm as highest degree is not as per PCI norms. 13. Faculty cadre ratio not maintained. 14. Photographs of Faculties AMOL DHAMNE, PRASHANT MALBA, SUNAINA MANKARI and SHAILAJA PATIL not available on portal 15. Data of Any Institution Running Previously in SameBuilding-Not Available. 16. Various Instruments/Equipments Not as per PCI norms or not Available and Not Verified on portal (e.g.Nessler's Cylinders, Desiccator) 17. Connection Proof & Receipt-Not Available,18. Pharmacology Software-Not Available, 19. Institute Website-Not Available 20. Stock Registers Of Laboratory Equipments, Chemicals & Glass Ware-Not Available,21. Smart Classroom-Not Available,22. Bio Meteric Attendance System For Faculty-Not Available 23. Model Pharmacy Laboratory does not have Provision Of Drug Information Center And Patient Counselling Center 24. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available 25. Machines are not Fixed On Cemented Blocks, 26. Bio Meteric Attendance System For Student-Not Available."
4	PCI-1511	P A College Of Pharmacy Nadupadav Kairangala Village Bantwal Tq Dakshina Kannad	House No: 3-387/3 ,Street: Nadupadavu ,Landmark: Mangalore University ,Panchayat: Balepuni ,Village: Kairangala ,PostOffice: Montepadav ,Pincode: 574153	Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar, Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar, Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar, BOARD OF EXAMINING AUTHORITY (D.PHARM) BANGALUR	M.Pharm Pharmaceutics, B.Pharm, D.Pharm, Pharm.D	B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. M.Pharm (Pharmaceutics) D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. Pharm.D It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) Institution has failed to submit MOU in PCI prescribed format. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected.

5	PCI-1529	Pachamuthu College Of Pharmacy Krishnagiri Main Road Hale Dharmapuri Post Dharmapuri 636 701	House No: krishnagiri main road ,Street: krishnagiri main road ,Landmark: pachamuthu college bus stop ,Panchayat: andihalli ,Village: muthupatti ,PostOffice: Head dharmapuri post office ,Pincode: 636701	The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Joint Director of Medical Education and Research(Pharmacy) Kilpauk, Chennai - 600010, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai	B.Pharm, D.Pharm, M.Pharm Pharmaceutics, M.Pharm Pharmaceutical Analysis, Pharm.D	Pharm. D "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Out of 42 faculties shown in IR, 04 were absent on the day of inspection. 3. Out of 42 faculties, experiences of 05 faculties were not mentioned. 4. Faculties having highest degree B. Pharm have less than 3 years of experience which is not as per PCI norms. 5. Cadre ratio not maintained in Pharmaceutics and Pharmaceutical Analysis department (Pharmaceutics - Only 2 professors, 1 Associate professor; Pharmaceutical Analysis - Only 1 Professor and 1 Associate professor) which is not sufficient as per PCI norms for conducting M. Pharm Pharmaceutics and M.Pharm Pharmaceutical Analysis courses. According to cadre ratio seats are allotted. 6. 03 labs Pharmaceutical organic chemistry 1, Pharmaceutical organic chemistry 2, Pharmaceutical analysis lab and 03 classrooms M.Pharm class room 1, M.Pharm class room 2 and B.Pharm class room 2 were not available/verified. 7. Various Instruments/Equipments Not as per PCI norms or not verified on portal at the time of inspection (e.g. Digital pH meter, Lucas moist chamber, Microscope with stage micrometer, Muscle electrodes, Clevenger apparatus, Arsenic Limit Test Apparatus, Tablet dissolution test apparatus IP (Digital single/double Unit), Burettes, Nesslers Cylinders, Digital Colorimeter etc)" B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. M.Pharm Pharmaceutical Analysis-03 Following deficiencies were observed 1. Cadre ratio not maintained in Pharmaceutics and Pharmaceutical Analysis department (Pharmaceutics - Only 2 professors, 1 Associate professor; Pharmaceutical Analysis - Only 1 Professor and 1 Associate professor) which is not sufficient as per PCI norms for conducting M. Pharm Pharmaceutics and M.Pharm Pharmaceutical Analysis courses. According to cadre ratio seats are allotted. 2. Pharmaceutical analysis lab and 2 classrooms (M.Pharm class room 1, M.Pharm class room 2), which will be used for M. Pharm courses, were not available/verified. D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. M.Pharm Pharmaceutics-03 Following deficiencies were observed 1. Cadre ratio not maintained in Pharmaceutics and Pharmaceutical Analysis department (Pharmaceutics - Only 2 professors, 1 Associate professor; Pharmaceutical Analysis - Only 1 Professor and 1 Associate professor) which is not sufficient as per PCI norms for conducting M. Pharm Pharmaceutics and M. Pharm Pharmaceutical Analysis courses. According to cadre ratio seats are allotted. 2. 02 classrooms (M.Pharm class room 1, M.Pharm class room 2), which will be used for M. Pharm courses, were not available/verified.
6	PCI-1448	New India Education Society R Diana College Of Pharmacy Hegde Nagar Bangalore	House No: 1357 ,Street: 15th cross ,Landmark: Anjaneya Temple ,Panchayat: Kattigenahalli ,Village: Kattigenahalli ,PostOffice: SRK nagar ,Pincode: 560077	Office Of The Board Of The Examining Authority, Bangalore	D.Pharm	D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.
7	PCI-1591	Pragati Educational Trust R Pragati College Of Pharmacy Ishwar Nagar Basavakalyan 585 327 Dist Bidar	House No: 18 ,Street: SHIVPUR ROAD ,Landmark: NAGARKATTA ,Panchayat: BASAVAKALYAN ,Village: BASAVAKALYAN ,PostOffice: BASAVAKALYAN ,Pincode: 585327	BOARD OF EXAMINING AUTHORITY (D.PHARM) BANGALUR	D.Pharm	D.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available. 2. Bank Details-Not Provided/Available 3. One faculty Deepak Kumar who is having highest degree as B.Pharm have less experience (only 2 years)
8	PCI-1869	Sandesh Education Cultural Charitable Trust R Little Flower College Of Pharmacy Malhahaalli Bangalore	House No: 80FT RING ROAD ,Street: NEAR BANGALORE UNIVERSITY ,Landmark: MALLATHAHALLI BUS STOP ,Panchayat: MALLATHAHALLI ,Village: MALLATHAHALLI ,PostOffice: BANGALORE UNIVERSITY ,Pincode: 560056	Board of Examining Authority III Floor, No. 2 Govt. College of Pharmacy Building, P. Kalingarao Road Subbaiah Circle Bengaluru - 560027, Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course., D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.
9	PCI-1566	Pgp College Of Pharmaceutical Science And Research Institute Karur Main Road Pgp Campus Namakkal	House No: 1 ,Street: NH 7 ,Landmark: PGP CAMPUS ,Panchayat: PILLAKALATHUR ,Village: VILLIPALAYAM ,PostOffice: PARAMATHI ,Pincode: 637207	The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, THE DIRECTOR, DIRECTORATE OF MEDICAL EDUCATION, KILPAUK, CHENNAI-10, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai	M.Pharm Pharmaceutics, B.Pharm, D.Pharm, M.Pharm Pharmaceutical Quality Assurance, M.Pharm Pharmaceutical Analysis, Pharm.D	B.Pharm Extend approval upto 2024-2025 academic session for 100 admissions for B.Pharm course. The above extension of approval is granted subject to inspection throughout the year. Pharm.D Grant approval for 2024-2025 academic session for the conduct of 6th year for 30 admissions for Pharm.D course. Allow 30 admissions in 2024-2025 academic session in 1st year. The above extension of approval for conduct of course is granted subject to inspection throughout the year. Hospital Name Government Headquarters Hospital, Namakkal D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. The above extension of approval is granted subject to inspection throughout the year. M.Pharm (Pharmaceutical Analysis)-15 M.Pharm Pharmaceutical Quality Assurance-15 M.Pharm Pharmaceutics- 12 The above extension of approval is granted subject to inspection throughout the year.

10	PCI-1981	SABARMATI UNIVERSITY	House No: 0 ,Street: OGNAJ ,Landmark: Greenwood lake resort ,Panchayat: Ognaj ,Village: Ognaj ,PostOffice: Chandlodia ,Pincode: 382481	Sabarmati University, Sabarmati University, Sabarmati University, Sabarmati University, Sabarmati University	M.Pharm Pharmaceutical Quality Assurance, B.Pharm, Pharm.D, M.Pharm Pharmaceutics, D.Pharm	It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of PCI., It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of PCI., It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of PCI., It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of PCI.
11	PCI-1818	S V M Pharmacy College	House No: NH32 Lucknow Varansi Road ,Street: Sarai Sultani ,Landmark: Sarai Sultani ,Panchayat: Sarai Sultani ,Village: Sarai Sultani ,PostOffice: Raniganj ,Pincode: 230304	The Registrar Dr APJ Abdul Kalam Technical University Institute of Engineering and Technology Campus Sitapur Road Lucknow, THE SECRETARY BOARD OF TECHNICAL EDUCATION LUCKNOW UP	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 100 admissions for B.Pharm course., D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.
12	PCI-2795	Adina College Of Pharmacy Sagar.	House No: NH-86 ,Street: NH-86 Bhopal Road Sagar MP ,Landmark: MADHYA PRADESH ,Panchayat: Bamhori Rengua ,Village: Bamhori Rengua ,PostOffice: SAGAR ,Pincode: 470002	The Registrar Rajiv Gandhi proudyogiki Vishwavidyalaya Airport Bypass road Gandhi Nagar Bhopal , The Registrar Rajiv Gandhi Proudyogiki Vishwavidyalaya Airport Bypass Road Gandhi Nagar Bhopal	M.Pharm Pharmaceutics, M.Pharm Pharmaceutical Chemistry	M.Pharm (Pharmaceutics) 03 Seats allotted in the view of following observations 1. Cadre ratio not maintained/mentioned in IR 2. Three Faculties were absent 3. Equipments and instruments not as per norms of PCI or not verified on the day of inspection (e.g. Standard graphs of various drugs, UV spectrophotometer (double beam)) B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. M.Pharm (Pharmaceutical Chemistry) 03 Seats allotted in the view of following observations 1. Cadre ratio not maintained/mentioned in IR 2. Three Faculties were absent 3. Equipments and instruments not as per norms of PCI or not verified on the day of inspection (e.g. Standard graphs of various drugs, UV spectrophotometer (double beam))
13	PCI-2037	Shetty Institute Of Pharmaceutical Scienes 5th Km Kalaburagi Shahabad Road Kalaburagi 585 105	House No: 5th Km ,Street: Kalaburagi-Shabad Road ,Landmark: Shetty Group of Institutions, Shabad Road ,Panchayat: Kalaburagi ,Village: Kalaburagi ,PostOffice: RTO POST OFFICE KALABURAGI ,Pincode: 585105	Board of Examining Authority III Floor, No. 2 Govt. College of Pharmacy Building P. Kalingarao Road Subbaiah Circle Bengaluru - 560 027, Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar	D.Pharm, B.Pharm	B.Pharm "Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days*time. 1. Bank Details -Not Provided/Available, 2. GST Details-Not Available, 3. Out of 15 faculties 1 was absent on the day of inspection. 4. Photographs of Faculties SHRIKANT POTDAR, ANKITAANKITA KOGANUR, DIVAKAR PUJARI not shown on portal, 5. Staff mentioned in IR (01 principal, 02 Associate professor, 08 Assistant Professor, 03 Lecturer) not as per PCI norms.6. Various instruments/equipments not as per PCI norms/not verified (e.g. Nephelo Turbidity meter,Standard graphs of various drugs, Homogenizer, Flame Photometer, Atomic Absorption and Emission spectrophotometer (Desirable))" D.Pharm "Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days*time. 1. Bank Details -Not Provided/Available 2. GST Details-Not Available 3. Out of 15 faculties 1 was absent on the day of inspection.4. Photographs of Faculties SHRIKANT POTDAR, ANKITAANKITA KOGANUR, DIVAKAR PUJARI not shown on portal,5. Staff mentioned in IR (01 principal, 02 Associateprofessor, 08 Assistant Professor, 03 Lecturer) not as per PCI norms. 6. Various instruments/equipments not as per PCI norms/not verified (e.g. Nephelo Turbidity meter, Standard graphs of various drugs, Homogenizer, Flame Photometer, Atomic Absorption and Emission spectrophotometer (Desirable))"

14	PCI-2254	Spectrum Institute Of Pharmaceutical Sciences And Research Sipsar Knowledge Park 1 Gautam Budh Nagar	House No: 21 ,Street: Knowledge Park-1 ,Landmark: Near kailash hospital ,Panchayat: Greater Noida ,Village: Greater Noida ,PostOffice: e market ,Pincode: 201308	Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.), THE SECRETARY UTTAR PRADESH BOARD OF TECHNICAL EDUCATION ,GURU GOVIND SINGH MARG LUCKNOW,UTTAR PRADESH	B.Pharm D.Pharm	B.Pharm Extend approval up to 2024-2025 academic session for 60 admissions for B.Pharm course. Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Latest Project Budget & Expenditure Report-Not Available, 3. Twelve Faculties are Presents and Five Absents, Experience details are not available. 4. Faculties photograph name of PRIYANKA SHRIVASTAV, RANJEET BHARGAV, ROOPA RANI, Hemant Jainer not show on portal, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Building Construction Cost-Not Available, 8. Brookfield viscometer-Not Verified, 9. Equipments Not Available and Not Verified on portal Verification, 10. Is social pharmacy laboratories maintained as per new regulations-Not Available, 11. Is social pharmacy laboratories maintained as per new regulations-Not Available, 12. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 13. Bio Metric Attendance System For Student-Not Available, 14. Smart Classroom-Not Available, 15. Triple Door Entering Setup For Aseptic Room-Not Available.
15	PCI-2394	St Xavier Institute Of Pharmacy Deenapur Phirangipuram Guntur Andhra Pradesh	House No: 10-Jan ,Street: DEENAPUR ,Landmark: BAKARY ,Panchayat: PHIRANGIPURAM ,Village: PHIRANGIPURAM ,PostOffice: PHIRANGIPRAM ,Pincode: 522529	ACHARYA NAGARJUNA UNIVERSITY NAGARJUNA NAGAR GUNTUR -522510, ACHARYA NAGARJUNA UNIVERSITY NAGARJUNA NAGAR GUNTUR - 522510, ACHARYA NAGARJUNA UNIVERSITY NAGARJUNA NAGAR GUNTUR -522510, ACHARYA NAGARJUNA UNIVERSITY NAGARJUNA NAGAR GUNTUR - 522510, ACHARYA NAGARJUNA UNIVERSITY NAGARJUNA NAGAR GUNTUR -522510	Pharm.D, M.Pharm Pharmaceutical Analysis, B.Pharm, M.Pharm Pharmaceutics	B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. M.Pharm (Pharmaceutical Analysis)-12 M.Pharm (Pharmaceutics)-15 Pharm.D Grant approval for 2024-2025 academic session for the conduct of 1st year for 30 admissions for Pharm.D course.
16	PCI-3660	Maa Gayatri College Of Pharmacy	House No: MAWAIYA ,Street: MAWAIYA RAOD ,Landmark: NAINI ,Panchayat: MAWAIYA ,Village: MAWAIYA ,PostOffice: NAINI ,Pincode: 211010	Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.), Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.), BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.), Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.)	B.Pharm, D.Pharm M.Pharm Pharmacology M.Pharm Pharmaceutics	M.Pharm Pharmacology AND M.Pharm pharmaceutics Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Twenty Eight Faculties,are Presents and Six Absents and Six Leave, Higher Cadre faculties are not available. 3. Gel Electrophoresis (Vertical and Horizontal)-Not Verified, 4. Tray dryer-Not Verified, 5. Spray dryer-Not Verified,6. Lucas Moist Chamber-not Verified, 7. Aseptic Cabinet-Not Verified, 8. Permeability Cups-Not Verified, 9. Propeller type mechanical agitator-not Verified, 10. Paper Electrophoresis Unit-Not Verified,11. Zone reader-Not Verified, 12. Humidity Control Oven-not Verified, 13. Orbital shaker incubator-Not Verified, 14. Cold storage cabinet(minimum 300 ltr)-Not Verified, 15. Stimulator-not Verified, 16. Vacuum Desiccators different sizes-Not Verified, 17. Reflux flask and condenser double /triple necked-not Verified, 18. Ultrasonic Probe sonicator - not Verified, 19. Fermenters of different capacity (Desirable)-not Verified, 20. Zone reader-Not Verified, 21. Ultrasonic Probe sonicator- Not Verified, 22. Incubator water bath-not Verified, 23. Spectrofluorimeter- Not Verified, 24. Triple Door Entering Setup For Aseptic Room-Not Available,Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time.1. GSTDetails-Not Available, 2. Twenty Eight Facultiesare Presents and Six Absents and Six Leave, Higher Cadre faculties are not available. 3. Gel Electrophoresis (Vertical and Horizontal)-Not Verified, 4. Tray dryer-Not Verified, 5. Spray dryer-Not Verified, 6. Lucas Moist Chamber-not Verified, 7. Aseptic Cabinet-Not Verified, 8. Permeability Cups-Not Verified, 9. Propeller type mechanical agitator-not Verified, 10. Paper Electrophoresis Unit-Not Verified, 11. Zone reader-Not Verified, 12. Humidity Control Oven-not Verified, 13. Orbital shaker incubator-Not Verified, 14. Cold storage cabinet(minimum 300 ltr)-Not Verified, 15. Stimulator-not Verified, 16. Vacuum Desiccators different sizes-Not Verified, 17. Reflux flask and condenser double /triple necked-not Verified, 18. Ultrasonic Probe sonicator - not Verified, 19. Fermenters of different capacity (Desirable)-not Verified, 20. Zone reader-Not Verified, 21. Ultrasonic Probe sonicator- Not Verified, 22. Incubator water bath-not Verified, 23. Spectrofluorimeter- Not Verified, 24. Triple Door Entering Setup For Aseptic Room-Not Available. B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. , D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.
17	PCI-3155	Vidya Bharath College Of Pharmacy	House No: 38/2 ,Street: Thirumenahalli ,Landmark: Bangalore north ,Panchayat: Bagalur ,Village: Bagalur ,PostOffice: Yelahanka ,Pincode: 560064	The Member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy Noll Subbaiah Circle Dr P Kalin	D.Pharm	D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.
18	PCI-3825	Keshav Madhav Institute Of Pharmacy	House No: PLOT NO 991/992 ,Street: DADRI BYPASSNH-91 ,Landmark: GT ROAD ,Panchayat: GREATER NOIDA ,Village: DHOOM MANIKPUR ,PostOffice: DHOOM MANIKPUR ,Pincode: 203207	BTE UP	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

19	PCI-3860	Sri Shahu Maharaj College Of Pharmacy	House No: PLOT NO 93 ,Street: NAUBAD ,Landmark: KARNATAKA ,Panchayat: BIDAR ,Village: BIDAR ,PostOffice: NAUBAD ,Pincode: 585402	Rajiv Gandhi University Health Science Karnataka 4th 'T' Block Jayanagar, the member secretary board of examining authority drug control department bangalore karnataka	D.Pharm, B.Pharm	<p>D.Pharm "Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. Subscription of National and International Journals Not Available 2. Out of 22 faculties 03 were absent on the day of inspection 3. Experiences of some staff having B. Pharm as highest degree is not as per PCI norms. 4. Data of any Institution Running Previously in Same Building-Not Available 5. Various Instruments/Equipments Not as per PCI norms or not Available and Not Verified on portal (e.g.Andreassen's Pipette, Lock and key arrangementfor Schedule X and NDPS medicines, Computers: hospital and community pharmacy management software, Moisture balance, Bottle Sealing Machine, Soxhlet apparatus, Propeller type mechanical agitator, Display for various disinfectants,mosquito repellents etc, Precision Melting point Apparatus, Variety of catheters, Micro Centrifuge, Bottle washing Machine, Brookfield's viscometer, Inventory Software for Retail Pharmacy, Capsule Counter) 6. Triple Door Entering Setup For Aseptic Room-Not Available 7. Instrument Numbering Register-Not Available 8. Machine are not Fixed On Cemented Blocks"</p> <p>B.Pharm "Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. Subscription of National and International Journals Not Available 2. Out of 22 faculties 03 were absent on the day of inspection 3. Experiences of some staff having B. Pharm as highest degree is not as per PCI norms. 4. Data of any Institution Running Previously in Same Building-Not Available 5. Various Instruments/Equipments Not as per PCI norms or not Available and Not Verified on portal (e.g.Andreassen's Pipette, Lock and key arrangementfor Schedule X and NDPS medicines, Computers: hospital and community pharmacy management software, Moisture balance, Bottle Sealing Machine, BOD Incubator, Soxhlet apparatus, Propeller type mechanical agitator, Display for various disinfectants, mosquito repellents etc, Precision Melting point Apparatus, Variety of catheters, Micro Centrifuge, Bottle washing Machine, Brookfield's viscometer, Inventory Software for Retail Pharmacy, Capsule Counter) 6. Triple Door Entering Setup For Aseptic Room-Not Available 7. Instrument Numbering Register-Not Available 8. Machine are not Fixed On Cemented Blocks"</p>
20	PCI-4428	Shri.Rajkumar Kamble Memorial Pharmacy College Kalaburagi	House No: 8 ,Street: P and T Colony Kalaburagi Old jewargi Road ,Landmark: ambika nagar ,Panchayat: nandikoor ,Village: nandikoor ,PostOffice: Station Bazar ,Pincode: 585102	BOARD OF EXAMINING AUTHORITY KARNATAKA	D.Pharm	<p>D.Pharm Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATEGOVERNMENT-Not Provided/Available 3. Latest Project Budget & Expenditure Report-Not Available 4. Only Five Faculty are Presents and Two Absents 5. Infrastructure not as per PCI norms. 6. Labs for C P & M, Pharmacology, Pharmacotherapeutics, Bio chemistry, HOSPITAL AND CLINICAL PHARMACY were Not Available/Verified on the day of inspection 7. Data of Any Institution Running Previously In Same Building-Not Available 8. Building Construction Cost-Not Mentioned/Available 9. Various Instruments/Equipments are not as per PCI norms or not Available and Not Verified on portal (e.g. Micrometre slide Eyepiece, Digital Melting Point Apparatus, Permanent slide of different microbes, Stalagmometer, Permanent slide set of plants and charts for Pharmacognosy Lab, Pharmacotherapeutic charts for various diseases & disorders, Refrigerator, Various types of PPE Kits, Haemocytometer with Micropipettes, Peak Flow meter, Autoclave, Tablet counter - small size, Human Permanent Slides for various tissues, Haemocytometer with Micropipettes, Andreassen's Pipette, Sahl's haemoglobinometers, Haemocytometer with Micropipettes, Water Testing Kit, RYLE's tube, Mannequins for CPR-1 (with</p>
21	PCI-4475	C R K College Of Pharmacy	House No: CRK ,Street: NH-18 ,Landmark: CHAURASIA CHOWK ,Panchayat: Hajipur Municipality ,Village: Hajipur ,PostOffice: Hajipur ,Pincode: 844101	Bihar Universityof Health Sciences Mithapur, Patna-800001, Bihar Universityof Health Sciences Mithapur, Patna-800001	D.Pharm, B.Pharm	<p>416th(EC) held on 20th & 21st September, 2024 decided as under D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year. The above extension of approval for conduct of course is granted subject to inspection throughout the year. , 416th(EC) held on 20th & 21st September, 2024 decided as under B.Pharm Grant approval from 2020-2021 to 2024-2025 academic session for 60 admissions u/s 12 of the Pharmacy Act for B.Pharm course. The above approval is granted subject to inspection during the year. ----- "418th EC held on 04 .10.2024 under Item No.8 decided as under: B.Pharm It was noted that despite giving reasonable time for submission of statutory documents, your institution has failed to submit the following Statutory documents for raise course /s for the 2024-2025 Academic Session. 1) Consent of Examining Authority for raise intake for 2024-2025 academic session . In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected. "</p>

22	PCI-6173	ram bai patel college of pharmacy	House No: 0 ,Street: LALAPUR PAIKAURA CONNECTING ROAD ,Landmark: IN FRONT OF LALAPUR TEMPLE ,Panchayat: DEVKALI ,Village: DEVKALI ,PostOffice: RAIPURA ,Pincode: 210205	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. State policy decision-Not Available, 3. GSTDetails-Not Available, 4. Latest Project Budget & Expenditure Report-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 7. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 8. Is Computer Laboratories Available As Per Norms-Not Available, 9. No Of International Journals Available-Not Available, 10. No Of National Journals Available-Not Available, 11. One Faculty Principal is Presents , 12. Faculties not Available as per norms, 13. PHARMACOGNOSY LAB, PHARMACY PRACTICE LAB, PHARMACOLOGY LAB- Not Verified, 14. Is Municipality Registration Office Available-Not Available, 15. Is Previously Any Institution Running In Same Building-Not Available, 16. Building Construction Cost-Not Available, 17. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 18. Hot plates-Not Verified, 19. Nessler's Cylinders-Not Verified, 20. Dummy Inhalers and Nebulizer-Not Verified, 21. Andreason's Pipette-Not Verified, 22. Capsule Counter-Not Verified, 23. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 24. Thieles Tube-Not Verified, 25. Stadiometer-Not Verified, 26. Autoclave-Not Verified, 27. Permanent slide of different microbes-Not Verified, 28. Haemocytometer with Micropipettes-Not Verified, 29. Filtration assembly with Vacuum Pump-Not Verified, 30. Various types of PPE Kits,-Not Verified, 31. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 32. Stalagnometer-Not Verified, 33. Ointment spatula-Not Verified, 34. Peak Flow meter-Not Verified, 35. Water Testing Kit-Not Verified, 36. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 37. Ointment slab-Not Verified, 38. Tablet counter - small size-Not Verified, 39. Is social pharmacy laboratories maintained as per new regulations-Not Available, 40. Upload electricity telephone bill-Not Available, 41. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 42. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 43. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-not Available, 44. Fire Safety Equipment-Not Available, 45. Pharmacology Software-Not Available, 46. Machine Are Fixed On Cemented Blocks-Not Available, 47. Instrument Numbering Register-Not Available, 48. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 49. Bio Meteric Attendance System For Student-Not Available, 50. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 51. Electricity Bill With Sanction Of Electric Load By Electric Supply Provider Company-Not Available, 52. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 53. Smart Classroom-Not Available, 54. Gas Connection Proof & Receipt-Not Available, 55. Availability Of Institute Website-Not Available, 56. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 57. Bio Meteric Attendance System For Faculty-Not Available, 58. Triple Door Entering Setup For Aseptic Room-Not Available, 59. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 60. Is Display Of Chart In Respective Laboratories-Not Available, 61. General And Departmental Notice Boards-Not Available. In View of above, it was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
23	PCI-5633	MAA JANAKRAJI RAMSARIKHAN PHARMACY COLLEGE	House No: 0 ,Street: 0 ,Landmark: NA ,Panchayat: MEHNAGAR ,Village: VILLAGE ,PostOffice: HARAURA ,Pincode: 276126	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Titles Available-Not Available, 5. Volumes Available-Not Available, 6. No Of National Journals Available-Not Available, 7. No Of International Journals Available-Not Available, 8. Is Previously Any Institution Running In Same Building-Not Available, 9. Is Municipality Registration Office Available-Not Available, 10. Equipments Not Available and Not Verified on portal Verification, 11. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 12. Bio Meteric Attendance System For Faculty-Not Available, 13. Smart Classroom-Not Available, 14. Bio Meteric Attendance System For Student-Not Available, 15. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 16. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 17. Triple Door Entering Setup For Aseptic Room-Not Available, 18. Pharmacology Software-not Available, 19. Faculty verification Details is not Available on PCI portal. In view of above, it was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
24	PCI-5976	Shakuntala Memorial Educational Institute Of Pharmacy	House No: 8 ,Street: CHILWARIYA ,Landmark: NEAR CHILWARIYA CHINI MILL ,Panchayat: UNNAISA ,Village: CHILWARIYA BAHRAICH ,PostOffice: CHILWARIYA ,Pincode: 271870	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
25	PCI-6276	P G GROUP OF COLLEGE PHARMACY	House No: 360 ,Street: nakhatpur ,Landmark: nakhatpur ,Panchayat: nakhatpur ,Village: nakhatpur ,PostOffice: machalishahr ,Pincode: 222143	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.), DR APJ ABDUL KALAM TECHNICAL UNIVERSITY	B.Pharm, D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Institution Applications-Not Available, 4. InstituteDetails-Not Available, 5. Ten Faculties All are Presents, Experience details are not available. 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Conductivity meter-Not Verified, 8. Patient Information ,Leaflets/Cards-Not Verified, 9. Convulsiometer-Not Verified, 10. Andreason's Pipette-Not Verified, 11. Thieles Tube-Not Verified, 12. Nephelo Turbidity meter-Not Verified, 13. Digital BP Instrument-Not Verified, 14. Steam distillation still-Not Verified, 15. Peak Flow meter-Not Verified, 16. Deep Freezer (Desirable)-Not Verified, 17. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 18. Standard graphs of various drugs-Not Verified, 19. Standard graphs of various drugs-Not Verified, 20. Digital balance (10mg)-Not Verified, 21. Flourimeter-Not Verified, 22. Drug Information books-Not Verified, 23. Fourier Transform Infra-Red Spectrometer (Desirable)-Not Verified, 24. Biochemistry Analyzer (Desirable)-Not Verified, 25. Micrometre slide Stage-Not Verified, 26. Micrometre slide Stage-Not Verified, 27. Lock and key arrangement for Schedule X and NDPS medicines-Not Verified, 28. Computers: hospital and community pharmacy management software-Not Verified, 29. Viscometer-Not Verified, 30. Sonicator-Not Verified, 31. Reflux flask and condenser double / triple necked-Not Verified, 32. Moisture balance-Not Verified, 33. Permanent slide of different microbes-Not Verified, 34. Bottle Sealing Machine-Not Verified, 35. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 36. Box/area for expiry medicines,-Not Verified, 37. Inspection book-Not Verified, 38. Incinerator-Not Verified, 39. Aseptic Cabinet-Not Verified, 40. Permeability Cups-Not Verified, 41. BOD Incubator-Not Verified, 42. Pulse Oximeter-Not Verified, 43. Health information display-Not Verified, 44. Capsule filling machine-Not Verified, 45. Sherrington's Kymograph Machine / Polyrte-Not Verified, 46. Mercury Thermometer-Not Verified, 47. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 48. Patient Information ,Leaflets/Cards-Not Verified, 49. Patient waiting area,-Not Verified, 50. TLC chamber and sprayer-Not Verified, 51. Liquid Filling Machine-Not Verified, 52. Digital Thermomete-Not Verified, 53. Analgesiometer (Eddy's hot plate and radiant heat methods)-Not Verified, 54. Diagnostic kits to identify infectious I agents-Not Verified, 55. Specimen for various organs and systems-Not Verified, 56. Menstrual hygiene products-Not Verified, 57. Hot air oven-Not Verified, 58. Levers, cannulae-Not Verified, 59. Adult Weighing Scale (150 kg)-Not Verified, 60. Orbital shaker incubator-Not Verified, 61. Display of name of owner-Not Verified, 62. Tray dryer-Not Verified, 63. Colostomy bags-Not Verified, 64. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 65. Respinometer-Not Verified, 66. Sintered glass filter with vacuum-Not Verified, 67. Wall Mounted Water Distillation Unit-Not Verified, 68. Urine pots-Not Verified, 69. Eye piece micrometer-Not Verified, 70. Sterility testing unit-Not Verified, 71. Muscle electrodes-Not Verified, 72. Potentiometer-Not Verified, 73. Various types of PPE Kits,-Not Verified, 74. HPTLC (Desirable)-Not Verified, 75. All-purpose equipment with all accessories-Not Verified, 76. Gel Electrophoresis (Vertical and Horizontal)-Not Verified, 77. RYLE's tube-Not Verified, 78. Lyophilizer (Desirable)-Not Verified, 79. Various name plates indicating different parts of Pharmacy-Not Verified, 80. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 81. Andreason's Pipette-Not Verified, 82. Human Permanent Slides for various tissues-Not Verified, 83. Soxhlet apparatus-Not Verified, 84. Variety of Needles-Not Verified, 85. Paper Electrophoresis Unit-Not Verified, 86. Refrigerator-Not Verified, 87. Collapsible tube - Filling and Sealing-Not Verified, 88. Pole Climbing apparatus-Not Verified, 89. Display windows, shelves-Not Verified, 90. Tissue culture station-Not Verified, 91. Propeller type mechanical agitator-Not Verified, 92. Propeller type mechanical agitator-Not Verified, 93. Incubator water bath-Not Verified, 94. Carbon, Hydrogen, Nitrogen Analyzer (Desirable)-Not Verified, 95. Plethysmograph-Not Verified, 96. IR Thermometer-Not Verified, 97. Myographic Lever-Not Verified, 98. Glucometer-Not Verified, 99. Urine Bag-Not Verified, 100. Ointment spatula-Not Verified, 101. Oxygen masks-Not Verified, 102. Refrigerated Centrifuge-Not Verified, 103. Perspex bath assembly (single unit)-Not Verified, 104. Filtration assembly with Vacuum Pump-Not Verified, 105. Micro Centrifuge-Not Verified, 106. Variety of catheters-Not Verified, 107. Folin-Wu tubes-Not Verified, 108. Empty cartons of variety medicines (across variety dosage forms)-Not Verified, 109. Bill book (dummy) Computer stationary for bill printing-Not Verified, 110. Bottle washing Machine-Not Verified, 111. UV- Visible Spectrophotometer-Not Verified, 112. Electric water bath unit-Not Verified, 113. Drug information resources-Not Verified, 114. Pestle and mortar porcelain-Not Verified, 115. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 116. Mannequins for injection IV Arm-Not Verified, 117. Display of pharmacist registration, license and other licenses-Not Verified, 118. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 119. Actophotometer-Not Verified, 120. Dummy Inhalers and Nebulizer-Not Verified, 121. Camera Lucida-Not Verified, 122. Reflux flask and condenser single necked-Not Verified, 123. Phase contrast/Trinocular Microscope-Not Verified, 124. Micrometre slide Eye piece-Not Verified, 125. Ointment filling machine-Not Verified, 126. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 127. Water Testing Kit-Not Verified, 128. Inventory Software for Retail Pharmacy-Not Verified, 129. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 130. Stethoscopes-Not Verified, Physical and Chemical Balance-Not Verified, 131. First aid equipment-Not Verified, 132. Clavengers apparatus-Not Verified, 133. Digital Melting Point Apparatus-Not Verified, 134. Lucas Moist Chamber-Not Verified, 135. Atomic Absorption and Emission spectrophotometer (Desirable)-Not Verified, 136. IV set-Not Verified, 137. Ointment slab-Not Verified, 138. Colony counter-Not Verified, 139. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 140. Thermostatic Water Bath-Not Verified, 141. Sherrington Drum-Not Verified, 142. Rheometer-Not Verified, 143. Mannequins for CPR-1 (with indication Signals)-Not Verified, 144. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc -Not Verified, 145. Rotarod-Not Verified, 146. Fermenters of different capacity (Desirable)-Not Verified, 147. Stop watch-Not Verified, 148. Colorimeter-Not Verified, 149. Height and body weight chart-Not Verified, 150. Homogenizer-Not Verified, 151. Hypodermic syringes and needles of size 15,24,26G-Not Verified, 152. Ion- Exchanger-Not Verified, 153. Various devices for screening services (B.P. monitor, glucometer etc)-Not Verified, 154. HPLC-Not Verified, 155. Mechanical stirrers-Not Verified, 156. Sahli's haemoglobinometers-Not Verified, 157. Flame Photometer-Not Verified, 158. Magnetic Stirrers with Thermostat-Not Verified, 159. Stage and eye piece micrometers-Not Verified, 160. Variety of Syringes-Not Verified, 161. Humidity Control Oven-Not Verified, 162. Upload electricity telephone bill-Not Available, 163. Triple Door Entering Setup For Aseptic Room-Not Available.
26	PCI-5470	Ramratti Devi College of Pharmacy	House No: Sajhauli ,Street: Sajhauli ,Landmark: Sajhauli ,Panchayat: Sajhauli ,Village: Sajhauli ,PostOffice: Bharehatha ,Pincode: 231304	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
27	PCI-6751	VERMA SHYAMDULARI COLLEGE OF PHARMACY	House No: 276122 ,Street: Nayi Basti ,Landmark: Nayi Basti ,Panchayat: Raunapar ,Village: Raunapar ,PostOffice: Raunapar ,Pincode: 276122	BOARD OF TECHNICAL EDUCATION , UTTAR PRADESH	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

28	PCI-6852	SHRI RAM COLLEGE OF PHARMACY	House No: 761A ,Street: GHATAMPUR TO GAINER ROAD ,Landmark: NANDANA ,Panchayat: NANDANA ,Village: NANDANA ,PostOffice: PATARSHA ,Pincode: 209206	The Registrar Uttar Pradesh Technical University Institute of Engineering and Technology Campus Sitapur Road Lucknow, The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm, B.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. BankDetailsResponse-Not Available, 3. Fourteen Faculties are Presents, Experience details are not available. 4. Faculties RAJESH KUMAR, HARILAL, ASHISH GUPTA, RIYA JAISWAL, TANNU DIXIT, VIJAY, ANURAG KUMAR, PRADEEP KUMAR, RAM YADAV photograph not show on portal, 5. Triple Door Entering Setup For Aseptic Room-Not Available.", 6. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Deep Freezer (Desirable)-Not Verified, 9. Display for various disinfectants, mosquito repellents etc-Not Verified, 10. B.O.D.incubator-Not Verified, 11. Pole Climbing apparatus-Not Verified, 12. Brookfield's viscometer-Not Verified, 13. UV- Visible Spectrophotometer-Not Verified, 14. Hot air oven-Not Verified, 15. Tray dryer-Not Verified, 16. Colostomy bags-not Verified, 17. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 18. Refrigerated Centrifuge-Not Verified, 19. Incinerator-Not Verified., "Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. BankDetailsResponse-Not Available, 3. Fourteen Faculties are Presents, Experience details are not available. 4. Faculties RAJESH KUMAR, HARILAL, ASHISH GUPTA, RIYA JAISWAL, TANNU DIXIT, VIJAY, ANURAG KUMAR, PRADEEP KUMAR, RAM YADAV photograph not show on portal, 5. Triple Door Entering Setup For Aseptic Room-Not Available.", 6. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Deep Freezer (Desirable)-Not Verified, 9. Display for various disinfectants, mosquito repellents etc-Not Verified, 10. B.O.D.incubator-Not Verified, 11. Pole Climbing apparatus-Not Verified, 12. Brookfield's viscometer-Not Verified, 13. UV- Visible Spectrophotometer-Not Verified, 14. Hot air oven-Not Verified, 15. Tray dryer-Not Verified, 16. Colostomy bags-not Verified, 17. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 18. Refrigerated Centrifuge-Not Verified, 19. Incinerator-Not Verified.
29	PCI-6448	TAJ MEMORIAL INSTITUTE OF PHARMACY	House No: 433/1 434 436 ,Street: JAGDISHPURA ,Landmark: JAGDISHPURA ,Panchayat: JAGDISHPURA ,Village: JAGDISHPURA ,PostOffice: SARUND ,Pincode: 303105	Rajasthan University of Health Sciences Sector-18, Kumbha Marg, Pratap Nagar, Jaipur, Rajasthan 302033, India Email: ruhsreg@gmail.com	D.Pharm	Decision Item No.4 of 414th EC held on 04.09.2024 decided as under:- D.Pharm Grant approval from 2022-2023 to 2024-2025 academic session for 60 admissions u/s 12 of the Pharmacy Act for D.Pharm course. The above approval is granted subject to inspection during the year.
30	PCI-6486	PLATINUM INSTITUTE OF PHARMACY	House No: NA ,Street: SEMARA NEAR HP PETROL PUMP ,Landmark: 00 ,Panchayat: SAHJANWA ,Village: SEMARA ,PostOffice: SAHJANWA ,Pincode: 273209	DR. A.P.J. ABDUL KALAM TECHNICAL UNIVERSITY, BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year., B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.
31	PCI-6690	A AND H COLLEGE OF PHARMACY	House No: 1213 ,Street: PALIMUKIMPUR ROAD ,Landmark: NEAR PANCHAYAT GHAR ,Panchayat: ATRAULI ,Village: ATRAULI ,PostOffice: ATRAULI ,Pincode: 202280	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. The institute is NOT INTERESTED FOR PCI INSPECTION They NOT ALLOWED PCI Inspector to Visit the institute Only Institute owner is available when we reach for PCI Inspection No Teaching Faculties Non Teaching Staff were available in the institute Institute Owner inform that they are NOT INTERESTED to run the institute any more In institute No facilities to run a Pharmacy Institute was available."2. Statutory Documents Verification-Not Available, 3. Account Verification-Not Available, 4. Library Verification-Not Available, 5. Faculties Verification-Not Available, 6. Infrastructure Verification-Not Available, 7. Equipment Verification-Not Available, 8. Inspector Check List Verification-Not Available. In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
32	PCI-2731	Arunai College Of Pharmacy	House No: 46/4A ,Street: CHITTOOR TO CUDDALORE ROAD ,Landmark: VELU NAGAR ,Panchayat: SU KILNACHIPATTU ,Village: THENMATHUR ,PostOffice: AEC CAMPUS THENMATHUR ,Pincode: 606603	The Tamilnadu Dr. M G R Medical University, Chennai, The Tamilnadu Dr. M G R Medical University, Chennai, THE DIRECTOR, DIRECTORATE OF MEDICAL EDUCATION, KILPAUK, CHENNAI-10, The Tamilnadu Dr. M G R Medical University, Chennai, The Tamilnadu Dr. M G R Medical University, Chennai	M.Pharm Pharmaceutics, D.Pharm, M.Pharm Pharmaceutical Analysis, B.Pharm, Pharm.D	D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. M.Pharm (Pharmaceutics)-15 M.Pharm (Pharmaceutical Analysis)-15 Pharm.D Grant approval for 2024-2025 academic session for the conduct of 1st year for 30 admissions for Pharm.D course. B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course
33	PCI-6925	INSTITUTE OF APPLIED MEDICINES AND RESEARCH	House No: Khasra No 413 ,Street: Delhi-Meerut Road NH-58 ,Landmark: Near Metro Station ,Panchayat: Duhai ,Village: Duhai ,PostOffice: Ghaziabad ,Pincode: 201206	NIL, BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
34	PCI-3814	Itm College Of Pharmacy And Research	House No: PLOT NO AL 1 ,Street: AL 1 Sector-7 ,Landmark: NATIONAL HIGHWAY 28 ,Panchayat: BARGAHAN ,Village: BARGAHAN ,PostOffice: GIDA ,Pincode: 273209	The Registrar Dr APJ Abdul Kalam Technical University Institute of Engineering and Technology Campus Sitapur Road Lucknow, BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	B.Pharm, D.Pharm	D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. Grant approval for 2024-2025 academic session for the conduct of 3rd year for B.Pharm course. Allow 100 admissions in 2024-2025 academic session in 1st year. (Permit raise in admissions from 60 to 100 from 2024-2025 a.s.)
35	PCI-5932	Aashirwad jamuna jamwanti institute of professional education	House No: 0 ,Street: BALLIA ROAD ,Landmark: NA ,Panchayat: ALINAGAR ,Village: HASANPUR ,PostOffice: MAU ,Pincode: 275101	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
36	PCI-5955	Panchsheel College of Pharmacy	House No: NA ,Street: UNCHAHAAR RAEBARELI ROAD ,Landmark: 00 ,Panchayat: ITAURA BUJURG ,Village: ITAURA BUJURG ,PostOffice: ITAURA BUJURG ,Pincode: 229401	DR APJ ABDUL KALAM TECHNICAL UNIVERSITY , BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course., D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

37	PCI-5350	R L Institute of Pharmacy	House No: Plot no 1741 ,Street: kathirion ,Landmark: near Badagon ,Panchayat: kathirion ,Village: kathirion ,PostOffice: kathirion ,Pincode: 221207	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.), DR. A.P.J. ABDUL KALAM TECNICAL UNIVERSITY	B.Pharm, D.Pharm	415 EC held on 13.9.2024 decided as under B.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for B.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year. The above extension of approval for conduct of course is granted subject to inspection throughout the year. Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GST Details-Not Available, 2. Institute Details-not Available, 3. Bank Details Response-Not Available, 4. Institution Applications-Not Available, 5. There are Not Faculty Available as per norms, 6. Only One Faculty Brijesh Mishra is Available, 7. Is Municipality Registration Office Available-Not Available, 8. Inspeciants Equipments Available on portal Verification, 9. Equipments Not Available and Not Verified, 10. Smart Classroom-Not Available, 11. Triple Door Entering Setup For Aseptic Room-not Available.
38	PCI-6859	Pt. Rakesh Mishra College of Pharmacy and Medical Science	House No: 419 ,Street: Railway Station Road ,Landmark: Near Gandhi Ashram ,Panchayat: N/A ,Village: Kazipur ,PostOffice: Maghar ,Pincode: 272173	BTEUP LUCKNOW	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
39	PCI-7308	DEV PARAMEDICAL INSTITUTE OF MEDICAL SCIENCES	House No: Plot No 301 ,Street: Sarai Bheem Sen ,Landmark: Sarai Bheem Sen ,Panchayat: Sarai Bheem Sen ,Village: Sarai Bheem Sen ,PostOffice: Sarai Bheem Sen ,Pincode: 230402	BOARD OF TECHNICAL EDUCATION, UTTAR PRADESH Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P).	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
40	PCI-6793	J.N.M. COLLEGE OF PHARMACY	House No: 129 ,Street: BHOJUBEER TO SINDHAURA ROAD ,Landmark: NEAR NATINIYA MAI MANDIR ,Panchayat: KHUSHAHL NAGAR SECTOR A ,Village: KHUSHAHL NAGAR SECTOR A ,PostOffice: LALPUR MEERPUR ,Pincode: 221002	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
41	PCI-6871	SHRI JAMUNA PRASAD MAURYA COLLEGE OF PHARMACY	House No: KHEWALI ,Street: RAMESHWAR ROAD ,Landmark: PANCHAYAT BHAWAN KHEWALI ,Panchayat: KHEWALI ,Village: KHEWALI ,PostOffice: KHEWALI ,Pincode: 221405	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH	D.Pharm	Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days'time 1. GST Details-Not Available 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or STATE GOVERNMENT, bank statement not provided 3. PHARMACEUTICS LAB QR code not verified 4. Instruments QR code not verified as per norms 5. Triple Door Entering Setup For Aseptic Room not available 6. Instrument Numbering Register
42	PCI-6107	RAJ RANI MAHAVIDYALAYA FACULTY OF PHARMACY	House No: 0 ,Street: BAHORANPURA ,Landmark: BAHORANPURA ,Panchayat: BAHORANPURA ,Village: BAHORANPURA ,PostOffice: PATIYALI ,Pincode: 207123	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Statutory Documents Verification-Not Available, 2. Account Verification-not Available, 3. Library Verification-Not Available, 4. Faculty Verification-Not Available, 5. Infrastructure Verification-Not Available, 6. Equipment Verification-not Available, 7. Inspector Check List Verification-Not Available, 8. As per Inspector Remark Institute refuse to conduct an inspection. In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
43	PCI-6279	MAXWELL INSTITUTE OF MEDICAL SCIENCES	House No: 1 ,Street: CHANDAULI ,Landmark: BUS STOP ,Panchayat: HINAUTA ,Village: VILL ,PostOffice: CHANDAULI ,Pincode: 232104	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

44	PCI-7883	SANMUKH COLLEGE OF PHARMACY	House No: 1 ,Street: Babatpur ,Landmark: Babatpur ,Panchayat: Babatpur ,Village: Babatpur ,PostOffice: Baragaon ,Pincode: 221006	UPBTE LUCKNOW , The Registrar Uttar Pradesh Technical University Institute of Engineering and Technology Campus Sitapur Road Lucknow	B.Pharm D.Pharm	418th EC held on 04.10.2024 under Item No.8 decided as under: It was noted that despite giving reasonable time for submission of statutory documents, your institution has failed to submit the following Statutory documents for introduction of new B.Pharm course for the 2024-2025 Academic Session. 1) Consent of Examining Authority for 2024-2025 academic session 2) NOC of State Govt. for B.Pharm course In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected. Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Only Seven Faculties are Presents, Experience details are not available. 3. Faculty Roopali Tomar and Avadhesh Giri photograph not show on pci portal, 4. CENTRAL INSTRUMENT ROOM-Not Available, 5. P ANALYSIS LAB-Not Available, 6. CLASS ROOM III, CLASS ROOM IV- Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Is Previously Any Institution Running In Same Building-Not Available, 9. Bottle Sealing Machine-Not Verified, 10. Laminar airflow unit-Not Verified, 11. Tablet coating pan-Not Verified, 12. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 13. BOD incubator-Not Verified, 14. Different Contraceptive Devices and Models-Not Verified, 15. Tablet counter - small size-Not Verified, 16. Mixer grinder-Not Verified,
45	PCI-8780	SIDDHARTH COLLEGE OF PHARMACY & RESEARCH CENTRE	House No: N.S. Knowledge Centre ,Street: Boradpada, ,Landmark: Badlapur West, ,Panchayat: P.O. Chargaon, ,Village: Ambarnath ,PostOffice: P.O. Chargaon, ,Pincode: 421503	MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION Tel : 022 62542100 Email: secretary@msbte.com, DR BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONARE RAIGAD	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D. Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year. . B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.
46	PCI-8343	KANGEYAM INSTITUTE OF PHARMACEUTICAL SCIENCES AND RESEARCH	House No: EBET Knowledge Park, Erode Road ,Street: EBET Knowledge Park, Erode Road, Nathakadaiyur ,Landmark: Nathakadaiyur ,Panchayat: PALAYAKOTTAI ,Village: MULLIPURAM ,PostOffice: Nathakadaiyur ,Pincode: 638108	THE DIRECTOR, DIRECTORATE OF MEDICAL EDUCATION, KILPAUK, CHENNAI-10, The Tamilnadu Dr. M G R Medical University, Chennai	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course., D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
47	PCI-7653	SRLS College of Pharmacy Badapur Jaunpur	House No: 0 ,Street: Badapur ,Landmark: Badapur ,Panchayat: Badapur ,Village: Badapur ,PostOffice: Badapur ,Pincode: 222001	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh, Lucknow (U.P.)	D.Pharm	As per the remarks of the Inspectors, Institute denied for the Inspection. In view of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
48	PCI-5606	BPS PHARMACY COLLEGE LAXMANGARH	House No: NH 52 ,Street: MANASIYA ROAD ,Landmark: Laxmangarh ,Panchayat: Laxmangarh ,Village: LAXMANGARH ,PostOffice: LAXMANGARH ,Pincode: 332311	The Registrar Rajasthan University of Health Science Jaipur	D.Pharm	Decision Item No.4 of 414th EC held on 04.09.2024 decided as under:- D.Pharm Grant approval from 2022-2023 to 2024-2025 academic session for 60 admissions u/s 12 of the Pharmacy Act for D.Pharm course. The above approval is granted subject to inspection during the year.
49	PCI-8466	Nav Chetna College of Pharmacy	House No: Khasra No 524 ,Street: Dakra Road ,Landmark: Near Mahendra Ground ,Panchayat: Garhi Cantt ,Village: Garhi Cantt ,PostOffice: Garhi Cantt ,Pincode: 248003	UTTARAKHAND BOARD OF TECHNICAL EDUCATION	D.Pharm	"Regarding Introduction of D. Pharm course, it was noted that – 1. Compliance is submitted in proper manner. 2. Faculty details are not submitted with all details like date of joining, experience details, degree certificates etc. 3. Faculty consent is not as per PCI format. 4. Geo tag photos are not submitted. 5. Compliance of all deficiencies are not submitted. In view of above, it was decided to reject the application for introduction of D. Pharm course for 2024-2025 academic session"
50	PCI-7704	SHRI KRISHNA COLLEGE OF EDUCATION	House No: 0 ,Street: FARIHA ,Landmark: ,Panchayat: FARIHA ,Village: FIROZABAD ,PostOffice: FARIHA ,Pincode: 283207	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year. As per PCI policy, raise in admissions in D. Pharm is not allowed.
51	PCI-8057	SHANTI NIKETAN COLLEGE OF PHARMACY	House No: VILAGE KAYASTH GAVADI ,Street: GOON GEJHA ROAD ,Landmark: MEERUT ,Panchayat: NA ,Village: VILAGE KAYASTH GAVADI ,PostOffice: MOHIUDDINPUR ,Pincode: 250205	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

52	PCI-6323	RAJ COLLEGE OF PHARMACY	House No: 683 ,Street: JAUNPUR TO VARNASI ,Landmark: BABATPUR ,Panchayat: SISWA ,Village: SISWA ,PostOffice: BABATPUR ,Pincode: 221006	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh , Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.)	B.Pharm D.Pharm	<p>B.Pharm It was noted that despite giving reasonable time for submission of statutory documents, your institution has failed to submit the following Statutory documents for introduction of new B.Pharm course for the 2024-2025 Academic Session. 1) Consent of Examining Authority for 2024-2025 academic session 2) NOC of State Govt. for B.Pharm course In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected.</p> <p>D.Pharm Deficiency reportfor your compliance. Submit compliance of deficiencies pointed outif any, as above in inspection report within 5 days in prescribed time.</p> <p>1. InstituteDetails-Not Available, 2. BankDetailsResponse-Not Available, 4.GSTDDetails-Not Available, 5.InstitutionApplications-Not Available, 6. Only NineFaculties are Presents and Nine Absents, Experience details are not available 7. Pharmaceutics Lab-Not Verified, 8. Human Anatomy and Physiology Lab-Not Verified, 8. Pharmaceutical Chemistry Lab-Not Verified, 9. Pharmaceutical Biotechnology Lab-Not Verified, 10. Pharmaceutical Analysis Lab-Not Verified, 11. Pharmaceutics Lab-3-Not Verified, 12. Class Room -4-Not Available, 13. Class Room-3-Not Available, 14. Class Room-2-Not Available, 15. Is Previously Any Institution Running In Same Building-Not Available, 16. Mechanical stirrer with speed regulator-Not Verified, 17. Plethysmograph-Not Verified, 18. Stimulator-Not Verified, 19. Refrigerated Centrifuge-Not Verified, 20. Tray dryer-Not Verified, 21. Colostomy bags-Not Verified, 22. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 23. Muscle electrodes-Not Verified, 24. RYLE's tube-Not Verified, 25. Colony counter-Not Verified, 26. Sherrington Drum-Not Verified, 27. Mannequins for CPR-1 (with indication Signals)-Not Verified, 28. Rotarod-Not verified, 29. Ampoule washing machine-Not Verified, 30. Double cone blender-Not Verified, 31. Convulsimeter-Not Verified, 32. Clarity test apparatus-Not Verified, 33. Actophotometer-Not Verified, 34. Camera Lucida-Not Verified, 35. Ointment filling machine-Not Verified, 36. Sherrington's Kymograph Machine / Polyrite -not Verified, 37. Friability test apparatus (Digital Single/Double unit)-Not Verified, 38. Sonicator-Not Verified, 39. Moisture balance-Not Verified, 40. Lucas Moist Chamber-Not Verified, 41. Liquid Filling Machine-Not Verified, 42. Zone reader-Not Verified, 43. Paper Electrophoresis Unit-Not Verified, 44. Paper Electrophoresis Unit-Not Verified, 45. Propeller type mechanical agitator-Not Verified, 46. Peak Flow meter-Not Verified, 47. Urine pots-Not Verified, 48. Sterility testing unit-Not Verified, 49. Perspex bath assembly (single unit)-Not Verified, 50. Perspex bath assembly (single unit)-Not Verified, 51. Folin-Wu tubes-Not Verified, 52. Laminar air flow-Not Verified, 53. Brookfield's viscometer-Not Verified, 54. UVVisible Spectrophotometer-Not Verified, 55. Homogenizer-Not Verified, 56. Ion- Exchanger-Not Verified, 57. Flame Photometer-Not Verified, 58. PCI And BTEUP JointInspection-Not Available.</p>
53	PCI-8019	MAA SARASWATI COLLEGE OF PHARMACY	House No: NA ,Street: SANJAY NAGAR TO PARIYAT ROAD ,Landmark: 00 ,Panchayat: DAMODARA ,Village: CHAUR ,PostOffice: DAMODARA ,Pincode: 222137	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
54	PCI-6736	KP INSTITUTE OF MEDICAL SCIENCES	House No: NA ,Street: MARGUPUR TELYANI ROAD ,Landmark: BESIDE CANAL ,Panchayat: RAMGARHA ,Village: RAMGARHA ,PostOffice: PUREDHANI ,Pincode: 230124	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
55	PCI-6948	Rao Hanuman Singh Memorial Pharmacy College Sunrise University Alwar rajasthan	House No: Academic Block-II ,Street: Sunrise University campus ,Landmark: Sahajpur Bagad rajput Ramgarh Alwar ,Panchayat: Sahajpur Bagad rajput Ramgarh Alwar ,Village: Sahajpur Bagad rajput Ramgarh Alwar ,PostOffice: Ramgarh ,Pincode: 301026	The Registrar Sunrise University Bagad Rajput Tehsil Ramgarh Alwar, The Registrar Sunrise University Bagad Rajput Tehsil Ramgarh Alwar	B.Pharm, D.Pharm	<p>B.Pharm Deficiency reportfor your compliance. Submit compliance of deficiencies pointed outif any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE-Not Available, 4. Salary Acquaintance Register Of Staff teaching & Non-teaching)-Not Available, 5. Latest Project Budget & Expenditure Report-Not Available, 6. Fourteen Facultys are Presents and Eleven Absents, 7. principal name ofRAJENDRA KUMAR CHOUKSEY is Absents, 8. sum facultys Experience(years) Details not Mentioned on pci portal with principal, 9. Actophotometer-Not Verified, 10 Equipments Not Available and Not Verified as per noms and not verified portal.</p> <p>D.Pharm Deficiency reportfor your compliance. Submit compliance of deficiencies pointed outif any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE-Not Available, 4. Salary Acquaintance Register Of Staff teaching & Non-teaching)-Not Available, 5. Latest Project Budget & Expenditure Report-Not Available, 6. Fourteen Facultys are Presents and Eleven Absents, 7. principal name ofRAJENDRA KUMAR CHOUKSEY is Absents, 8. sum facultys Experience(years) Details not Mentioned on pci portal with principal, 9. Actophotometer-Not Verified, 10 Equipments Not Available and Not Verified as per noms and not verified portal.</p>

56	PCI-7545	GEETA SHUKLA COLLEGE OF PROFESSIONAL STUDIES	House No: 0 ,Street: GT ROAD ,Landmark: G T Road ,Panchayat: Amiliha ,Village: AMILIHA ,PostOffice: Tatiyaganj ,Pincode: 209217	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
57	PCI-7869	CHAUDHARY SHRIRAM YADAV MAHAVIDHYALAYA	House No: 0 ,Landmark: 0 ,Panchayat: MUSEPURA ,Village: MUSEPURA ,PostOffice: MUSEPURA ,Pincode: 207248	BOARD OF THECHNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Advance informed the institute held on inspection but college is closed, 2. Statutory Documents Verification-Not Available, 3. Account Verification-Not Verified, 4. Library Verification-Not Verified, 5. Faculty Verification-Not Verified, 6. Infrastructure Verification-Not Verified, 7. Equipment Verification-Not Verified, 8. Others Verification-Not Verified, 9. Inspector Check List Verification-Not Verified, 10. Declaration-The college authorities were informed well in advance about the inspection through a phone call coordinated by BTE Inspector PCI and BTE inspectors visited the institute for a joint inspection but the college authorities closed the gates and refused to allow the inspectors to enter the college premises Mr Dharminder and the college authorities refused to cooperate regarding the college inspection He verbally abused the inspectors over the phone and denied the inspection of the college." In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
58	PCI-9623	RESHMI COLLEGE OF PHARMACY	House No: # ,Street: NEAR KALABURAGI AIRPORT, SEDAM ROAD ,Landmark: NEAR KALABURAGI AIRPORT ,Panchayat: SRINIVASA SARADGI ,Village: SRINIVASA SARADGI ,PostOffice: SRINIVASA SARADGI PO ,Pincode: 585102	The member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy no 2 3rd Floor P.Klingarao road Subbaiah Circle Bangalore-560027, Rajiv Gandhi University Health Science Karnataka 4th 'T' Block Jayanagar	B.Pharm, D.Pharm	B.Pharm "Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days 'time. 1. In SIF consent of 07 faculties were shown. 2. Only Six Faculties details are complete in IR (Names oftwo-not mentioned) 3. Faculty cadre not maintained. Faculty not as per PCI norms. 4. Six faculty photograph (MD ARSHAD, ROHINI REDDY, GANECHARI SHAHABUDDIN, SHANTVEER SALGER, AIMAN MASTOOR) not show in portal, 5. Instrument/Equipment was not verified on the day of inspection (e.g. Friability test apparatus) 6. Triple Door Entering Setup For Aseptic Room-Not Available 7. Bio Metric Attendance System For Student-Not Available 8. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available 9. Bio Metric Attendance System For Faculty-Not Available." D.Pharm "Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days 'time. 1. In SIF consent of 07 faculties were shown. 2. Only Six Faculties details are complete in IR (Names oftwo-not mentioned) 3. Faculty cadre not maintained. Faculty not as per PCI norms. 4. Six faculty photograph (MD ARSHAD, ROHINI REDDY, GANECHARI SHAHABUDDIN, SHANTVEER
59	PCI-4695	Aal hazrat Pharmacy College, Devrana, Dist. Bareilly Uttar Pradesh	House No: 411 412 ,Street: Naitaal road ,Landmark: NA ,Panchayat: Deovrana ,Village: Deovrana ,PostOffice: Deovrana ,Pincode: 243203	BOARD OF THECHNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Salary Acquaintance Register Of Staffteaching & Non-teachi-Not Available, 5. No Of International Journals Available-not Available, 6. No Of National Journals Available-Not Available, 7. Titles Available-Not Available, 8. Volumes Available-Not Available, 9. There are no Faculties Available as per pci norms, 10. Seven Faculty Details show on portal All are Absents, 11. Is Previously Any Institution Running In Same Building-Not Available, 12. Refrigerator-Not Verified, 13. Equipments Not Available and Not Verified as per norms, 14. Gas Connection Proof & Receipt-Not Available, 15. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 16. Machine Are Fixed On Cemented Blocks-Not Available, 17. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 18. Bio Meteric Attendance System For Student-Not Available, 19. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-not Available, 20. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 21. Pharmacology Software-Not Available, 22. Smart Classroom-Not Available, 23. Is Display Of Chart In Respective Laboratories-Not Available, 24. Triple Door Entering Setup For Aseptic Room-Not Available. As per Remarks of Inspector, principal not present faculties not available books and journal not available I P not present accession register not available fuming cub board not present. In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
60	PCI-9083	Hooghly College Of Pharmaceutical Sciences	House No: AKNA ,Street: POLBA MAGRA ROAD ,Landmark: AKNA HIGH SCHOOL ,Panchayat: AKNA ,Village: AKNA ,PostOffice: AKNA ,Pincode: 712148	West Bengal State Council of Technical & Vocational Education and Skill Development. Kolkata Karigari Bhawan, 110 S. N. Banerjee Road, Kolkata-700013.	D.Pharm	Decision of 419th EC held on 16.08.2024 is as underThe Council has conducted the Inspection ofthe Institution on 04.10.2024. Remarks ofthe Inspectors: "we have jointly conducted the at Hooghly college ofpharmaceutical sciences Akna West Bengal on 4th October 2024 and verified thefacilities and equipments as per PCI inspection tab submitting the reportfor yournecessary action at your end." In view ofthe above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.
61	PCI-8028	B.D.M.INTERNATIONAL PHARMACY SCHOOL	House No: 123 ,Street: ugharpur ,Landmark: ugharpur ,Panchayat: sahadatpur ,Village: pandeypur sahadatpur ,PostOffice: Ugharpur gosainmani ,Pincode: 228119	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm It was decided to awaitthe reply of Show cause notice issued by PCI till then approval for 2024-2025 academic session be keptin abeyance.
62	PCI-8283	Shamshul Qamar college of Pharmacy	House No: 3 ,Street: DELHI ROAD ,Landmark: DIDAULI AMROHA ,Panchayat: DIDAULI ,Village: DIDAULI ,PostOffice: DIDAULI ,Pincode: 244222	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Institute does not have NOC from State Govt, Examining authority 2. Faculties are not available as per norms. 3. Laboratories, Classrooms and other Infrastructure are not available as per norms. 4. Equipments are not available as per norms. 5. Inspector check lists are not available. 6. college does not have electricity point unfinished labs are not properly arranged unfinished In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.

63	PCI-9770	KMCT INSTITUTE OF PHARMACY	House No: CHELLUR ,Street: KUTTIPPURAM ,Landmark: KUTTIPPURAM ,Panchayat: KUTTIPPURAM ,Village: NADUVATTOM ,PostOffice: KUTTIPPURAM ,Pincode: 679571	The Chairman Board of D Pharm Examinations Directorate of Medical Education College of Pharm Sciences Medical College Thiruvananthapuram, KERALA UNIVERSITY OF HEALTH SCIENCES	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 100 admissions for B.Pharm course., D.Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) Consent of affiliation of examining authority for D. Pharm course. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected.
64	PCI-5516	Sahu Onkar Saran School of Pharmacy IFTM University Moradabad	House No: Plot No 295A IFTM University ,Street: Delhi Road ,Landmark: Delhi Road ,Panchayat: Lodhipur Rajput ,Village: Lodhipur Rajput ,PostOffice: Pakwara ,Pincode: 244102	The Registrar IFTM University Moradabad Lodhipur Rajput Delhi Road Moradabad. The Registrar IFTM University Moradabad Lodhipur Rajput Delhi Road Moradabad	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for B.Pharm course. Allow 100 admissions in 2024-2025 academic session in 1st year. (Permit raise in admissions from 60 to 100 from 2024-2025 a.s.), D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
65	PCI-5723	SMT MAMTA VIDHYALAY	House No: 0 ,Street: Raipura Road ,Landmark: Naipai ,Panchayat: Naipai ,Village: Naipai ,PostOffice: Firozabad ,Pincode: 283203	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Statutory Documents Verification-Not Available, 2. Account Verification-Not Available, 3. Library Verification-Not Available, 4. Faculty Verification-Not Available, 5. Infrastructure Verification-Not Available, 6. Equipment Verification-Not Available, 7. Others Verification-Not Available, 8. Inspector Check List Verification-Not Available, 9. There was no response from college authorities. It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
66	PCI-7648	N B S COLLEGE OF PHARMACY	House No: MALAK CHAUDHRI ,Street: MALAK HARHAR ,Landmark: Near Baroda UP Gramin Bank Bhadri Branch ,Panchayat: MALAK CHAUDHRI ,Village: MALAK CHAUDHRI ,PostOffice: MALAK HARHAR ,Pincode: 211013	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
67	PCI-8173	PIONEER COLLEGE OF PHARMACY	House No: DAULTABAD ,Street: DAULTABAD ,Landmark: DAULTABAD ,Panchayat: DAULTABAD ,Village: DAULTABAD ,PostOffice: DAULTABAD ,Pincode: 742302	WEST BENGAL STATE COUNCIL OF TECHNICAL AND VOCATIONAL EDUCATION AND SKILL DEVELOPMENT KARIGORI BHAWAN,4TH AND 5TH FLOOR,PLOT NO-D/7,ACTION AREA- III NEWTOWN, RAJARHAT,KOLKATA, PIN-700160, The Registrar West Bengal University of Health Sciences	D.Pharm	Decision of 419th EC held on 16.08.2024 is as under- The Council has conducted the Inspection of the Institution on 04.10.2024. Remarks of the Inspectors: "This college is situated in Chhaigori Gram in Daulatabad around 220 kms from Kolkata West Bengal seeking approval for D. Pharm programs. The college has not yet received approval from State Government for D. Pharmas well B.Pharm programs. The college does not have sufficient facilities for running B.Pharm. Both inspectors have thoroughly verified all the modules, and all faculty members have been physically identified in accordance with the SIF report submitted by college. Infrastructure and." In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.
68	PCI-6141	Sarvajani Pharmacy College	House No: 0 ,Street: VILL KAMALPUR ,Landmark: RAILWAY STATION Mugarbadshahpur ,Panchayat: KAMALPUR ,Village: KAMALPUR ,PostOffice: MUNGRABADSHAHPUR ,Pincode: 222202	DR. A.P.J. ABDUL KALAM TECHNICAL UNIVERSITY, BOARD OF TECHNICAL EDUCATION(BTEUP)	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year., B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.
69	PCI-6321	SHIV SHYAM PHARMACY COLLEGE	House No: 373 ,Street: SHAHBAJPUR ROAD ,Landmark: NEAR BARETHI CHAURAH ,Panchayat: SHAHBAJPUR ,Village: ALLAHABAD ,PostOffice: HANUMANGANJ ,Pincode: 221505	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
70	PCI-9477	PATHANI SAMANTA INST. OF ENGG. & TECHNOLOGY(FACULTY OF PHARMACY)	House No: KARANDA ,Street: KARANDA ,Landmark: NEAR GUDUAKATANI CHHACK ,Panchayat: KARANDA ,Village: KARANDA ,PostOffice: KARANDA ,Pincode: 759020	ODISHA UNIVERSITY OF HEALTH SCIENCES, BHUBANESWAR, ODISHA STATE BOARD OF PHARMACY	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course., B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.
71	PCI-8362	Himalayan School of Pharmaceutical Sciences	House No: Swami Rama Himalayan University ,Street: Jolly Grant ,Landmark: Jolly Grant Airport ,Panchayat: Nagar Palika Doiwala ,Village: Baksarwala ,PostOffice: Jolly Grant ,Pincode: 248016	Swami Rama Himalayan University, Swami Ram Nagar, Jollygrant, Dehradun, uttarakhand	B.Pharm	Regarding raise in admission from 60 to 100 for B. Pharm course, following is the deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days time 1-Proofs for GST Details -Not uploaded 2- Proofs for Bank Details -Not uploaded 3-Eleven Faculties were Presents and Two Absents, 4-Faculties Priyanka Dobhal, Gaurav Sharma profile picture Not shown on portal, 5-Three Faculties Experience(years)-Not Available, 6-Is Municipality Registration Office Available-Not Available, 7-Stimulator-Not Verified, 8-Is social pharmacy laboratories maintained as per new regulations-Not Available, 9-Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counseling Center-Not Available. 10. Only one classroom available. 11. Equipments and instruments not as per norms of PCI or not verified on the day of inspection

72	PCI-5780	ss college	House No: 1152 ,Street: naithala road ,Landmark: naithla ,Panchayat: naithal ,Village: bhagpat ,PostOffice: naithla ,Pincode: 250609	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Audited Financial Statement Last Three Years (A Copy Of Bal-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE O-Not Available, 4. Latest Project Budget & Expenditure Report-Not Available, 5. No Of International Journals Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Building Construction Cost-Not Available, 9. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available, 11. Instrument Numbering Register-Not Available, 12. Pharmacology Software-Not Available, 13. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available. 14. Faculties are not available as per Norms. 15. Laboratories are not available as per norms. 16. Classrooms are not available as per. In view of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
73	PCI-8645	RAJA RAMMOHAN COLLEGE OF PHARMACY	House No: BHUINPARA ,Street: BHUINPARA ,Landmark: OPP. GOVT PRIMARY SCHOOL ,Panchayat: BELUN DHAMASIN ,Village: BHUINPARA ,PostOffice: BELUN ,Pincode: 712149	WEST BENGAL STATE COUNCIL OF TECHNICAL AND VOCATIONAL EDUCATION AND SKILL DEVELOPMENT KARIGORI BHAWAN,4TH AND 5TH FLOOR,PLOT NO-D/7,ACTION AREA- III NEWTOWN, RAJARHAT,KOLKATA, PIN-700160	D.Pharm	Decision of 419th EC held on 16.08.2024 is as underThe Council has conducted the Inspection ofthe Institution on 05.10.2024. Remarks ofthe Inspectors: "We have physically carried outinspection Physically at Raja Rammohan College ofPharmacy Hooghly West Bengal PCI code 8645 on 5th October 2024 verified facilitiesequipments and laboratories Submitting reportfor your reference and necessary action atyour end." In view ofthe above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.
74	PCI-6755	Vanasthali College of Pharmacy	House No: NH 7 ,Street: Bypass Crossing ,Landmark: Near RTO Office ,Panchayat: Ratahra ,Village: Rewa ,PostOffice: HO Sirmaur Chwok ,Pincode: 486001	SECRETARY RGPV BHOPAL, RGPV University Bhopal	D.Pharm, B.Pharm	Decision under Item No.49 of 406 EC (21.3.2024) as under:- The latest information was placed on record and considered. The decision of conditional approval for 2023-24 academic session was considered and accordingly the Council conducted the inspection. Following deficiencies were pointed out in the inspection report- 1. Structure stability certificate issued by competent authority is not available. 2. Website of Society /Trust not available. 3. Principal & Faculty consented only. It should be as per ER-2014. 4. Museum not available. 5. Herbal garden not available. 6. Billsoffiresafetyequipmentsandwatercoolernotavailable. 7. Latest Indian Pharmacopoeia not available. 8. Licensed Plagiarism software not available. 9. Audited statements not available. 10. Pay scale not as per norms. 11. Latest Project report not available. 12. Salary acquittance registers not available. 13. Fuming Cub board, gas fitting and exhaust fans not available. 14. Fire safety equipments/certificate not available. 15. Biometric system for Faculty not available. 16. Biometric system for students not available. 17. Institution website is not available. 18. Smart Classroom not available. 19. Pharmacology software not available. The absence of pharmacology software in a pharmacy college is a significant limitation in modern pharmaceutical education. Pharmacology software plays a crucial role in simulating drug interactions, pharmacokinetics, and pharmacodynamics, providing students with practical, hands-on experience in a virtual environment. It's imperative for colleges to invest in pharmacology software to ensure students receive a comprehensive and technologically advanced education in pharmacy. 20. Triple door entering setup for aseptic room not available. 21. Model Pharmacy not as per norms. The absence of a Drug Information Center and Patient Counseling Center in a model pharmacy laboratory is a significant oversight. These facilities are crucial components of a comprehensive pharmacy education program. A Drug Information Center provides access to evidence-based drug information, fostering critical thinking skills and ensuring students are equipped to make informed decisions in their practice. 22. No Faculty joined yet. The Principal of the Institute shall submit compliance within 15 days to the effect that the deficiencies pointed out in the inspection stands rectified. Upon submission of the compliance, the Institution may be inspected for compliance of session 2023-24 and along with inspection for granting the permission for academic year 2024-25. The approval for academic session 2024-25 may be granted only if the deficiencies pointed out in the inspection report for the session 2023-24 along with any further new deficiencies get rectified. , Decision under Item No.49 of 406 EC (21.3.2024) as under:- The latest information was placed on record and considered. The decision of conditional approval for 2023-24 academic session was considered and accordingly the Council conducted the inspection. Following deficiencies were pointed out in the inspection report- 1. Structure stability certificate issued by competent authority is not available. 2. Website of Society /Trust not available. 3. Principal & Faculty consented only. It should be as per ER-2014. 4. Museum not available. 5. Herbal garden not available. 6. Billsoffiresafetyequipmentsandwatercoolernotavailable. 7. Latest Indian Pharmacopoeia not available. 8. Licensed Plagiarism software not available. 9. Audited statements not available. 10. Pay scale not as per norms. 11. Latest Project report not available. 12. Salary acquittance registers not available. 13. Fuming Cub board, gas fitting and exhaust fans not available, 14. Fire safety equipments/certificate not available. 15. Biometric system for Faculty not available. 16. Biometric system for students not available. 17. Institution website is not available. 18. Smart Classroom not available. 19. Pharmacology software not available. The absence of pharmacology software in a pharmacy college is a significant limitation in modern pharmaceutical education. Pharmacology software plays a crucial role in simulating drug interactions, pharmacokinetics, and pharmacodynamics, providing students with practical, hands-on experience in a virtual environment. It's imperative for colleges to invest in pharmacology software to ensure students receive a comprehensive and technologically advanced education in pharmacy. 20. Triple door entering setup for aseptic room not available. 21. Model Pharmacy not as per norms. The absence of a Drug Information Center and Patient Counseling Center in a model pharmacy laboratory is a significant oversight. These facilities are crucial components of a comprehensive pharmacy education program. A Drug Information Center provides access to evidence-based drug information, fostering critical thinking skills and ensuring students are equipped to make informed decisions in their practice. 22. No Faculty joined yet. The Principal of the Institute shall submit compliance within 15 days to the effect that the deficiencies pointed out in the inspection stands rectified. Upon submission of the compliance, the Institution may be inspected for compliance of session 2023-24 and along with inspection for granting the permission for academic year 2024-25. The approval for academic session 2024-25 may be granted only if the deficiencies pointed out in the inspection report for the session 2023-24 along with any further new deficiencies get rectified.
75	PCI-7299	YAMUNA COLLEGE OF PHARMACY	House No: 0 ,Street: KAITHI ,Landmark: KAITHI ,Panchayat: KAITHI ,Village: KAITHI ,PostOffice: GURERA ,Pincode: 232109	The Registrar Uttar Pradesh Technical University Institute of Engineering and Technology Campus Sitapur Road Lucknow, UPBTE LUCKNOW	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
76	PCI-7597	Indra Pharmacy College	House No: 10 ,Street: Kurahuan ,Landmark: Near Happy Model School ,Panchayat: Kurahuan ,Village: Varavasi ,PostOffice: Kurahuan ,Pincode: 221011	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
77	PCI-9318	ADARSH COLLEGE OF PHARMACY	House No: sghgh ,Street: ghg ,Landmark: dfd ,Panchayat: fgfcv ,Village: dfds ,PostOffice: dfd ,Pincode: 452854	UTTRAKHAND BOARD OF TECHNICAL EDUCATION RORKEE	D.Pharm	"Regarding Introduction of D. Pharm course, it was noted that – 1. Faculty details are not submitted with all details like date of joining, experience details, degree certificates etc. 2. Faculty consent is not as per PCI format. 3. Compliance is not submitted in proper manner. 4. There is duplication of the documents submitted. 5. All the documents are not signed and stamped by the competent authority. 6. Geo tag photos are not submitted. 7. Documentation nomenclature is not proper. 8. Principal details are not submitted. 9. Compliance is not acceptable. In view of above, it was decided to reject the application for introduction of D. Pharm course for 2024-2025 academic session"
78	PCI-8435	NATIONAL INSTITUTE OF PHARMACEUTICAL SCIENCE AND RESEARCH	House No: 001 ,Street: Torwa ,Landmark: Farahada Road ,Panchayat: Farahada ,Village: torwa ,PostOffice: torwa ,Pincode: 495006	The Registrar, Chhattisgarh Swami Vivekanand Technical University, Bhilai, Dist Durg, State: Chhattishgarh, The Registrar, Chhattisgarh Swami Vivekanand Technical University, Bhilai, Dist Durg, State: Chhattishgarh	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course., D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
79	PCI-7170	VIMALA PHARMACY COLLEGE	House No: 1 ,Street: DABARIA ,Landmark: DABARIA ,Panchayat: DABARIA ,Village: DABARIA ,PostOffice: DABARIA ,Pincode: 232109	UPBTE LUCKNOW , The Registrar Uttar Pradesh Technical University Institute of Engineering and Technology Campus Sitapur Road Lucknow	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
80	PCI-7202	SHRI HEERA LAL SMARAK COLLEGE OF PHARMACY	House No: VILL MEHNDIPUR ,Street: POST DHAMORA ,Landmark: HOTEL ,Panchayat: DUGAN PUR ,Village: MEHANDIPUR ,PostOffice: DUGAN PUR ,Pincode: 243701	BOARD OF TECHNICAL EDUCATION, U.P., LUCKNOW	D.Pharm	D.Pharm Approval granted for 2023-2024 academic session for conduct of 1st year for 60 intake for D. Pharm Course be declared as "Zero Admission". Grant approval for 2024-2025 academic session for conduct of 1st year for 60 intake for D. Pharm Course.

81	PCI-9847	DN MEDICAL COLLEGE AND RESEARCH	House No: SATYA VIHAR ,Street: SATYA VIHAR ,Landmark: MANCHESWAR ,Panchayat: PANDARA ,Village: PANDARA ,PostOffice: MANCHESWAR ,Pincode: 751010	ODISHA STATE BOARD OF PHARMACY	D.Pharm	"Regarding Introduction of D. Pharm course, it was noted that – 1. Compliance is not submitted. Instead of compliance, Institute Deficiency Verification Report submitted which is not accepted. In view of above, it was decided to reject the application for introduction of D. Pharm course for 2024-2025 academic session"
82	PCI-5550	NANDA INSTITUTE OF PHARMACEUTICAL SCIENCE	House No: 10 ,Street: 3km nanpara road ,Landmark: nanpara main road ,Panchayat: taibarjot ,Village: bahraich ,PostOffice: sohvara ,Pincode: 271801	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh , The Registrar Dr APJ Abdul Kalam Technical University Institute of Engineering And Technology Sitapur road Lucknow	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course., B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.
83	PCI-5427	M.S.B. COLLEGE OF PHARMACY	House No: 562 ,Street: PANDIT MALKHAN SINGH BHARDWAJ MARG ,Landmark: TOLL PLAZA ,Panchayat: PANWARI ,Village: PANWARI BHARALA ,PostOffice: DAURALA ,Pincode: 250221	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
84	PCI-5511	SHIVA EDUCATIONAL AND PHARMACY INSTITUTE	House No: NEAR SIKRI KALAN NH 58 ,Street: KRISHNA PUBLIC SCHOOL ROAD ,Landmark: OPPOSITE GOVIND DAIRY ,Panchayat: MOHAMMADPUR KADIM ,Village: MOHAMMADPUR KADIM ,PostOffice: MODINAGAR ,Pincode: 201204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
85	PCI-7863	RORIA GROUP OF PHARMACY	House No: 717 ,Street: HABIBPUR ROAD ,Landmark: CHHARRA ,Panchayat: CHHARRA RAFATPUR ,Village: CHHARRA ,PostOffice: CHHARRA ,Pincode: 202130	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	inspection report was observed and following comments was given by Inspector "During inspection in institute there is no principal teacher and non teaching staff were present Labs are not properly equipped as per SIF No Sop were displayed in lab dusting is also their During inspection only society secretary were present
86	PCI-9729	KMCT INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH	House No: 4/311B ,Street: MALAYAMMA ,Landmark: MALAYAMMA ,Panchayat: CHATHAMANGALAM ,Village: CHATHAMANGALAM ,PostOffice: MALAYAMMA ,Pincode: 673601	The Chairman Board of D Pharm Examinations Directorate of Medical Education College of Pharm Sciences Medical College Thiruvananthapuram, KERALA UNIVERSITY OF HEALTH SCIENCES	D.Pharm, B.Pharm	D.Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) Consent of affiliation of examining authority for D. Pharm course. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected. , B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 100 admissions for B.Pharm course.
87	PCI-7507	MAA SAMRAJI DEVI COLLEGE OF PHARMACY	House No: 1 ,Street: 1 ,Landmark: dubari ,Panchayat: MOLNAPUR ,Village: MOLNAPUR ,PostOffice: DUBARI ,Pincode: 221601	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Statutory Documents Verification-Not Available, 2. Account Verification-Not Available, 3. Library Verification-Not Available, 4. Faculty Verification-Not Available, 5. Infrastructure Verification-Not Available, 6. Equipment Verification-Not Available, 7. Others Verification-Not Available, 8. Inspector Check List Verification-Not Available, 9. No one has provided the required documents and at the entrance gate we found the name of another college and not the name of Maa samraji Devi college of Pharmacy." In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
88	PCI-7624	DR. SHIV SAGAR LAL COLLEGE OF PHARMACY	House No: 361/1 ,Street: PURWA PATAN ROAD ,Landmark: RADDHUKHERA ,Panchayat: PANHAN ,Village: PANHAN ,PostOffice: PANHAN ,Pincode: 209867	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

89	PCI-9941	SRI VIJAY VIDYALAYA COLLEGE OF PHARMACY	House No: 1 ,Street: SRI VIJAY VIDYALAYA COLLEGE ,Landmark: DNC BLOCK ,Panchayat: MADEPALI ACHAYAT ,Village: MADEPALLI ,PostOffice: MADEPALLI ,Pincode: 635104	The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, THE DIRECTOR, DIRECTORATE OF MEDICAL EDUCATION, KILPAUK, CHENNAI-10	B.Pharm, D.Pharm	<p>D. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Available 3. Salary Acquaintance Register Of Staff (teaching & Non-teaching)-Not maintained/not available 4. Details Of Salary Disbursement-bank Transfer Details-Not Available 5. Pay Scale to Teaching Or Non-teaching As Per UGC Or AICTE -Not provided 6. Out of 14 faculties shown in IR, names of 4 faculties were not complete. Experiences of only two faculties are mentioned. 7. Out of 14 faculties 2 were on leave on the day of inspection. 8. Is Previously Any Institution Running In Same Building-Data not provided 9. Municipality Registration of institute/building-Not Available 10. Model Pharmacy Laboratory does NOT have Provision Of Drug Information Center And Patient Counselling Center. 11. Triple Door Entering Setup For Aseptic Room-Not Available 12. Bio Metric Attendance System For Faculty-Not Available 13. Bio Metric Attendance System For Student-Not Available 14. CCTV NOT Available 15. Smart Classroom-Not Available"</p> <p>B. Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) Consent of affiliation of examining authority for B.Pharm course. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected.</p>
90	PCI-9976	S R Hospital and Paramedical College	House No: Nath Nagar ,Street: Nath Nagar ,Landmark: Nath Nagar ,Panchayat: Nath Nagar ,Village: Nath Nagar ,PostOffice: Ganpatganj ,Pincode: 272176	BOARD OF THE TECHNICAL EDUCATION UTTAR PRADESH Lucknow	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
91	PCI-9687	KUSHMA COLLEGE OF PHARMACY HUBBALLI	House No: - ,Street: BESIDE HOSUR BUS TERMINAL, ,Landmark: OPP TO COURT COMPLEX, ,Panchayat: ,Village: HUBBALLI ,PostOffice: VIDYANAGAR HUBBALLI ,Pincode: 580031	Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar	B.Pharm, D.Pharm	<p>B.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. Faculties are not available as per PCI norms 2. Faculty cadre ratio not maintained 3. Only Three Faculties Available/Verified in IR 4. Details about Any Institution Running Previously In Same Building-Not Provided 5. Only 3 laboratories were mentioned. Lecture rooms were not verified during inspection. 6. Infrastructure not as per PCI norms."</p> <p>D.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. Faculties are not available as per PCI norms 2. Faculty cadre ratio not maintained 3. Only Three Faculties Available/Verified in IR 4. Details about Any Institution Running Previously In Same Building-Not Provided 5. Only 3 laboratories were mentioned. Lecture rooms were not verified during inspection. 6. Infrastructure not as per PCI norms."</p>

92	PCI-9692	S.THANGAPAZHAM PHARMACY COLLEGE	House No: 2/280 ,Street: CHINTHAMANIPERIPUTHUR ,Landmark: AUTHUVAZHI ,Panchayat: NARANAPURAM-II ,Village: NARANAPURAM-II ,PostOffice: AUTHUVAZHI ,Pincode: 627760	The Director Directorate of Medical Education Poonamallee High Road Kilpauk Chennai, THE TAMILNADU DR.M.G.R MEDICAL UNIVERSITY,CHENNAI	B.Pharm, D.Pharm	D. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Available 3. Principal not appointed/not shown in IR. 4. Out of 17 faculties, experiences of only 4 faculties are shown/verified in IR. 5. Photographs of Faculties ANBU K, RAJAM M, VIGNESH S P, VEERA SELVAN A, SARANRAJ R, PANDISELVI A, KANNAN S, CHANDRASEKARAN KANNAN not available in IR. 6. Municipality Registration of institute/building-Not Available 7. Instruments/Equipments Not as per PCI norms or not verified on portal at the time of inspection" B. Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) Consent of affiliation of examining authority for B. Pharm course. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected.
93	PCI-9512	Birsa Institute of Pharmaceutical Sciences	House No: 055 ,Street: GUTJORA ,Landmark: GUTJORA ,Panchayat: PANCHYAT-GUTJORA ,Village: VILL:-JIYARAPPA ,PostOffice: GUTJORA ,Pincode: 835210	Diploma in Pharmacy Examining Committee Deptt of Health Medical Education and Family Welfare Govt of Jharkhand Ranchi	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
94	PCI-2002	Seva Shikshan Prasarak Mandals Dr N J Paulbudhe College Of Pharmacy Shaineshwar Nagar Vasant Tekadi Savedi Ahmednagar	House No: surve no 45 1B ,Street: pipeline road ,Landmark: Vasant tekadi ,Panchayat: Savedi ,Village: savedi ,PostOffice: Ahmednagar ,Pincode: 414003	Savitribai Phule Pune University, Savitribai Phule Pune University, Savitribai Phule Pune University, Savitribai Phule Pune University	B.Pharm, M.Pharm Pharmacology, M.Pharm Pharmaceutical Chemistry, M.Pharm Pharmaceutics	B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. M.Pharm (Pharmaceutics)-15 M.Pharm (Pharmaceutical Chemistry)-15 M.Pharm (Pharmacology) -15
95	PCI-5509	SRINIVASA COLLEGE OF PHARMACY	House No: 255/1 ,Street: MAIN STREET ,Landmark: PUSAPATIREGA ,Panchayat: PUSAPATIREGA ,Village: PUSAPATIREGA ,PostOffice: PUSAPATIREGA ,Pincode: 535204	The Registrar Andhra University Visakhapatnam A P, The Secretary State Board of Technical Education Bays Panchkula	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course., D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
96	PCI-5514	M.D.COLLEGE OF PHARMACY	House No: WARD NO 5 SAKALDIHA CHANDAULI ,Street: SAKALDIHA ROAD ,Landmark: NEAR GOVT POLYTECHNIC COLLEGE ,Panchayat: NA ,Village: NA ,PostOffice: CHANDAULI ,Pincode: 232104	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.
97	PCI-6256	BHAGAWAN PRASAD PHARMACY COLLEGE	House No: 791 ,Street: PANCHAYAT ROAD ,Landmark: NEAR BEJPURA KALIKAPUR HIGH SCHOOL ,Panchayat: DAULATPUR GRAM PANCHAYAT ,Village: BEJPURA ,PostOffice: MALIKAN ,Pincode: 732123	The Secretary West Bengal State Council of Technical Education Kolkata Karigori Floor S N Banerjee Road Kolkata	D.Pharm	Decision of 419th EC held on 16.08.2024 is as under The Council has conducted the Inspection of the Institution on 05.10.2024. Remarks of the Inspectors: "I have inspected Bhagawan Prasad Pharmacy college and verified all documents staff Members infrastructure and facilities provided to students and found as per the norms Few more equipment are needed to purchase for satisfaction of the course materials". In view of the above, it was decided to seek the compliance from the Institution within 7 days failing which the approval shall be deemed to be withdrawn.
98	PCI-6315	K P S COLLEGE OF PHARMACY	House No: 0 ,Street: SHAMLI ROAD ,Landmark: ALIPUR ,Panchayat: ALIPUR KALAN ,Village: ALIPUR KALAN ,PostOffice: ALIPUR KHEDI ,Pincode: 9897915790	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.

99	PCI-8565	R S PHARMACY COLLEGE	House No: KHAJURI RAJATALAB ,Street: VARANASI-PRAYAGRAJ HIGWAY ,Landmark: VARANASI-PRAYAGRAJ HIGWAY ,Panchayat: KALLIPUR,KASVAR ,Village: VARANASI ,PostOffice: KALLIPUR,KASVAR ,Pincode: 221311	BOARD OF TECHNICAL EDUCATION CHARBAGH LUCKNOW, The Registrar Dr APJ Abdul Kalam Technical University Institute of Engineering And Technology Sitapur road Lucknow	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course., B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.
100	PCI-7323	R K D COLLEGE OF PHARMACY	House No: 000 ,Street: LAHENGALAHENGA ,Landmark: RAJ KALI EMERGENCY TRAUMA CARE AND HOSPITAL ,Panchayat: LAHENGA ,Village: LAHENGA ,PostOffice: LAHENGA ,Pincode: 229307	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Six Faculties are Presents, Experience details are not available. 4. Faculties avinash TIWARI photograph not show on portal, 5. Tablet disintegration test apparatus IP (Digital Single/Double unit)-not Verified, 6. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 7. Different Contraceptive Devices and Models-Not Verified, 8. Triple Door Entering Setup For Aseptic Room-Not Available., 9. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 10. Andressen's Pipette-Not Verified, 11. Ointment filling machine-Not Verified, 12. Thieles Tube-Not Verified, 13. Ampoule washing machine-Not Verified, 14. Liquid Filling Machine-Not Verified, 15. Liquid Mixer-Not Verified, 16. Bottle Sealing Machine-Not Verified, 17. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 18. Capsule filling machine-Not Verified, 19. Wall Mounted Water Distillation Unit-Not Verified, 20. Ointment slab-Not Verified, 21. Bottle washing Machine-Not Verified, 22. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, "
101	PCI-6671	PARMESHWAR SINGH MEMORIAL COLLEGE OF PHARMACY	House No: 0 ,Street: GORAKHPUR TO SONAULI ROAD ,Landmark: MADHUKARPUR MAHDEVA ,Panchayat: MADHUKARPUR MAHDEWA ,Village: MADHUKARPUR MAHDEWA ,PostOffice: LOK VIDYAPEETH NAGAR ,Pincode: 276155	D.Pharm The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh secretarybte@gmail.com 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-not Available, 2. GSTDetails-Not Available, 3. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT -Not Available, 4. Eight Faculties are Presents, Experience details are not available. 5. Faculties KAMLESH CHAUDHARY, Satish Yadav, RAKESH SINGH photograph not show on portal, 6. Collapsible tube - Filling and Sealing-Not Verified, 7. Digital BP Instrument-Not Verified, 8. Peak Flow meter, 9. All-purpose equipment with all accessories-Not Verified, 10. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 11. Inventory Software for Retail Pharmacy-Not Verified."
102	PCI-7734	SIDDHI VINAYAK COLLEGE OF PHARMACY	House No: 2 ,Street: GONDA BAHRACH RAYYA MARG ,Landmark: PIPRA BAZAR ,Panchayat: PIPRA ,Village: PIPRA ,PostOffice: PIPRA BAZAR ,Pincode: 271122	BOARD OF THECNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Six Faculties are Presents, Experience details are not available. 4. Faculties RANJEET TOMAR photograph not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Insufficient Equipments as per norms, 7. Equipments Not Availalbe and Not Verified on portal, 8. Availability Of Institute Website-Not Available, 9. Bio Meteric Attendance System For Student-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available, 11. Instrument Numbering Register-Not Available, 12. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 13. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 14. Bio Meteric Attendance System For Faculty-Not Available, 15. Machine Are Fixed On Cemented Blocks-Not Available, 16. Smart Classroom-Not Available."
103	PCI-5690	N K College of Pharmacy	House No: 57 60 ,Street: REWA ROAD ,Landmark: BAHGAMBARI ROAD ,Panchayat: DHANUHA ,Village: MAMABHANJA TALAB ,PostOffice: NAINI ,Pincode: 211008	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Five Faculties are Presents, Experience details are not available. Faculties are not available as per norms. 4. Surgical devices and Sutures-Not Verified, 5. Triple Door Entering Setup For Aseptic Room-Not Available."
104	PCI-7678	J S INSTITUTE OF PHARMACY	House No: 0 ,Street: BHANDEMAU ,Landmark: BHANDEMAU ,Panchayat: Jaitapur ,Village: SANDALPUR ,PostOffice: BHANDEMAU ,Pincode: 209310	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. State policy decision-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 5. Seven Faculties are Presents, Experience details are not available. 6. Faculties Santraj Yadav photograph not show on portal, 7. Pharmacology Software-Not Available, 8. Building Construction Cost-Not Available, 9. Smart Classroom-Not Available., 10. Is Municipality Registration Office Available-Not Available, 11. Drug information resources-Not Verified, 12. Permanent slide of different microbes-Not Verified, 13. Thieles Tube-Not Verified, 14. Colostomy bags-Not Verified, 15. Automated Single Station Tablet punching machine-Not Verified, 16. Display for various disinfectants, mosquito repellents etc-Not Verified, 17. Oxygen masks-Not Verified, 18. Urine pots-Not Verified, 19. RYLE's tubs-Not Verified, 20. Sphygmomanometers-Not Verified, 21. Variety of Needles-Not Verified, 22. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 23. Inventory Software for Retail Pharmacy-Not Verified, 24. Variety of Syringes-Not Verified, 25. Micrometre slide Eyepiece-Not Verified, 26. Liquid Filling Machine-Not Verified, 27. Stadiometer-Not Verified, 28. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 29. Magnetic stirrer, 500ml and 1 liter capacity with speed control-not Verified, 30. Ointment spatula-Not Verified, 31. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 32. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 33. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 34. Instrument Numbering Register-Not Available, 35. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 36. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 37. Triple Door Entering Setup For Aseptic Room-Not Available,
105	PCI-7337	RAM JANKI COLLEGE OF PHARMACY	House No: 596 ,Street: Kalyanpur Shivali Marg ,Landmark: shobhan mandir ,Panchayat: Asai bairi ,Village: Asai Bairi ,PostOffice: Bairi Sawai ,Pincode: 209204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. Approval of state govt-Not Available, 3. GSTDetails-Not Available, 4. BankDetailsResponse-Not Available, 5. Affiliation of examining authority-not Available, 6. InstituteDetails-Not Available, 7. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 8. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 9. No Of International Journals Available-Not Available, 10. Five Faculties are Presents, Experience details are not available. 11. Is Municipality Registration Office Available-Not Available, 12. Insufficient Equipments as per norms, 13. Equipments Not Available and Not Verified on portal, 14. Smart Classroom-Not Available, 15. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 16. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."
106	PCI-7080	PREMA COLLEGE OF PHARMACY	House No: NA ,Street: BMCT MARG ,Landmark: NEAR TEHSIL MEHDAWAL ,Panchayat: ACHHIYA ,Village: MEHDAWAL ,PostOffice: MEHDAWAL ,Pincode: 272271	BOARD OF THECNICAL EDUCATION UTTAR PRADESH UP	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Nine Faculties are Presents, Experience details are not available. 4. faculties RAJ BAHADUR photograph not show on portal, 5. Magnetic Stirrers with Thermostat-Not Verified, 6. Stalagmometer-Not Verified, 7. Stadiometer-Not Verified, 8. Machine Are Fixed On Cemented Blocks-Not Available, 9. Automated Single Station Tablet punching machine-Not Verified, 10. Wall Mounted Water Distillation Unit-Not Verified, 11. Liquid Mixer-Not Verified, 12. Ointment spatula-Not Verified, 13. First aid equipment-Not Verified, 14. Peak Flow meter-Not Verified, 15. Ointment filling machine-Not Verified, 16. Sahli's haemoglobinometers- Not Verified, 17. Sintered glass filter with vacuum-Not Verified, 18. Filtration assembly with Vacuum Pump-Not Verified, 19. Surgical devices and Sutures-Not Verified, 20. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 21. Triple Door Entering Setup For Aseptic Room-Not Available"

107	PCI-6329	A R C INSTITUTE OF PHARMACY	House No: MOONDADIHA BEG ,Street: MOONDADIHA BEG ,Landmark: MOONDADIHA BEG ,Panchayat: MOONDADIHA BEG ,Village: MOONDADIHA BEG ,PostOffice: MOONDADIHA BEG ,Pincode: 272125	BOARD OF THECNICAL EDUCATION UTTAR PRADESH Lucknow	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. InstituteDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. GSTDetails-Not Available, 4. Eight Faculties are Presents, Experience details are not available. 5. Faculties Fauziya Husaini photograph not show on portal, 6. Is Municipality Registration Office Available-Not Available, 7. ICH Stability chamber with temperature & humidity features-Not Verified, 8. Viscometer Ostwald/Brookfield-Not Verified."
108	PCI-7503	SATYAM SHIVAM COLLEGE OF PHARMACY TIKARI KAURIHAR PRAYAGRAJ	House No: 569 ,Street: TIKARI ROAD ,Landmark: LUCKNOW ROAD ,Panchayat: TIKARI ,Village: PRAYAGRAJ ,PostOffice: ATRAMPUR ,Pincode: 229412	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 4. Ten Faculties are Presents, and Three Absents, Experience details are not available. 5. Faculties gyan yadav, Subhash CHAUDHRY photograph not show on portal, 6. IR Thermometer-Not Verified, 7. eq_name-Not Verified, 8. Insufficients Equipments as per noms, 9. Equipments Not Available and Not Verified on portal, 10. Instrument Numbering Register-Not Available, 11. Triple Door Entering Setup For Aseptic Room-Not Available,
109	PCI-7929	MAA SHARDA INSTITUTE OF PHARMACY	House No: 58 322 ,Street: KARMA ROAD ,Landmark: MAA SHARDA NURSING HOME ,Panchayat: PANWARI ,Village: PANWARI ,PostOffice: PANWAR JASRA ,Pincode: 212107	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Seven Faculties All are Presents. Experience details are not available."
110	PCI-9818	CB LAL MEMORIAL INSTITUTE OF MEDICAL SCINCES	House No: 00 ,Street: ITOZA KURSHI ROAD ,Landmark: NEAR KUMHRAWAN ,Panchayat: MAHONA ,Village: PARSAIYA ,PostOffice: KUMHRAWAN ,Pincode: 226203	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
111	PCI-5815	Chandrabhan Singh College Of Pharmacy	House No: 0 ,Street: JHINJHAK RASULABAD ROAD ,Landmark: NEAR HP PETROL PUMP ,Panchayat: JHINJHAK ,Village: JHINJHAK ,PostOffice: JHINJHAK ,Pincode: 209302	Board of technical education Uttar Pradesh Lucknow	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Five Faculties are Presents, Experience details are not available. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Insufficients Equipments as per noms, 7. Equipments Not Available and Not Verified on portal,
112	PCI-5791	DR. AJAY PAL SINGH COLLEGE OF PHARMACY	House No: 0 ,Street: MURUAS TO JASMAI ROAD ,Landmark: MANIKPUR ,Panchayat: MANIKPUR DAHELIYA DEHAT ,Village: MANIKPUR ,PostOffice: CENTRAL JAIL ,Pincode: 209601	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Pulse Oximeter-Not Verified, 5. Ointment filling machine-Not Verified, 6. Automated Single Station Tablet punching machine-Not Verified, 7. Thieles Tube-Not Verified, 8. Ampoule washing machine-Not Verified, 9. Micrometre slide Stage-Not Verified, 10. Liquid Filling Machine-Not Verified, 11. Inventory Software for Retail Pharmacy-Not Verified, 12. Sintered glass filter with vacuum-Not Verified, 13. Stadiometer-Not Verified, 14. Filtration assembly with Vacuum Pump-Not Verified, 15. Micrometre slide Eyepiece-Not Verified, 16. All-purpose equipment with all accessories-Not Verified, 17. Clarity test apparatus-Not Verified, 18. Stalagmometer-Not Verified, 19. Bottle washing Machine-Not Verified, 20. IR Thermometer-Not Verified,
113	PCI-8096	SMRITISHESH PANDIT SINGH EDUCATIONAL INSTITUTE	House No: NA ,Street: BHATPI ,Landmark: NA ,Panchayat: BHATPI ,Village: BHATPI ,PostOffice: KHARGUPUR ,Pincode: 271209	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. InstituteDetails-Not Available, 2. GSTDetails-Not Available, 3. BankDetailsResponse-Not Available, 4. InstitutionApplications-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 6. Eight Faculties are Presents, Experience details are not available. 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Is Municipality Registration Office Available-Not Available, 9. Andreasen's Pipette-Not Verified, 10. Ointment filling machine-Not Verified, 11. All-purpose equipment with all accessories-Not Verified, 12. Glucometer-Not Verified, 13. Refrigerator-Not Verified, 14. Micrometre slide Eyepiece-Not Verified, 15. Micrometre slide Stage-Not Verified, 16. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 17. Inventory Software for Retail Pharmacy-Not Verified, 18. Machine Are Fixed On Cemented Blocks-Not Available, 19. Triple Door Entering Setup For Aseptic Room-Not Available."
114	PCI-7647	FACULTY OF PHARMACY RANJEET SINGH MAHAVIDHYALAYA TULSIPUR KUMHABAR ETAWAH	House No: 0 ,Street: Tulsipur ,Landmark: Tulsipur ,Panchayat: Tulsipur ,Village: Tulsipur ,PostOffice: Kumhabar ,Pincode: 206253	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Faculties Not Available as per noms, 5. One Faculty Available and Present, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Projection microscope-Not Verified, 9. Micrometre slide Stage-Not Verified, 10. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 11. Inventory Software for Retail Pharmacy-Not Verified, 12. Permanent slide of different microbes-Not Verified, 13. Peak Flow meter-Not Verified, 14. Water Testing Kit-Not Verified, 15. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 16. Triple Door Entering Setup For Aseptic Room-Not Available, 17. Pharmacology Software-Not Available."

115	PCI-8301	RAM KRISHNA MAHAVIDYALAYA	House No: RANUKHERA ,Street: RANUKHERA ,Landmark: RANUKHERA ,Panchayat: RANUKHERA ,Village: RANUKHERA ,PostOffice: KAMALGANJ ,Pincode: 209724	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Latest Project Budget & Expenditure Report-Not Available, 4. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Faculties not Available as per norms, 8. Faculties Details not verified on portal," 9. In Sufficient Equipments as per norms, 10. Equipments Not Verified on portal, 11. Triple Door Entering Setup For Aseptic Room-Not Available, 12. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 13. General Insurance Provided For Assets Against Fire,burglary And Other Calamities-Not Available, 14. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available,
116	PCI-7686	SHARTHAK COLLEGE OF PHARMACY PEERUPUR PURENEWAL SADAR PRATAPGARH	House No: PEERUPUR ,Street: PEERUPUR ,Landmark: PURENEWAL SADAR PRATAPGARH ,Panchayat: PURENEWAL SADAR ,Village: PURENEWAL SADAR ,PostOffice: PURENEWAL ,Pincode: 230503	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. One Faculties are Presents, 4. Faculties Not Available as per norms, 5. Insufficient Equipments as per norms, 6. Equipments Not Available and Not Verified on portal, 7. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available."
117	PCI-5529	S N COLLEGE OF PHARMACY	House No: Gata No 134 ,Street: Ganj Dundwara Road ,Landmark: Wazidpur ,Panchayat: Wazidpur ,Village: Wazidpur ,PostOffice: Sidhpura ,Pincode: 207246	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. BankDetailsResponse-not Available, 3. GSTDetails-Not Available, 4. Latest Project Budget & Expenditure Report-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 7. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 8. No Of International Journals Available-not Available, 9. Four Faculties are Presents, Experience details are not available, 10. Pharmacology LabPharmacology Lab-Not Verified, 11. Building Construction Cost-Not Available, 12. Instrument Numbering Register-Not Available, 13. Is Municipality Registration Office Available-Not Available, 14. Is Previously Any Institution Running In Same Building-Not Available, 15. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 16. Inventory Software for Retail Pharmacy-Not Verified, 17. Display for various disinfectants, mosquito repellents etc-Not Verified, 18. Patient Information ..Leaflets/Cards-Not Verified, 19. Permanent slide of different microbes-not Verified, 20. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 21. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 22. Bill book (dummy) Computer stationary for bill printing-Not Verified, 23. Sieve shaker with sieve set-Not Verified, 24. Various name plates indicating different parts of Pharmacy, charts Verified, 25. Liquid Filling Machine-Not Verified, 26. Drug Information books-Not Verified, 27. Different Contraceptive Devices and Models-not Verified, 28. Ointment slab-Not Verified, 29. Colostomy bags-not Verified, 30. Health information display,-Not Verified, 31. Box/area for expiry medicines,-Not Verified, 32. Glucometer-not Verified, 33. Patient waiting area,-Not Verified, 34. Inspection book,-Not Verified, 35. Display of pharmacist registration, license and other licenses-Not Verified, 36. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 37. Designated patient counselling area,-Not Verified, 38. Designated patient counselling area,-Not Verified, 39. Drug information resources-Not Verified, 40. Ointment filling machine-Not Verified, 41. Computers: hospital and community pharmacy management software-Not Verified, 42. Micrometre slide Stage-Not Verified, 43. Is social pharmacy laboratories maintained as per new regulations-Not Available, 44. Is social pharmacy laboratories maintained as per new regulations-Not Available, 45. Machine Are Fixed On Cemented Blocks-Not Available, 46. General And Departmental Notice Boards-Not Available, 47. Gas Connection Proof & Receipt-Not Available, 48. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 49. Triple Door Entering Setup For Aseptic Room-Not Available, 50. General Insurance Provided For Assets Against Fire,burglary And Other Calamities-Not Available, 51. Pharmacology Software-Not Available, 52. Smart Classroom-Not Available,"
118	PCI-5528	A.P. Singh Pharmacy College	House No: 99 GHA ,Street: MAHRAJPUR ,Landmark: MAHRAJPUR ,Panchayat: MAHRAJPUR ,Village: MAHRAJPUR ,PostOffice: HATHIGAWAN ,Pincode: 230201	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Affiliation of examining authority-Not Available, 2. GSTDetails-Not Available, 3. State policy decision-Not Available, 4. Approval of state gov-Not Available, 5. BankDetailsResponse-Not Available, 6. InstituteDetails-Not Available, 7. One Faculty Principal VINOD PATEL is Presents, 8. Faculties Not Available as per norms, 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Is Municipality Registration Office Available-Not Available, 11. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 12. Bottle Sealing Machine-Not Verified, 13. Dummy Inhalers and Nebulizer-Not Verified, 14. Sintered glass filter with vacuum-Not Verified, 15. Andreasen's Pipette-Not Verified, 16. Micrometre slide Stage-Not Verified, 17. Filtration assembly with Vacuum Pump-Not Verified."
119	PCI-7685	OM BUDHESHWARNATH R S V S COLLEGE OF PHARMACY	House No: 145 165s ,Street: CHITRI SAGRA ,Landmark: ,Panchayat: TINA ,Village: CHITRI SAGRA ,PostOffice: SAGRA SUNDERPUR ,Pincode: 230136	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Salary Acquaintance Register Of Staffteaching & Non-teaching -Not Available, 6. Faculties Not Available as per norms, 7. Faculties details not Verified on portal, 8. Insufficient Equipments as per norms, 9. Equipments Not Available and Not Verified on portal, 10. Upload pharmacy laboratories four angle geo tag-Not Available, 11. Availability Of Institute Website-Not Available, 12. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 13. Triple Door Entering Setup For Aseptic Room-Not Available, 14. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 15. Pharmacology Software-Not Available, 16. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available."
120	PCI-5937	BABU MAHIPAT SINGH COLLEGE OF PHARMACY	House No: NIL ,Street: TILOI TO RAJAMAU CANAL ROAD ,Landmark: NEAR TILOI MARKET ,Panchayat: TILOI ,Village: TILOI ,PostOffice: TILOI ,Pincode: 229309	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. No Of International Journals Available-Not Available, 5. Six Faculties are Presents, Experience details are not available. 6. Faculties Koushik Bora photograph not show on portal, 7. Projection microscope-Not Verified, 8. Pfizer type hardness tester-Not Verified, 9. Bottle Sealing Machine-Not Verified, 10. Smart Classroom-Not Available."

121	PCI-6401	Parmeshwer Prasad Mewalal Pharmacy College	House No: GATA NO. 60,63 ,Street: HIRAGANJ JALESHARGANJ ,Landmark: PARMESHWAR PRASAD INTER COLLEGE ,Panchayat: MALADHAR CHHATTA ,Village: MALADHAR CHHATTA ,PostOffice: JALESHARGANJ ,Pincode: 230132	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Four Faculties are Presents and Four Absents, Experience details are not available. 4. All Faculties photograph same uploaded so wrong, 5. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 6. Inventory Software for Retail Pharmacy-Not Verified, 7. Liquid Filling Machine-Not Verified, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available., 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Autoclave-Not Verified, 11. Drug information resources-Not Verified, 12. Surgical devices and Sutures-Not Verified, 13. Dummy devices (eg. Inhalers)-Not Verified, 14. Analytical Balances for demonstration-not Verified, 15. Permanent slide of different microbes-Not Verified, 16. Digital balance 10mg sensitivity-Not Verified, 17. Mannequins for CPR-1 (with indication Signals)-Not Verified, 18. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 19. Computers: hospital and community pharmacy management software-Not Verified, 20. Stalagmometer- Not Verified"
122	PCI-5517	MAS COLLEGE OF PHARMACY	House No: 735 736KA 736KHA ,Street: SHEKHPUR BALIPUR ROAD ,Landmark: SHEKHPUR BALIPUR ROAD ,Panchayat: SHEKHPUR ASHIQ ,Village: SHEKHPUR ASHIQ ,PostOffice: SHEKHPUR ASHIQ ,Pincode: 230201	BOARD OF TECHNICAL EDUCATION LUCKNOW UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified."
123	PCI-6696	ROHINI COLLEGE OF PHARMACY	House No: 1569 1571 Gh 1571D ,Street: In side Kunda Khanwari Road Near Mangarh ,Landmark: Mangarh ,Panchayat: Mangarh ,Village: Mangarh ,PostOffice: MANGARH ,Pincode: 230204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Six Faculties are Presents and Five Absents, Experience details are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-not Available, 6. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 7. Ampoule washing machine-Not Verified, 8. Ampoule washing machine-not Verified, 9. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 10. Stalagmometer-Not Verified, 11. Pharmacology Software-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available 13. Sintered glass filter with vacuum-Not Verified, 14. Dummy Inhalers and Nebulizer-Not Verified, 15. Viscometer Ostwald/Brookfield-Not Verified, 16. Liquid Filling Machine-Not Verified, 17. Collapsible tube - Filling and Sealing-Not Verified, 18. Digital Colorimeter-Not Verified, 19. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 20. Automated Single Station Tablet punching machine-Not Verified, 21. Upload electricity telephone bill-Not Available, 22. Upload pharmacy laboratories four angle geo tag-Not Available, 23. CCTV Available-not Available, 24. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 25. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 26. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available.."
124	PCI-7023	DAV COLLEGE OF PHARMACY	House No: 1040 ,Street: BELA ,Landmark: MUNARI ,Panchayat: RHUNAKHURD ,Village: RAUNAKHURD ,PostOffice: BELA ,Pincode: 221101	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Faculties Not Available as per noms, 4. Faculties details not Available on portal, 5. Insufficients Equipments as per noms. 6. Equipments not Available and Not Verified on portal Verification, 7. Is social pharmacy laboratories maintained as per new regulations-Not Available, 8. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 9. Herbal Garden-Not Available, 10. Smart Classroom-Not Proper and Not Available, 11. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 12. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 13. Triple Door Entering Setup For Aseptic Room-Not Available, 14. Machine Are Fixed On Cemented Blocks-Not Available, 15. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 16. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 17. Gas Connection Proof & Receipt-Not Available."
125	PCI-5880	SBSF COLLEGE OF PHARMACY	House No: 0 ,Street: MEMARI JAUGRAM ROAD ,Landmark: GT ROAD CONNECTOR ,Panchayat: BAGILA ,Village: NUDIPUR ,PostOffice: CHOTKHANDA ,Pincode: 713146	WEST BENGAL STATE COUNCIL OF TECHNICAL AND VOCATIONAL EDUCATION AND SKILL DEVELOPMENT KARIGORI BHAWAN,4TH AND 5TH FLOOR,PLOT NO-D/7,ACTION AREA-III NEWTOWN, RAJARHAT,KOLKATA, PIN-700160, The Registrar West Bengal University of Health Sciences	B.Pharm, D.Pharm	B. Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) NOC of State Govt. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected D. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Available 3. Details Of Salary Disbursement-bank Transfer Details-Not Available 4. Faculty not as per PCI norms. Only one faculty was shown in SIF and IR. The faculty shown in IR was absent on the day of inspection. 5. Faculty cadre ratio not maintained. Principal not appointed. 6. Head of institute was shown in IR, who was absent on the day of inspection. Also experience is not mentioned in IR or SIF. 7. CLASS ROOM - V, CLASS ROOM -IV, CLASS ROOM - VI-Not Available/Photographs or proofs not uploaded. Also not verified at the time of inspection. 8. Bio Metric Attendance System For Student-Not Available 9. Pharmacology Software-Not Available 10. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available"

126	PCI-7423	SHRI DURGA SAPTSATI COLLEGE OF PHARMACY	House No: 0 ,Street: SUBHASH NAGAR CHAKUJOT ,Landmark: SUBHASH NAGAR CHAKUJOT ,Panchayat: CHAKUJOT ,Village: CHAKUJOT ,PostOffice: CHAKUJOT ,Pincode: 271870	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. IV set-Not Verified, 5. Gas Connection Proof & Receipt-Not Available, 6. Smart Classroom-not Available, 7. Andreasen's Pipette-Not Verified, 8. Ointment filling machine-Not Verified, 9. Patient Information ..Leaflets/Cards-not Verified, 10. Ointment spatula-Not Verified, 11. Peak Flow meter-Not Verified, 12. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 13. Filtration assembly with Vacuum Pump-Not Verified, 14. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 15. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 16. Micrometre slide Eyepiece-Not Verified, 17. Viscometer Ostwald/Brookfield-Not Verified, 18. All-purpose equipment with all accessories-Not Verified, 19. Liquid Mixer-Not Verified, 20. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 21. Inventory Software for Retail Pharmacy-Not Verified, 22. Hot plates-Not Verified, 23. Bottle Sealing Machine-Not Verified, 24. Micrometre slide Stage-Not Verified, 25. Stadiometer-Not Verified, 26. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 27. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 28. Magnetic Stirrers with Thermostat-Not Verified, 29. Computers: hospital and community pharmacy management software-Not Verified, 30. Height and body weight chart-Not Verified, 31. Colostomy bags-Not Verified, 32. Automated Single Station Tablet punching machine-Not Verified, 33. Ointment slab-Not Verified, 34. Health information display,-Not Verified, 35. Mannequins for CPR-1 (with indication Signals)-Not Verified, 36. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 37. IR Thermometer-Not Verified, 38. Permanent slide of different microbes-not Verified, 39. Sintered glass filter with vacuum-Not Verified, 40. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 41. Bio Meteric Attendance System For Student-Not Available, 42. Fuming Cub Board, Gas Fitting, Exhaust Fan-not Available, 43. Is Display Of Chart In Respective Laboratories-Not Available, 44. Triple Door Entering Setup For Aseptic Room-Not Available, 45. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."
127	PCI-7809	K K L K COLLEGE OF PHARMACY	House No: 2895/2898 ,Street: KATHARA ,Landmark: KATHARA ,Panchayat: KATHARA ,Village: KATHARA ,PostOffice: KATHARA ,Pincode: 209308	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Faculties VINEETA SACHAN, SUNIL KUMAR, SUNIL KUMAR, APARNA PARIHAR photograph not show on portal, 5. Inseficiants Equipments as per norms, 6. Equipments Not Available And Not Verified on portal Verification,
128	PCI-5386	PT RAM NARAYAN SHARMA MAHAVIDYALAYA	House No: 108 ,Street: KARAUDAHA ,Landmark: KARAUDAHAQA ,Panchayat: KARAUDAHA ,Village: KARAUDAHA ,PostOffice: AMARGARH ,Pincode: 230124	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Ten Faculties are Presents and Three Absents, Experience details are not available. 5. Is Municipality Registration Office Available-Not Available, 6. Inventory Software for Retail Pharmacy-Not Verified, 7. All-purpose equipment with all accessories-Not Verified, 8. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 9. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available."
129	PCI-7079	GANGA SAGAR SINGH PHARMACY COLLEGE	House No: 1 ,Street: DERWA BAGHRAI ROAD ,Landmark: NA ,Panchayat: BHIKHAPUR KANIDEEH ,Village: BHIKHAPUR KANIDEEH ,PostOffice: BHIKHAPUR KANIDEEH ,Pincode: 230128	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Faculty JWALA SINGH and BRIJENDRA SINGH photograph not show on portal, 5. Faculties Lecturer -(Name) not show on portal, 6. Is Municipality Registration Office Available-Not Available"
130	PCI-8030	ANJANA COLLEGE OF PHARMACY	House No: NA ,Street: NA ,Landmark: MOHANGANJ ,Panchayat: SAKRAULI ,Village: SAKRAULI ,PostOffice: AJGARA LALGANJ ,Pincode: 230144	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Eight Faculties are Presents, Experience details are not available. 5. Faculties ANKIT VISHWAKARMA, ARPIT JAISWAL, SHAH MOHAMMAD, Abhitav Tiwari, SAURABH VIND photograph not show on portal, 6. Is Municipality Registration Office Available-Not Available, 7. Water Testing Kit-Not Verified, 8. Inventory Software for Retail Pharmacy-Not Verified, 9. Computers: hospital and community pharmacy management software-Not Verified, 10. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 11. Triple Door Entering Setup For Aseptic Room-Not Available, 12. Instrument Numbering Register-Not Available, 13. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available."
131	PCI-8226	ACHARYA SADASHIV COLLEGE OF PHARMACY	House No: 424 ,Street: KHARHAR ,Landmark: PIRTHIGANJ RAILWAY STATION ,Panchayat: KHARHAR ,Village: KHARHAR ,PostOffice: SIPAHMAHERI ,Pincode: 230304	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Five Faculties are Presents and Two Absents, Experience details are not available. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Insufficients Equipments as per norms, 7. Equipments Not Available and Not Verified on portal,"
132	PCI-8258	GAUTAM BUDDHA COLLEGE OF PHARMACY	House No: 0 ,Street: SAHIYAPUR ,Landmark: near adarsh inter collge ,Panchayat: RAMPUR MAJHILA ,Village: SAHIYAPUR ,PostOffice: INDARGARH ,Pincode: 209723	Board Of Technical University	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Faculties Not Available as per norms, 4. Three Faculties are Presents and Three Absents, 5. Faculties DEEPAK KATIYAR photograph not show on portal, 6. Is Municipality Registration Office Available-Not Available, 7. Sieve shaker with sieve set-Not Verified, 8. Digital Thermometer-Not Verified, 9. Human Permanent Slides for various tissues-Not Verified, 10. Tablet counter - small size-Not Verified, 11. Dummy devices (eg. Inhalers)-Not Verified, 12. Oxygen masks-Not Verified, 13. Patient waiting area,-Not Verified, 14. Monsanto's hardness tester-Not Verified, 15. Empty cartons of variety medicines (across variety dosage forms)-Not Verified, 16. Bill book (dummy) Computer stationary for bill printing-Not Verified, 17. Digital Melting Point Apparatus-Not Verified, 18. Specimen for various organs and systems-Not Verified, 19. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 20. Hot Air Oven-Not Verified, 21. All-purpose equipment with all accessories-Not Verified, 22. Liquid Mixer-Not Verified, 23. Distillation Unit-Not Verified, 24. Hot Plate-Not Verified, 25. Thieles Tube-Not Verified, 26. Designated patient counselling area,-Not Verified, 27. Micrometre slide Stage-Not Verified, 28. Stadiometer-Not Verified, 29. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 30. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 31. Electric water bath unit-Not Verified, 32. Nessler's Cylinders-Not Verified, 33. Magnetic Stirrers with Thermostat-Not Verified, 34. Dummy Inhalers and Nebulizer-Not Verified, 35. Sahli's haemoglobinometers-Not Verified, 36. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 37. Inspection book,-Not Verified, 38. Display of pharmacist registration, license and other licenses-Not Verified, 39. Filtration assembly with Vacuum Pump-Not Verified, 40. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 41. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 42. Micrometre slide Eyepiece-Not Verified, 43. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 44. Inventory Software for Retail Pharmacy-Not Verified, 45. Mercury Thermometer-Not Verified, 46. Automated Single Station Tablet punching machine-Not Verified, 47. Wall Mounted Water Distillation Unit-Not Verified, 48. Ointment slab-Not Verified, 49. Health information display,-Not Verified, 50. Mannequins for CPR-1 (with indication Signals)-Not Verified, 51. Patient Information ..Leaflets/Cards-Not Verified, 52. Pesticide and mortar porcelain-not Verified, 53. Various name plates indicating different parts of Pharmacy-Not Verified, 54. Projection microscope-Not Verified, 55. Computers: hospital and community pharmacy management software-Not Verified, 56. Thermostatic Water Bath-Not Verified, 57. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 58. Height and body weight chart-Not Verified, 59. Permanent slide of different microbes-Not Verified, 60. Sintered glass filter with vacuum-Not Verified, 61. Digital balance 10mg sensitivity-Not Verified, 62. Urine pots-Not Verified, 63. RYLE's tube-Not Verified, 64. Sphygmomanometers-Not Verified, 65. Variety of Needles-Not Verified, 66. Is social pharmacy laboratories maintained as per new regulations-Not Available, 67. Smart Classroom-Not Available, 68. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 69. Pharmacology Software-Not Available, 70. Triple Door Entering Setup For Aseptic Room-Not Available, 71. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 72. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."

133	PCI-8101	BABU SINGH MAHAVIDHYALAY	House No: 0 ,Street: chhibramau ,Landmark: rampur baiju road ,Panchayat: asalat nagar ,Village: asalat nagar ,PostOffice: chhibramau ,Pincode: 209721	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-not Available, 3. State policy decision, 4. Eight Faculties are Presents, Experience details are not available. 5. Faculties Ritesh Gupta photograph not show on portal, 6. Pharmacology and pharmacotherapeutics, Pharmacy practice, PHARMACEUTICS, Biochemistry and pharmacchemistry, Pharmacotherapeutics, APP COLOGY, Cology, Biochemistry and clinical pathology, Pharmacognosy-Not Verified, 7. Pulse Oximeter-Not Verified, 8. Liquid Mixer-Not Verified, 9. Thieles Tube-Not Verified, 10. Stalagmometer-Not Verified, 11. Stop watch-Not Verified, 12. Thermostatic Water Bath-Not Verified, 13. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 14. Triple Door Entering Setup For Aseptic Room-Not Available."
134	PCI-7723	PT JUGGI LAL ARUN KUMAR SHIKSHA SANSTHAN	House No: 745 268 131 269 44 60 ,Street: MUILI MARG JAISINGHPUR ,Landmark: PT juggilal arun kumar shiksha sansthan ,Panchayat: MUILI ,Village: MUILI MARG JAISINGHPUR ,PostOffice: JAISINGHPUR ,Pincode: 228141	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Pharmacology Software-Not Available.", 4. State policy decision-not Available, 5. Smart Classroom-Not Available, 6. Seven Faculties are Presents, Faculties of B. Pharm Qualification have not 3 years of Experience. Faculties are not available as per norms. 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Monsanto's hardness tester-Not Verified, 9. Capsule Counter-Not Verified, 10. Nessler's Cylinders-Not Verified, 11. Permanent slide of different microbes-Not Verified, 12. Sintered glass filter with vacuum-Not Verified, 13. Human Permanent Slides for various tissues-Not Verified, 14. Peak Flow meter-Not verified, 15. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 16. Digital Balance (10 mg Sensitivity)-Not Verified, 17. Different Contraceptive Devices and Models-Not Verified, 18. Micrometre slide Stage-Not Verified, 19. Computer-Not Verified, 20. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 21. Buchner Funnels (Medium)-Not Verified, 22. Variety of Needles-Not Verified, 23. Digital Melting Point Apparatus-Not Verified, 24. Specimen for various organs and systems-Not Verified, 25. Viscometer Ostwald/Brookfield-not Verified, 26. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 27. Inventory Software for Retail Pharmacy-Not Verified, 28. Menstrual hygiene products-Not Verified, 29. Various types of PPE Kits,-Not Verified, 30. Stalagmometer-Not Verified, 31. Colostomy bags-Not Verified, 32. Display for various disinfectants, mosquito repellents etc-Not Verified, 33. Capsule filling machine-Not Verified, 34. Variety of catheters-Not Verified, 35. Ointment slab-Not Verified, 36. Triple Door Entering Setup For Aseptic Room-Not Available, 37. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available.
135	PCI-8088	RAM RATAN SINGH MEMORIAL DEGREE COLLEGE	House No: 0 ,Street: ZAHIDPUR ,Landmark: ZAHIDPUR ,Panchayat: BAMANPURI ,Village: Zahidpur ,PostOffice: SHAHABAD ,Pincode: 244922	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-not Available, 3. No Of International Journals Available-not Available, 4. Eight Faculties are Presents, Experience details are not available. 5. Is Municipality Registration Office Available-Not Available, 6. Thieles Tube-Not Verified, 7. Peak Flow meter-Not Verified, 8. Stalagmometer-Not Verified, 9. Height and body weight chart-Not Verified, 10. ESR Apparatus (Westergren and Wintrobe)-Not Verified"
136	PCI-7045	SWATANTRATA SANGRAM SENANI BHAGAUTI PRASAD YADAV INSTITUTE OF MEDICAL SCIENCE	House No: 0 ,Street: NH 56 VARANASI LUCKNOW ROAD ,Landmark: NEAR SENANI PETROL PUMP ,Panchayat: GOPALNAGAR TANDA ,Village: GOPALNAGAR TANDA ,PostOffice: WARISGANJ ,Pincode: 227816	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents. Experience details are not available."
137	PCI-5702	VNS COLLEGE OF PHARMACY	House No: NA ,Street: NA ,Landmark: SHRI V N SINGH SMARAK INTER COLLEGE THAURI AMETHI ,Panchayat: THAURI ,Village: THAURI ,PostOffice: THAURI ,Pincode: 227815	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Faculties Not Available as per norms, 5. Is Previously Any Institution Running In Same Building-Not Verified, 6. Ointment filling machine-Not Available, 7. Mannequins for injection IV Arm-Not Verified, 8. Stadiometer-Not Verified, 9. Projection microscope-Not Verified, 10. Various types of PPE Kits,-Not Verified, 11. Water Testing Kit-Not Verified, 12. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 13. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 14. Triple Door Entering Setup For Aseptic Room-Not Available.."
138	PCI-6240	K. K VERMA PHARMACY COLLEGE	House No: 00 ,Street: AKBARPUR SULTANPUR ROAD ,Landmark: NEAR SEMARI MARKET ,Panchayat: CHORMA ,Village: CHORMA ,PostOffice: CHORMA ,Pincode: 228142	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. BankDetailsResponse-Not Available, 4. Is Municipality Registration Office Available-Not Available, 5. Insufficient Equipments as per norms, 6. Equipments Not Available and Not Verified on portal, 7. Faculties Not Available as per norms."

139	PCI-6446	Satyaprabha College of Pharmacy	House No: 729 731 732 ,Street: Sultanpur to Jaunpur ,Landmark: Lambhua ,Panchayat: Anapur Narayanganj ,Village: Anapur Narayanganj ,PostOffice: Kotharakhurd ,Pincode: 222303	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-not Available, 2. Approval of state govt-Not Available, 3. State policy decision-Not Available, 4. GSTDetails-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Four Faculties are Presents and Four Leave, Experience details are not available. 7. Pharmacology Software-Not Available, 8. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 9. Faculties Amit Singh photograph not show on portal, 10. Lab-Pharmacognosy, Pharmaceutical Chemistry, Pharmacy Practice, Pharmaceutics, Pharmacology, Pharmacognosy-Not Verified, 11. Is Previously Any Institution Running In Same Building-Not Available, 12. Building Construction Cost-Not Available, 13. Digital pH meter-Not Verified, 14. Urine Bag-Not Verified, 15. Sieve shaker with sieve set-Not Verified, 16. Box/area for expiry medicines,-Not Verified, 17. Specimen for various organs and systems-Not Verified, 18. Viscometer Ostwald/Brookfield-Not Verified, 19. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 20. Hot Air Oven-Not Verified, 21. All-purpose equipment with all accessories-Not Verified, 22. Liquid Mixer-Not Verified, 23. Drug Information books-Not Verified, 24. Vacuum Pump-Not Verified, 25. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 26. Filtration assembly with Vacuum Pump-Not Verified, 27. Filtration assembly with Vacuum Pump-Not Verified, 28. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 29. Refrigerator-Not Verified, 30. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 31. Micrometre slide Eyepiece-Not Verified, 32. Desiccator-Not Verified, 33. Empty cartons of variety medicines (across variety dosage forms)-Not Verified, 34. Human Skeleton and bones-Not Verified, 35. Designated patient counselling area,-Not Verified, 36. Micrometre slide Stage-Not Verified, 37. Liquid Filling Machine-Not Verified, 38. Stadiometer-Not Verified, 39. Collapsible tube - Filling and Sealing-Not Verified, 40. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 41. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-not Verified, 42. Electric water bath unit-Not Verified, 43. Buchner Funnels (Medium)-Not Verified, 44. Thiele Tube-Not Verified, 45. Ampoule washing machine-Not Verified, 46. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 47. Various name plates indicating different parts of Pharmacy,-Not Verified, 48. Projection microscope-Not Verified, 49. Projection microscope-Not Verified, 50. Computers: hospital and community pharmacy management software-Not Verified, 51. Thermostatic Water Bath-Not Verified, 52. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 53. Stalagmometer-Not Verified, 54. Height and body weight chart-Not Verified, 55. Computer with LCD-Not Verified, 56. Oxygen masks-Not Verified, 57. Andreaesen's Pipette-Not Verified, 58. Pulse Oximeter-Not Verified, 59. Monsanto's hardness tester-Not Verified, 60. Ointment filling machine-Not Verified, 61. Capsule Counter-Not Verified, 62. Colostomy bags-Not Verified, 63. Automated Single Station Tablet punching machine-Not Verified, 64. Wall Mounted Water Distillation Unit-Not Verified, 65. Capsule filling machine-Not Verified, 66. Ointment slab-Not Verified, 67. Mannequins for CPR-1 (with indication Signals)-Not Verified, 68. Nessler's Cylinders-Not Verified, 69. Magnetic Stirrers with Thermostat-Not Verified, 70. Dummy Inhalers and Nebulizer-Not Verified, 71. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 72. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 73. Inventory Software for Retail Pharmacy-Not Verified, 74. Digital Colorimeter-Not Verified, 75. Bottle Sealing Machine-Not Verified, 76. Human Permanent Slides for various tissues-Not Verified, 77. Display windows, shelves-Not Verified, 78. Tablet counter - small size-Not Verified, 79. IV set-Not Verified, 80. Dummy devices (eg. Inhalers)-Not Verified, 81. Analytical Balances for demonstration-Not Verified, 82. Clarity test apparatus-Not Verified, 83. Friability test apparatus (Digital Single/Double unit)-Not Verified, 84. RYLE's tube-Not Verified, 85. Sphygmomanometers-Not Verified, 86. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 87. Patient Information ,,Leaflets/Cards-Not Verified, 88. Ointment spatula-Not Verified, 89. Peak Flow meter-Not Verified, 90. Microscopes-Not Verified, 91. Water Testing Kit-Not Verified, 92. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 93. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 94. Pestle and mortar porcelain-Not Verified, 95. Pfizer type hardness tester-not Verified, 96. IR Thermometer-Not Verified, 97. Permanent slide of different microbes-Not Verified, 98. Sintered glass filter with vacuum-Not Verified, 99. Sahli's haemoglobinometers- Not Verified, 100. Inspection book,-Not Verified, 101. Display of pharmacist registration, license and other licenses-Not Verified, 102. Upload pharmacy laboratories four angle geo tag-Not Available, 103. Is social pharmacy laboratories maintained as per new regulations-Not Available, 104. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 105. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 106. Fire Safety Equipment-Not Available, 107. Availability Of Institute Website-Not Available, 108. Bio Meteric Attendance System For Student-Not Available, 109. Smart Classroom-Not Available, 110. Instrument Numbering Register-Not Available, 111. Triple Door Entering Setup For Aseptic Room-Not Available, 112. Is Display Of Chart In Respective Laboratories-Not Available, 113. Bio Meteric Attendance System For Faculty-Not Available, 114. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 115. Machine Are Fixed On Cemented Blocks-Not Available, 116. Electricity Bill With Sanction Of Electric Load By Electric Supply Provider Company-Not Available."
140	PCI-8175	ANUPAMA COLLEGE OF PHARMACY	House No: SHANTINAGAR KALWARI ,Street: SHANTINAGAR KALWARI ,Landmark: ,Panchayat: SHANTINAGAR KALWARI ,Village: SHANTINAGAR KALWARI ,PostOffice: BABAGANJ ,Pincode: 271881	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. Approval of state govt-Not Available, 3. State policy decision-Not Available, 4. GSTDetails-Not Available, 5. Audited Financial Statement Last Three Years -Not Available, 6. Lab and Class room Not Available as per norms, 7. Latest Project Budget & Expenditure Report-Not Available, 8. Eight Faculties are Presents, Experience details are not available. 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Upload pharmacy laboratories four angle geo tag-Not Available, 11. Insufficients Equipments as per norms, 12. Equipments Not Available and Not Verified on portal, 13. Triple Door Entering Setup For Aseptic Room-Not Available."
141	PCI-6087	parwati college of pharmacy gadankhera unnao up	House No: 891 ,Street: Kanpur lucknow highway ,Landmark: gadankhera bypass ,Panchayat: na ,Village: unnao city ,PostOffice: unnao ,Pincode: 209801	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Faculties SATYAM TRIPATHI, SHIWANI TIWARI, YAMENDRA SINGH photograph not show on portal, 5. Pharmacology 1-Not Verified, 6. Triple Door Entering Setup For Aseptic Room-Not Available."
142	PCI-7293	DHARMA DEVI BADRI PRASAD SMARAK PHARMACY COLLEGE	House No: 00 ,Street: KURWAR ,Landmark: KURWAR ,Panchayat: KURWAR ,Village: KURWAR ,PostOffice: KURWAR ,Pincode: 228155	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Audited Financial Statement Last Three Years -Not Available, 4. Four Faculties are Presents, Experience details are not available. 5. Principal Pankaj Kumar is Absents, 6. Is Municipality Registration Office Available-Not Available, 7. Urine pots-Not Verified, 8. RYLE's tube-Not Verified, 9. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 10. Bottle Sealing Machine-Not Verified, 11. Ointment filling machine-Not Verified, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Colostomy bags-Not Verified, 14. Capsule filling machine-Not Verified, 15. Ointment slab-Not Verified, 16. Buchner Funnels (Medium)-Not Verified, 17. Sintered glass filter with vacuum-Not Verified, 18. Tablet counter - small size-Not Verified, 19. Liquid Filling Machine-Not Verified, 20. Stadiometer-Not Verified, 21. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 22. Filtration assembly with Vacuum Pump-Not Verified, 23. Mannequins for injection IV Arm-Not Verified, 24. Ointment spatula-Not Verified, 25. Peak Flow meter-Not Verified, 26. Bottle washing Machine-Not Verified, 27. Smart Classroom-Not Available, "
143	PCI-7324	SHREE BAJRANG SINGH COLLEGE OF PHARMACY	House No: 0 ,Street: GAURIGANJ JAMAU ROAD ,Landmark: MAU ,Panchayat: MAU ,Village: MAU GAURIGANJ AMETHI ,PostOffice: MAU ,Pincode: 227409	BOARD OF THECNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. BankDetailsResponse-Not Available, 3. Two Principal mentioned in inspection report, 4. Faculty of B. Pharm qualification have less than 3 years of experience which not as per norms, 5. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 6. Latest Project Budget & Expenditure Report-Not Available, 7. Details Of Salary Disbursement-bank Transfer Details-Not Available, 8. No Of International Journals Available-Not Available, 9. Eight Faculties are Presents and Principal is Absents, 10. Is Municipality Registration Office Available-Not Available, 11. Thieles Tube-Not Verified, 12. ESR Apparatus (Westergren and Wintrobe)-not Verified, 13. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 14. Various types of PPE Kits,-Not Verified, 15. Water Testing Kit-Not Verified, 16. Bio Meteric Attendance System For Student-Not Available, 17. Pharmacology Software-not Available, 18. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 19. Bio Meteric Attendance System For Faculty-Not Available, 20. General Insurance Provided For Assets Against Fire, buglary And Other Calamities-Not Available, 21. Triple Door Entering Setup For Aseptic Room-Not Available.
144	PCI-8281	LAL CHANDRA COLLEGE OF PHARMACY	House No: 0 ,Street: BHAWANIPUR ,Landmark: NEAR DURGA MANDIR ,Panchayat: BHAWANIPUR ,Village: BHAWANIPUR ,PostOffice: T P NAGARA ,Pincode: 228161	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, 4. Faculties MAN GUPTA photograph not show on portal, 5. all Faculties Experience(years) details not mentioned on portal, 6. Distillation Unit-Not Verified, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Pharmacology Software-Not Available, 9. Thieles Tube-Not Verified, 10. Ampoule washing machine-Not Verified, 11. Monsanto's hardness tester-Not Verified, 12. Bottle Sealing Machine-Not Verified, 13. Pfizer type hardness tester-Not Verified, 14. Sphygmomanometers-Not Verified, 15. Liquid Filling Machine-Not Verified, 16. Autoclave-Not Verified, 17. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 18. Bottle washing Machine-Not Verified, 19. Computers: hospital and community pharmacy management software-Not Verified, 20. Clarity test apparatus-Not Verified, 21. Friability test apparatus (Digital Single/Double unit)-Not Verified, 22. Mannequins for injection IV Arm-Not Verified, 23. All-purpose equipment with all accessories-Not Verified, 24. Colostomy bags-Not Verified, 25. Automated Single Station Tablet punching machine-Not Verified, 26. Mannequins for CPR-1 (with indication Signals)-Not Verified.

145	PCI-7119	SPARSH COLLEGE SAKRA RAMNAGAR AMETHI	House No: 34A ,Street: SAKRA RAMNAGAR ,Landmark: 0 ,Panchayat: SAKRA RAMNAGAR ,Village: SAKRA RAMNAGAR ,PostOffice: PIPARPUR ,Pincode: 228159	THE SECRETARY UTTAR PRADESH BOARD OF TECHNICAL EDUCATION ,GURU GOVIND SINGH MARG LUCKNOW,UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Two Faculties are Presents, 5. Faculties Not Available as per noms, 6. Machine Are Fixed On Cemented Blocks-Not Available. 7. Is Municipality Registration Office Available-Not Available, 8. Bio Metric Attendance System For Student-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available. "
146	PCI-6411	BABU VASUDEO COLLEGE OF PHARMACY	House No: 0 ,Street: JAITAPUR ,Landmark: NAHER CHAURAHA ,Panchayat: JAITAPUR ,Village: JAITAPUR ,PostOffice: RUPAIDIHA ,Pincode: 271881	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, 4. Faculties Experience(years) details Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Is Municipality Registration Office Available-Not Available."
147	PCI-6059	PT.SATAY NARAYAN DWIVEDI COLLEGE OF PHARMACY	House No: 208 ,Street: BADHAULI TO MALIPUR ,Landmark: NA ,Panchayat: BADHAULI ,Village: BADHAULI ,PostOffice: DOSTPUR ,Pincode: 228131	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. faculties Abhimanyu Srivastav, Ram Pal, VAIBHAV SINGH photograph not show on portal, 5. Digital pH meter-Not Verified."
148	PCI-6682	Alite College Of Pharmacy	House No: 1 ,Street: utamanpur ,Landmark: utamanpur ,Panchayat: utamanpur ,Village: utamanpur pargana fatehpur ,PostOffice: utamanpur ,Pincode: 209868	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 5. faculties ASHISH KUMAR photograph not show on portal.
149	PCI-5296	CKSM COLLEGE OF PHARMACY	House No: 158/1 ,Street: JURAKHAN KHEDA ,Landmark: JURAKHAN KHEDA ,Panchayat: UNNAO NAGAR PALIKA ,Village: JURAKHAN KHEDA ,PostOffice: UNNAO CITY ,Pincode: 209801	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, Experience details are not available. 3. Carbon dioxide euthanasia set-up-Not Verified, 4. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available"
150	PCI-10086	Prudential Pharmacy College Egra	House No: Ward no 7 ,Street: Jerthan ,Landmark: College ,Panchayat: Egra ,Village: Jerthan ,PostOffice: Jerthan ,Pincode: 741429	The Registrar West Bengal University of Health Sciences, WEST BENGAL STATE COUNCIL OF TECHNICAL AND VOCATIONAL EDUCATION AND SKILL DEVELOPMENT KARIGORI BHAWAN,4TH AND 5TH FLOOR,PLOT NO-D/7,ACTION AREA-III NEWTOWN, RAJARHAT,KOLKATA, PIN-700160	B.Pharm, D.Pharm	B. Pharm It was noted that despite giving reasonable time for submission of statutory documents, Your institution has failed to submit the following Statutory documents for starting of applied course/s for the 2024-2025 Academic Session. (i) NOC of State Govt. In view of the above, Your Application for the 2024-2025 Academic Session is hereby rejected., D. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Available 3. Approval of state govt-Not Available 4. Details Of Salary Disbursement-bank Transfer Details-Not Available 5. Salary Acquaintance Register Of Staff (teaching & Non-teaching)-Not maintained/not available 6. Out of 12 faculties shown in IR, 04 were absent on the day of inspection. 7. Experiences of 3 faculty members, out of which two are with only B. Pharm degree as highest qualification, are not mentioned in IR. 8. Various Instruments/Equipments Not as per PCI norms or not verified on portal at the time of inspection (e.g. Bottle Sealing Machine, Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc, Incinerator, Permeability Cups, BOD Incubator, Capsule filling machine, TLC chamber and sprayer, Liquid Filling Machine, . Digital Thermometer, Ampoule filling and sealing machine (Jet Burner), Double cone blender, Andreassen's Pipette, Thieles Tube, Nephelo Turbidity meter, Pfizer type hardness tester, Incubator water bath, Heating mantle, Soxhlet apparatus, Sterility testing unit and many more) 9. Social pharmacy laboratories NOT maintained as per new regulations. 10. Pharmacology Software-Not Available 11. Bio Metric Attendance System For Faculty-Not Available 12. Bio Metric Attendance System For Student-Not Available 13. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available 14. Display Of Chart In Respective Laboratories-Not Available 15. Herbal Garden-Not Available 16. Proof of Provision of Internet Bandwidth in Mbps-Not Available."
151	PCI-8155	THAKUR SATYA NARAYAN INSTITUTE OF PHARMACY	House No: 0 ,Street: BARIYAONA ,Landmark: BARIYAONA ,Panchayat: BARIYAONA ,Village: BARIYAONA ,PostOffice: BARIYAONA ,Pincode: 228151	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. faculties CHANDRASHEKHAR CHAUHAN, ASHOK YADAV, ADITYA TRIPATHI, SAURABH VIND, NITIN MISHRA photograph not show on portal. 5. Triple Door Entering Setup For Aseptic Room-Not Available. Hot Plate-Not Verified, 6. General And Departmental Notice Boards-Not Available, 7. Bottle washing Machine-Not Verified, 8. Thieles Tube-Not Verified, 9. Various types of PPE Kits,-Not Verified, 10. Height and body weight chart-Not Verified, 11. Nessler's Cylinders-Not Verified, 12. Andreassen's Pipette-Not Verified, 13. Micrometer slide Stage-Not Verified, 14. Desiccator-Not Verified, 15. Digital Melting Point Apparatus-Not Verified, 16. Viscometer Ostwald/Brookfield-Not Verified, 17. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 18. Liquid Mixer-Not Verified, 19. Hot plates-Not Verified, 20. Ointment spatula-Not Verified, 21. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified,

152	PCI-6111	sardar patel bansh gopal college of pharmacy mahai unnao	House No: 1437 1445 1446 1448 1449 1451 1452 ,Street: Mahai ,Landmark: Sharda Nahar ,Panchayat: Mahai ,Village: mahai ,PostOffice: Kulha ,Pincode: 209801	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. faculties ANKIT TIWARI, PAVAN PANDEY photograph not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Insufficients Equipments as per noms, 7. Equipments Not Available and Not Verified on portal, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available."
153	PCI-7393	ARIHANT INSTITUTE OF PHARMACY	House No: Bachua Khera ,Street: Sandana Road ,Landmark: NEAR MINI STADIUM ,Panchayat: BACHUA KHERA ,Village: BACHUA KHERA ,PostOffice: HILAULI ,Pincode: 209821	BTE UP	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. State policy decision-Not Available, 4. Seven Faculties are Presents and One Absents, Experience details are not available. 5. Faculties GYAN SHANKAR and GAURAV MAURYA photograph not show on portal, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Hot plate-Not Verified, 8. Dissolution apparatus (at least LP standard type I & type II)-Not Verified, 9. Hardness tester Monsanto / Pfizer-Not Verified, 10. Bottle washing Machine-Not Verified"
154	PCI-7680	Maa Sharda College of Pharmacy Sultanpur UP	House No: 0 ,Street: Pakarpur ,Landmark: NEAR JAWAHAR NAVODAY VIDYALAYA PAKARPUR ,Panchayat: Pakarpur ,Village: Pakarpur ,PostOffice: Kadipur ,Pincode: 228161	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 6. Faculties Not Available as per noms, 7. Faculties details not Available on portal, 8. Pharmacology Software-Not Available, 9. Is Municipality Registration Office Available-Not Available, 10. Is Previously Any Institution Running In Same Building-Not Available, 11. Oxygen masks-Not Verified, 12. Andreasen's Pipette-Not Verified, 13. Monsanto's hardness tester-Not Verified, 14. Ointment filling machine-Not Verified, 15. Capsule Counter-Not Verified, 16. Liquid Filling Machine-Not Verified, 17. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 18. Various types of PPE Kits,-Not Verified, 19. Stalagmometer-Not Verified, 20. Tablet counter - small size-Not Verified, 21. IV set-Not Verified, 22. Analytical Balances for demonstration-Not Verified, 23. Clarity test apparatus-Not Verified, 24. Friability test apparatus (Digital Single/Double unit)-Not Verified, 25. Human Skeleton and bones-Not Verified, 26. Digital pH meter-Not Verified, 27. Urine Bag-Not Verified, 28. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 29. Micrometre slide Eyepiece-Not Verified, 30. Desiccator-Not Verified, 31. Capsule filling machine-Not Verified, 32. Variety of catheters-Not Verified, 33. Ointment slab-Not Verified, 34. Buchner Funnels (Medium)-Not Verified, 35. Thieles Tube-Not Verified, 36. RYLE's tube-Not Verified, 37. Digital Melting Point Apparatus-Not Verified, 38. Viscometer Ostwald/Brookfield-Not Verified, 39. All-purpose equipment with all accessories-Not Verified, 40. Glucometer-Not Verified, 41. Liquid Mixer-Not Verified, 42. Liquid Mixer-Not Verified, 43. Water Testing Kit-Not Verified, 44. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 45. Inventory Software for Retail Pharmacy-Not Verified, 46. Digital Colorimeter-Not Verified, 47. Bottle Sealing Machine-Not Verified, 48. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 49. Bottle washing Machine-Not Verified"
155	PCI-8091	Dr Ram Manohar Lohiya Mahavidhyalya Lalumau Raibareilly	House No: 0 ,Street: Shanti Nagar ,Landmark: near khajoorgaun ,Panchayat: Lalmau khajoorgaun ,Village: Lalmau khajoorgaun ,PostOffice: khajoorgaun ,Pincode: 229206	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. InstituteDetails-not Available, 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Insufficients Equipments as per noms, 7. Equipments Not Available and Not Verified on portal, 8. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 9. Pharmacology Software-Not Available, 10. Availability Of Institute Website-Not Available, 11. Triple Door Entering Setup For Aseptic Room-Not Available, 12. Faculties Not Available as per noms, 13. Faculties Details not show on portal."
156	PCI-9377	BIRAJA INSTITUTE OF PHARMACEUTICAL SCIENCE	House No: 329 ,Street: JAJAPUR BY PASS ROAD ,Landmark: NEAR RAM MANDIR ,Panchayat: MUNICIPALITY ,Village: MANSAPOL(BAIDYARAJ PUR) ,PostOffice: JAJAPUR ,Pincode: 755001	ODISHA STATE BOARD OF PHARMACY	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
157	PCI-7599	PERMESHWARI DEVI TRIVENI PRASAD SHUKLA MAHAVIDYALAYA	House No: 931/1 ,Street: SARENI TO BHOJPUR MARG ,Landmark: SARENI BAZAR ,Panchayat: DHUREMAU ,Village: DHUREMAU SARENI LALGANJ RAE BARELI ,PostOffice: SARENI ,Pincode: 229212	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Six Faculties are Presents, Experience details are not available. 4. PHARMACEUTICAL CHEMISTRY LAB-Not Verified, 5. PHARMACOGNOSY LAB-not Verified, 6. Andreasen's Pipette-Not Verified, 7. Pfizer type hardness tester-Not Verified, 8. Ointment filling machine-not Verified, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Stalagmometer-Not Verified, 11. Micrometre slide Stage-Not Verified, 12. Liquid Filling Machine-Not Verified, 13. Stadiometer-not Verified, 14. Collapsible tube - Filling and Sealing-Not Verified, 15. Distillation Unit-Not Verified, 16. Digital Melting Point Apparatus-Not Verified, 17. Specimen for various organs and systems-not Verified, 18. Viscometer Ostwald/Brookfield-Not Verified, 19. Mannequins for injection IV Arm-Not Verified, 20. Mannequins for injection IV Arm-Not Verified, 21. Glucometer-Not Verified, 22. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 23. Digital Colorimeter-Not Verified, 24. Colostomy bags-Not Verified, 25. Automated Single Station Tablet punching machine-Not Verified, 26. Capsule filling machine-Not Verified, 27. RYLE's tube-Not Verified, 28. Charts /displays/ AVs on tobacco control, glyceimic index of foods, nutrition, reproductive health-Not Verified, 29. Peak Flow meter-Not Verified, , 30. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available."

158	PCI-8191	MATHURA PRASAD SINGH INSTITUTE OF MEDICAL SCIENCES RAMGARH LAMBHUA SULTANPUR	House No: 0 ,Street: CHANDA TO DHOPA MARG ,Landmark: RAMGARH ,Panchayat: RAMGARH ,Village: RAMGARH ,PostOffice: RAMGARH ,Pincode: 222302	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. No Of International Journals Available-Not Available, 4. No Of National Journals Available-Not Available, 5. Eight Faculties are Presents, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Digital pH meter-Not Verified, 8. Pharmacology Software-Not Available, 9. Sieve shaker with sieve set-Not Verified, 10. Box/area for expiry medicines,-Not Verified, 11. Digital Thermometer-Not Verified, 12. Nessler's Cylinders-Not Verified, 13. Magnetic Stirrers with Thermostat-Not Verified, 14. Distillation Unit-Not Verified, 15. Buchner Funnels (Medium)-Not Verified, 16. Thiele Tube-Not Verified, 17. Sahli's haemoglobinometers-Not Verified, 18. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 19. Empty cartons of variety medicines (across variety dosage forms)-Not Verified, 20. Human Skeleton and bones-Not Verified, 21. Bill book (dummy) Computer stationary for bill printing-Not Verified, 22. Colostomy bags-Not Verified, 23. Automated Single Station Tablet punching machine-Not Verified, 24. Display for various disinfectants, mosquito repellents etc-Not Verified, 25. Variety of catheters-Not Verified, 26. Mannequins for CPR-1 (with indication Signals)-Not Verified, 27. Digital balance (10mg)-Not Verified, 28. Oxygen masks-Not Verified, 29. Display of name of owner-Not Verified, 30. Patient waiting area,-Not Verified, 31. Andreasen's Pipette-Not Verified, 32. Ointment filling machine-Not Verified, 33. Capsule Counter-Not Verified, 34. Micrometre slide Stage-Not Verified, 35. Liquid Filling Machine-Not Verified, 36. Stadiometer- Not Verified, 37. Collapsible tube - Filling and Sealing-Not Verified, 38. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 39. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 40. Electric water bath unit-Not Verified, 41. Digital Melting Point Apparatus-Not Verified, 42. Specimen for various organs and systems-Not Verified, 43. Viscometer Ostwald/Brookfield-Not Verified, 44. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 45. All-purpose equipment with all accessories-Not Verified, 46. Liquid Mixer-Not Verified, 47. Vacuum Pump-Not Verified, 48. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 49. Filtration assembly with Vacuum Pump-Not Verified, 50. Surgical devices and Sutures-Not Verified, 51. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 52. Refrigerator-Not Verified, 53. Variety of Syringes-Not Verified, 54. Micrometre slide Eyepiece-Not Verified, 55. Desiccator-Not Verified, 56. Inventory Software for Retail Pharmacy-Not Verified, 57. Mercury Thermometer-Not Verified, 58. Display windows, shelves-Not Verified, 59. Projection microscope-Not Verified, 60. Computers: hospital and community pharmacy management software-Not Verified, 61. Thermostatic Water Bath-Not Verified, 62. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 63. Stalagmometer-Not Verified, 64. Height and body weight chart-Not Verified, 65. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 66. Digital Balance (10 mg Sensitivity)-Not Verified, 67. Pestle and mortar porcelain-Not Verified, 68. Different Contraceptive Devices and Models-Not Verified, 69. Pfizer type hardness tester-Not Verified, 70. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 71. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 72. Triple Door Entering Setup For Aseptic Room-Not Available."
159	PCI-8156	SHRI PRABHAT PHARMACY COLLEGE	House No: 0 ,Street: ABHIYAKALAN ,Landmark: KOTWALI DEHAT ,Panchayat: ABHIYAKALAN ,Village: KOTWALI DEHAT SHIV NAGAR BYPASS TIRAHA ABHIYAKALAN SULTANPUR ,PostOffice: SULTANPUR ,Pincode: 228001	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. State policy decision-Not Available, 4. Nine Faculties are Presents, Experience details are not available. 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Display of name of owner-not Verified, 8. Inventory Software for Retail Pharmacy-Not Verified, 9. Computers: hospital and community pharmacy management software-Not Verified, 10. Display of pharmacist registration, license and other licenses-Not Verified, 11. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 12. Triple Door Entering Setup For Aseptic Room-not Available, 13. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
160	PCI-6051	KANCHAN PHARMACY COLLEGE	House No: kanchan pharmacy college ,Street: dariba katghar dalmau marg ,Landmark: near palesar tiraha ,Panchayat: Majre Manheru ,Village: manehru ,PostOffice: Belakhara ,Pincode: 229125	U P BOARD OF TECHNICAL EDUCATION	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Hot plate with thermostat-Not Verified."
161	PCI-7106	KAMAYANI PHARMACY COLLEGE AJIYAUDEI ALIGANJ SULTANPUR	House No: 92 ,Street: ALIGANJ TO CHANDAUKI ROAD ,Landmark: ALIGANJ ,Panchayat: AJIYAUDEI ,Village: AJIYAUDEI ,PostOffice: ALIGANJ ,Pincode: 227805	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. BankDetailsResponse-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-not Available, 5. No Of International Journals Available-Not Available, 6. No Of National Journals Available-Not Available, 7. Faculties is Not Available as per noms, 8. Two Faculties Available, Experience details are not available. 9. Is Municipality Registration Office Available-Not Available, 10. Building Construction Cost-Not Available, 11. Insufficients Equipments as per noms, 12. Equipments Not Available and Not Verified on portal, 13. CCTV Available-Not Available, 14. Availability Of Institute Website-Not Available, 15. Bio Meteric Attendance System For Student-Not Available, 16. Smart Classroom-Not Available."
162	PCI-8077	RB INSTITUTE OF MEDICAL SCIENCES	House No: 0 ,Street: SHAMBHUGANJ ROAD ,Landmark: NA ,Panchayat: MURARPUR ,Village: MURARPUR ,PostOffice: HANUMANGANJ ,Pincode: 228001	The Secretary Board of Technical Educational Lucknow	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Ointment filling machine-Not Verified, 5. Ampoule washing machine-Not Verified, 6. Bottle Sealing Machine-Not Verified, 7. All-purpose equipment with all accessories-Not Verified, 8. Computers: hospital and community pharmacy management software-Not Verified."
163	PCI-6327	R K PANDEY PHARMACY COLLEGE	House No: 06 ,Street: RAIBARELI TO UNCHAHAR ,Landmark: CHATAUNA ,Panchayat: CHHATAUNA MARYANI ,Village: Raebareli ,PostOffice: Chhatauna Maryani ,Pincode: 229406	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Six Faculties are Presents and One Absents, Experience details are not available. 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Insufficients Equipments as per noms, Equipments Not Available and Not Verified on portal Verification,

164	PCI-2707	Sri Sangameshwar College Of Pharmacy	House No: 3-106 ,Street: SONAL MAIN ROAD ,Landmark: OPPOSITE ZP SCHOOL ,Panchayat: KAMALNAGAR ,Village: KAMALNAGAR ,PostOffice: KAMALNAGAR ,Pincode: 585417	The Member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy NoII Subbaiah Circle Dr P Kalinga Rao Road Bangalore	D.Pharm	D. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Provided/Available, 3. Out of 8 faculties Only1 was absent on the day of inspection, 4. Experiences of 2 faculties were not mentioned in IR, 5. Photograph of Faculty PATIL CHANDRASHEKAR not available on portal 6. Principal not appointed. 7. Various instruments/equipments not as per PCI norms/not verified (e.g. Micrometre slide Stage, Refrigerator, Bottle Sealing Machine, Stalagmometer, Permanent slide of different microbes, Sintered glass filter with vacuum) 8. Triple Door Entering Setup For Aseptic Room-Not Available 9. Smart Classroom-Not Available 10. Pharmacology Software-Not Available 11. Herbal Garden-Not Available 12. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available 13. General Insurance Provided For Assets Against Fire,burglary And Other Calamities-Not Available."
165	PCI-6968	S M D COLLEGE	House No: SUKHDEV BURJ ,Street: AKOS BANGER ,Landmark: NEAR TEMPLE ,Panchayat: AKOS BANGER ,Village: SUKHDEV BURJ ,PostOffice: MAHAVAN ,Pincode: 281301	BOARD OF TECHNICAL EDUCATION , UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. Affiliation of examining authority-Not Available, 3. Approval of state govt-Not Available, 4. GSTDetails-Not Available, 5. BankDetailsResponse-Not Available, 6. Seven Faculties are Presents and One Absents, Experience details are not available. 7. Insufficient Equipments as per norms, 8. Equipments Not Available and Not Verified on portal Verification."
166	PCI-7017	SHRI BALDEO COLLEGE OF NURSING AND MEDICAL RESEARCH	House No: NEAR YAMUNA EXPRESSWAY ,Street: BALDEO MATHURA ROAD ,Landmark: near yamuna expresspway ,Panchayat: MAHAVAN ,Village: BALDEO ,PostOffice: BALDEO ,Pincode: 281301	BORD OF TECNICAL EDUCATION LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. Approval of state govt-Not Available, 3. State policy decision-Not Available, 4. Affiliation of examining authority-Not Available, 5. GSTDetails-Not Available, 6. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 7. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 8. No Of National Journals Available-Not Available, 9. No Of International Journals Available-Not Available, 10. Faculties Not Available as per norms, 11. Faculties Details Not Verified on portal, 12. Insufficient Equipments as per norms, 13. Equipments Not Available and Not Verified on portal Verification, 14. Upload pharmacy laboratories four angle geo tag-Not Available, 15. Machine Are Fixed On Cemented Blocks-Not Available, 16. Bio Meteric Attendance System For Student-Not Available, 17. Triple Door Entering Setup For Aseptic Room-Not Available, 19. Availability Of Institute Website-Not Available, 20. Pharmacology Software-Not Available."
167	PCI-4149	Indira College Of Pharmacy	House No: 2-244 ,Street: MAILUR ,Landmark: NEAD LIDKAR OFFICE ,Panchayat: MAILUR ,Village: MAILUR ,PostOffice: MAILUR ,Pincode: 585401	The Member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy NoII Subbaiah Circle Dr P Kalin	D.Pharm	D.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Approval of state govt-Not Available 3. Bank Details -Not Available 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Provided/Available 5. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available 6. Details Of Salary Disbursement-bank Transfer Details-Not Available 7. Latest Project Budget & Expenditure Report-Not Available 8. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available 9. Computer Laboratories NOT Available As Per Norms 10. National and International Journals Not subscribed. 11. Required books Titles-Not Available 12. On the day of inspection Only One Faculty i.e. Principal was Available 13. Out of 7 faculties mentioned in IR 6 were absent 14. Faculties were Not Available as per norms. Experience not as per PCI norms. Experience of 2 faculties not mentioned in IR. 15. Infrastructure is not as per PCI norms. 16. PHARMACEUTICS, PHARMACHEMISTRY, PHARMACOLOGY, PHARMACOGNOSY, SOCIAL PHARMACY Labs- Not Verified 17. Data for Any Institution Running Previously In Same Building-Not provided/Available 18. Building Construction Cost-Not Available 19. Municipality Registration of Institution/Building -Not Available 20. Building Completion Certificate-Not available. Ownership Of Building is not With Institute/data not provided. 21. Instruments/Equipments Not as per PCI norms or not Available and Not Verified on portal 22. Social pharmacy laboratories not maintained as per new regulations 23. Machine Are not Fixed On Cemented Blocks 24. Smart Classroom-Not Available 25. Charts were not Displayed in Respective Laboratories 26. Pharmacology Software-Not Available 27. Herbal Garden-Not Available 28. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available 29. Electricity Bill With Sanction Of Electric Load By Electric Supply Provider Company-Not Available, 30. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available 31. Gas Connection Proof & Receipt-Not Available 32. All Equipments were NOT Properly Displayed With SOP In Laboratories 33. Triple Door Entering Setup For Aseptic Room-Not Available 34. Institute Website-Not Available 35. Instrument Numbering Register-Not Available 36. Bio Meteric Attendance System For Faculty-Not Available 37. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available 38. Bio Meteric Attendance System For Student-Not Available 39. General Insurance Provided for Assets against Fire, burglary And Other Calamities-Not Available 40. Model Pharmacy Laboratory does not have Provision Of Drug Information Center And Patient Counselling Center-Not Available, 41. CCTV -Not Available 42. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available.

168	PCI-6297	SRCS COLLEGE OF PHARMACY	House No: 95 96 ,Street: - ,Landmark: 0 ,Panchayat: KALINAGAR ,Village: VEERKHEDA ,PostOffice: MADHOTANDA ,Pincode: 262124	Uttar Pradesh Board of Technical Education Lucknow	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. No Of National Journals Available-Not Available, 5. Titles Available-Not Available, 6. No Of International Journals Available-Not Available, 6. Volumes Available-Not Available, 7. Seven Faculties are Presents and Four Absents, 8. faculties Experience(years) Details not mentioned on pci portal, 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Is Municipality Registration Office Available-Not Available, 11. Hot Plate-Not Verified, 12. Thieles Tube-Not Verified, 13. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 14. Bottle Sealing Machine-Not Verified, 15. Mercury Thermometer-Not Verified, 16. Menstrual hygiene products-Not Verified, 17. Patient Information ,Leaflets/Cards-Not Verified, 18. Ointment spatula-Not Verified, 19. Peak Flow meter-Not Verified, 20. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 21. Different Contraceptive Devices and Models-Not Verified, 22. Oxygen masks-Not Verified, 23. Andreasen's Pipette-Not Verified, 24. Pulse Oximeter-Not Verified, 25. Adult Weighing Scale (150 kg)-Not Verified, 26. Filtration assembly with Vacuum Pump-Not Verified, 27. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 28. Refrigerator-Not Verified, 29. Variety of Syringes-Not Verified, 30. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 31. Micrometre slide Eyepiece-Not Verified, 32. IR Thermometer-Not Verified, 33. Permanent slide of different microbes-Not Verified, 34. Sintered glass filter with vacuum-Not Verified, 35. Digital balance 10mg sensitivity-Not Verified, 36. Urine Bag-Not Verified, 37. Sieve shaker with sieve set-Not Verified, 38. Digital Thermometer-Not Verified, 39. Digital Melting Point Apparatus-Not Verified, 40. Glucometer-Not Verified, 41. Drug Information books-Not Verified, 42. Micrometre slide Stage-Not Verified, 43. Liquid Filling Machine-Not Verified, 44. Stadiometer-Not Verified, 45. Collapsible tube - Filling and Sealing-Not Verified, 46. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 47. Bottle washing Machine-Not Verified, 48. Dummy Inhalers and Nebulizer-Not Verified, 49. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 50. Drug information resources-Not Verified, 51. Various name plates indicating different parts of Pharmacy,-Not Verified, 52. Various types of PPE Kits,-Not Verified, 53. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-not Verified, 54. Human Permanent Slides for various tissues-Not Verified, 55. Tablet counter - small size-Not Verified, 56. IV set-Not Verified, 57. Dummy devices (eg. Inhalers)-Not Verified, 58. Colostomy bags-Not Verified, 59. Display for various disinfectants, mosquito repellents etc-Not Verified, 60. Wall Mounted Water Distillation Unit-Not Verified, 61. Variety of catheters-Not Verified, 62. Ointment slab-Not Verified, 63. Mannequins for CPR-1 (with indication Signals)-Not Verified, 64. Urine pots-Not Verified, 65. RYLE's tube-Not Verified, 66. Sphygmomanometers-Not Verified, 67. Variety of Needles-Not Verified, 68. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 69. Is social pharmacy laboratories maintained as per new regulations-Not Available, 70. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 71. General Insurance Provided For Assets Against Fire,burglary And Other Calamities-Not Available, 72. Availability Of Institute Website-Not Available, 73. Herbal Garden-Not Available, 74. Smart Classroom-Not Available, 75. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 76. Triple Door Entering Setup For Aseptic Room-Not Available, 77. Machine Are Fixed On Cemented Blocks-Not Available, 78. Bio Meteric Attendance System For Student-Not Available, 79. Bio Meteric Attendance System For Faculty-Not Available. In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
169	PCI-5638	SHRI SANKAT MOCHAN PHARMACY SANSTHAN	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: NA ,Village: VILLAGE ,PostOffice: CHAUBEY PUR ,Pincode: 221104	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Details of salary Disbursement-bank transfer details-Not Available, 4. Faculties Not Available as per norms, 5. Three Faculties are Presents, 6. Faculties photograph not show on portal, 7. Equipments Not Available and Not Verified on portal Verification, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Machine Are Fixed On Cemented Blocks-Not Available."
170	PCI-5635	SANKATHA PRASAD PHARMACY COLLEGE	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: CHAUBEPYR ,Village: VILLAGE ,PostOffice: CHAUBEY PUR ,Pincode: 221104	BOARD OF TECHNICAL EDUCATION, UTTAR PRADESH Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P).	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 4. Faculties Not available as per norms, 5. One Faculty are Available, 6. Hardness tester-Not Verified, 7. Equipments Not Available and Not Verified on portal Verification, 8. Smart Classroom-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Machine Are Fixed On Cemented Blocks-Not Available, 11. General And Departmental Notice Boards-Not Available, 12. Smart Classroom-Not Available, 13. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 14. Instrument Numbering Register-Not Available."
171	PCI-7205	DR.SHYAMA PRASAD MUKHARJEE COLLEGE OF PHARMACY	House No: 786 ,Street: AZAMGARH MAU HIGHWAY TO KAJHA KHURD ,Landmark: Near Paligarh Halt ,Panchayat: KAJHA KHURD ,Village: KAJHA KHURD ,PostOffice: KAJHA KHURD ,Pincode: 276403	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching- Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-not Available, 5. Four Faculties are Presents, Faculties are not available as per norms. 6. Is Municipality Registration Office Available-Not Available, 7. Andreasen's Pipette-Not Verified, 8. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 9. Computers: hospital and community pharmacy management software-Not Verified, 10. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 11. Triple Door Entering Setup For Aseptic Room-Not Available, 12. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available."
172	PCI-7088	SHRI BABU LAL INSTITUTE OF PHARMACY	House No: SAKITARA ,Street: GOVERDHAN ROAD ,Landmark: BYEPASS BARSANA ROAD ,Panchayat: GOVERDHAN ,Village: GOVERDHAN ,PostOffice: GOVERDHAN ,Pincode: 281502	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Faculties Not Available as per norms, 4. Insufficients Equipment as per norms, 5. Equipments Not Available and Not Verified on portal, 6. Bio Meteric Attendance System For Student-Not Available, 7. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 8. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."
173	PCI-5602	SHRI GIRRAJ MAHARAJ INSTITUTE OF PHARMACY	House No: 625 ,Street: MATHURA BHARATPUR LINK ROAD ,Landmark: MATHURA BHARATPUR LINK ROAD ,Panchayat: MUNDESI ,Village: Mathura ,PostOffice: DHANGAON ,Pincode: 281005	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Five Faculties are Presents and Three Absents, Experience details are not available. 4. Brookfield viscometer-Not Verified, 5. Inseficiants Equipment as per norms, 6. Equipments Not Available and Not Verified on portal Verification, 7. Triple Door Entering Setup For Aseptic Room-Not Available."
174	PCI-5905	Shashi Institute of Pharmaceutical Science and Research	House No: Emampur ,Street: Malhani Marg ,Landmark: Shiv Mandir ,Panchayat: Emampur ,Village: Emampur ,PostOffice: Khuthan ,Pincode: 223104	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. Five Faculties are Presents and Two Absents, Experience details are not available. 3. Hot Plate-Not Verified, 4. Thieles Tube-Not Verified, 5. Ampoule washing machine-Not Verified, 6. RYLE's tube-Not Verified, 7. Nessler's Cylinders-Not Verified, 8. Magnetic Stirrers with Thermostat-Not Verified, 9. Sintered glass filter with vacuum-Not Verified, 10. Various types of PPE Kits,-Not Verified, 11. Micrometre slide Stage-Not Verified, 12. Menstrual hygiene products-Not Verified, 13. Tablet counter - small size-Not Verified, 14. Water Testing Kit-Not Verified, 15. Pestle and mortar porcelain-Not Verified, 16. Liquid Mixer-Not Available, 17. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 18. Triple Door Entering Setup For Aseptic Room-Not Available."

175	PCI-7733	DR. RAM BAHADUR SINGH MEMORIAL DEGREE COLLEGE	House No: 0 ,Street: BILASPUR ROAD ,Landmark: MILAK ,Panchayat: MILAK ,Village: MILAK ,PostOffice: MILAK ,Pincode: 243701	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Triple Door Entering Setup For Aseptic Room-Not Available, 7. Smart Classroom-Not Available"
176	PCI-6153	CHANDRADEV COLLEGE OF PHARMACY	House No: 05 ,Street: MAHRABANDHA ,Landmark: PIJADA MAHRABANDA MAU ,Panchayat: MAHRABANDHA ,Village: PIJADA ,PostOffice: MAHRABANDHA ,Pincode: 275101	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Seven Faculties are Presents and Five Absents, Experience details are not available. 4. In Sufficient Equipments as per noms, 5. Equipments Not Available, and Not Verified on portal Verification, 6. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Smart Classroom-Not Available."
177	PCI-5881	Satyadev Institute Of Management And Technology	House No: 2939 ,Street: Guchavali Chauraha ,Landmark: near simt ,Panchayat: Jahangirabad Dehat ,Village: Jahangirabad ,PostOffice: Jahangirabad ,Pincode: 203390	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. faculties Not Available as per noms, 4. faculties details show on portal All are Absents, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Equipments Not Available and Not Verified on portal Verification, 7. Bio Meteric Attendance System For Student-Not Available, 8. Pharmacology Software-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available."
178	PCI-7176	SHIVDAN COLLEGE OF PHARMACY	House No: 1 ,Street: 1 ,Landmark: JAUNPUR ,Panchayat: TARAHATHI ,Village: TARAHATHI ,PostOffice: TARAHATHI ,Pincode: 222204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching - Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 6. Latest Project Budget & Expenditure Report-Not Available, 7. No Of National Journals Available-Not Available, 8. No Of International Journals Available-Not Available, 9. Faculties Not Available as per noms, 10. Faculties Details Not Verified on portal 11. Class Room Not Available, 12. Is Municipality Registration Office Available-Not Available, 13. Nessler's Cylinders-Not Verified, 14. Ointment spatula-Not Verified, 15. Pharmacology Software-Not Available, 16. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 17. Micrometre slide Stage-Not Verified, 18. Wall Mounted Water Distillation Unit-not Verified, 19 Ointment slab-Not Verified, 20. Viscometer Ostwald/Brookfield-Not Verified, 21. Permanent slide of different microbes-Not Verified, 22. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 23. Thermostatic Water Bath-Not Verified, 24. Monsanto's hardness tester-Not Verified, 25. Human Permanent Slides for various tissues-Not Verified, 26. Is social pharmacy laboratories maintained as per new regulations-Not Available, 27. Triple Door Entering Setup For Aseptic Room-Not Available, 28. Bio Meteric Attendance System For Faculty-Not Available, 29. Smart Classroom-Not Available, 30. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 31. Is Display Of Chart In Respective Laboratories-Not Available, 32. Fire Safety Equipment-Not Available, 33. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 34. Instrument Numbering Register-not Available, 35. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 36. Bio Meteric Attendance System For Student-Not Available, 37. Proof Of Provision Of Internet Bandwidth In Mbps Not Available, 38. All Equipments Properly Displayed With SOP In Laboratories-not Available, 39 Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 40. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 41. Herbal Garden-Not Available"
179	PCI-5518	U S COLLEGE OF PHARMACY	House No: GATA NO 41/1 ,Street: Firozabad Shikohabad Road ,Landmark: Near Bharat Talkies ,Panchayat: NA ,Village: Firozabad ,PostOffice: FIROZABAD ,Pincode: 283203	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching -Not Available, 4. Latest Project Budget & Expenditure Report-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 7. Faculties Not Available as per noms, 8. Building Construction Cost-Not Available, 9. Is Municipality Registration Office Available-Not Available, 10. Colostomy bags-Not Available, 11. Display for various disinfectants, mosquito repellents etc-Not Available, 12. Filtration assembly with Vacuum Pump-Not Available, 13. Surgical devices and Sutures-Not Available, 14. Upload pharmacy laboratories four angle geo tag-Not Available, 15. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 16. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 17. Availability Of Institute Website-Not Available, 18. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 19. Smart Classroom-Not Available, 20. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 21. Triple Door Entering Setup For Aseptic Room-Not Available, 22. Pharmacology Software-Not Available."
180	PCI-6917	BS COLLEGE OF PHARMACY	House No: 56 ,Street: HIRANGAON ,Landmark: NEAR SHIV TEMPLE ,Panchayat: JAROULI KHURDA ,Village: HIRANGAON ,PostOffice: HIRANGAON ,Pincode: 283103	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Latest Project Budget & Expenditure Report-Not Available, 6. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 7. Four Faculties are Presents and Four Absents, Experience details are not available. Faculties are not available as per noms. 8. faculties Naresh Kumar and Neeraj photograph not show on portal, 9. Is Municipality Registration Office Available-Not Available, 10. Buchner Funnels (Medium)-Not Verified, 11. Pharmacology Software-Not Available, 12. Sieve shaker with sieve set-Not Verified, 13. RYLE's tube-Not Verified, 14. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 15. Haemocytometer with Micropipettes-Not Verified, 16. Human Permanent Slides for various tissues-Not Verified, 17. IV set-Not Verified, 18. Dummy devices (eg. Inhalers)-Not Verified, 19. Mannequins for CPR-1 (with indication Signals)-Not Verified, 20. Liquid Filling Machine-Not Verified, 21. Variety of Syringes-Not Verified, 22. Bottle Sealing Machine-Not Verified, 23. Liquid Mixer-Not Verified, 24. Stalagmometer-Not Verified, 25. Bottle washing Machine-Not Verified, 26. Upload pharmacy laboratories four angle geo tag-Not Available, 27. Triple Door Entering Setup For Aseptic Room-Not Available, 28. Gas Connection Proof & Receipt-Not Available, 29. Machine Are Fixed On Cemented Blocks-Not Available, 30. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 31. Is Display Of Chart In Respective Laboratories-Not Available, 32. Smart Classroom-Not Available,"
181	PCI-7828	MAA ANJANI PHARMACY COLLEGE	House No: Gata No 244 ,Street: Etah Road ,Landmark: OPPOSITE MAA ANJANI FILLING STATION ,Panchayat: Diwaichi ,Village: Shikohabad ,PostOffice: Shikohabad ,Pincode: 283135	BOARD OF TECHNICAL EDUCATION LUCKNOW UP	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 3. Two Faculties are Presents and Four Absents and Two Leave, Faculties are not available as per noms. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Building Construction Cost-Not Available, 7. Nessler's Cylinders-Not Verified, 8. Colostomy bags-Not Verified, 9. Capsule filling machine-Not Verified, 10. Mannequins for CPR-1 (with indication Signals)-Not Verified, 11. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 12. Digital Colorimeter-Not Verified, 13. Mercury Thermometer-Not Verified, 14. Menstrual hygiene products-Not Verified, 15. Water Testing Kit-Not Verified, 16. Is social pharmacy laboratories maintained as per new regulations-Not Available, 17. Upload pharmacy laboratories four angle geo tag-Not Available, 18. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 19. Gas Connection Proof & Receipt-Not Available, 20. Pharmacology Software-Not Available, 21. Machine Are Fixed On Cemented Blocks-Not Available, 22. Triple Door Entering Setup For Aseptic Room-Not Available."
182	PCI-5954	APEX COLLEGE OF PHARMACY	House No: 204 ,Street: NH 75 ,Landmark: BADAGAON TIRAHA ,Panchayat: MADHA ,Village: MAURAINPUR ,PostOffice: MAURANIPUR ,Pincode: 284204	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, Experience details are not available. 3. Various devices for screening services (B.P._monitor,_glucometer etc)-Not Verified, 4. Dummy devices (eg. Inhalers)-Not Verified,

183	PCI-6026	JAI BAJRANG PHARMACY INSTITUTE	House No: NA ,Street: MUNGRA BADSAHPUR TO SUJANGANJ ROAD ,Landmark: 00 ,Panchayat: NA ,Village: MUNGRA BADSAHPUR ,PostOffice: MUNGRA BADSAHPUR ,Pincode: 222202	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 4. No Of International Journals Available-Not Available, 5. Eight Faculties are Presents and Four Absents, Experience details are not available. 6. Faculties himanshu YADAV photograph not show on portal, 7. Insufficient Equipment as per norms, 8. Equipments Not Available and Not Verified on portal Verification, 9. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 10. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 11. Machine Are Fixed On Cemented Blocks-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available."
184	PCI-6129	KAILASH NATH YADAV COLLEGE OF PHARMACY	House No: 736 ,Street: SIKRARA ,Landmark: SIKRARA ,Panchayat: SIKRARA ,Village: SIKRARA ,PostOffice: SIKRARA ,Pincode: 222131	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. All-purpose equipment with all accessories-Not Verified, 6. Ointment slab-Not Verified, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 9. CCTV Available-Not Available and Not Verified on portal."
185	PCI-6356	MAHACHARAN PHARMACY COLLEGE	House No: Rewan ,Street: Rewan ,Landmark: UTTAR PRADESH ,Panchayat: Rewan ,Village: Rewan ,PostOffice: Rewan ,Pincode: 284604	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Six Faculties are Presents, Experience details are not available.
186	PCI-6063	GANDHI MEDICAL COLLEGE	House No: 1790 ,Street: 1790 ,Landmark: HASTINAPUR ,Panchayat: AMBABAI ,Village: Ambabai Jhansi ,PostOffice: AMBABAI ,Pincode: 284419	BTE UP	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents, 4. IR Thermometer-Not Verified, 5. Glucometer-Not Verified,
187	PCI-6863	HARIPAL JI COLLEGE OF PHARMACY	House No: DARAURA ,Street: KARHAN TO RANIPUR ROAD ,Landmark: DARAURA ,Panchayat: DARAURA ,Village: DARAURA ,PostOffice: KARHAN ,Pincode: 276402	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching -Not Available, 5. Latest Project Budget & Expenditure Report-Not Available, 6. No Of International Journals Available-Not Available, 7. No Of National Journals Available-Not Available, 8. Four Faculties are Presents And Three Absents, Experience details are not available, Faculties are not available as per norms. 9. Is Municipality Registration Office Available-Not Available, 10. Equipments Not Available and Not Verified on portal Verification, 11. Is social pharmacy laboratories maintained as per new regulations -Not Available, 12. Upload electricity telephone bill-Not Available, 13. Fire Safety Equipment-Not Available, 14. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 15. Triple Door Entering Setup For Aseptic Room-Not Available, 16. Herbal Garden-Not Available, 17. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 18. Smart Classroom-Not Available, 19. Bio Meteric Attendance System For Faculty-Not Available, 20. Instrument Numbering Register-Not Available, 21. Pharmacology Software-Not Available, 22. Bio Meteric Attendance System For Student-Not Available, 23. Availability Of Institute Website-Not Available, 24. Gas Connection Proof & Receipt-Not Available, 25. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 26. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 27. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."
188	PCI-6096	JAIN PHARMACY COLLEGE OF EDUCATION	House No: 2343 and 2348 ,Street: M Nagar Road ,Landmark: BANAT UP ,Panchayat: BANAT ,Village: BANAT ,PostOffice: BANAT ,Pincode: 247777	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. Faculties Manisha Yadav, KEHAR SINGH photograph not show on portal, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Bio Meteric Attendance System For Faculty-Not Available, 8. Pharmacology Software-Not Available, 9. Bio Meteric Attendance System For Student-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available."
189	PCI-6322	SHYAMRAJ NURSING AND PHARMACY COLLEGE	House No: 05 ,Street: CHOPAN ,Landmark: VILLAGE-SINDURIYA CHOPAN, POST-CHOPAN ,Panchayat: CHOPAN ,Village: SINDURIYA ,PostOffice: CHOPAN ,Pincode: 231205	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Volumes Available-not Available, 4. No Of International Journals Available-Not Available, 5. Titles Available-Not Available, 6. Two Faculties are Presents and Five Absents and One Leave, 7. Faculties Not Available as per norms, 8. Is Previously Any Institution Running In Same Building-Not Available, 9. Equipments Not Available and Not Verified on portal Verification, 10. Is social pharmacy laboratories maintained as per new regulations-Not Available, 11. Machine Are Fixed On Cemented Blocks-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 14. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
190	PCI-8081	S G COLLEGE OF PHARMACY	House No: 36 ,Street: RALI RAISNA ,Landmark: NEAR ABDULLAPUR ,Panchayat: ,Village: MEERUT ,PostOffice: MEDICAL ,Pincode: 250004	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. No Of International Journals Available-Not Available, 4. No Of National Journals Available-Not Available, 5. Six Faculties are Presents, Experience details are not available. 6. Equipments Not Available and Not Verified on portal Verification, 7. Bio Meteric Attendance System For Faculty-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Smart Classroom-Not Available, 10. Bio Meteric Attendance System For Student-Not Available, 11. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 12. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."
191	PCI-6283	KRISHNA INSTITUTE OF PHARMACY	House No: 0 ,Street: NH119 ,Landmark: ,Panchayat: BANA ,Village: BANA ,PostOffice: BANA ,Pincode: 250001	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven Faculties are Presents and Two Leave, Experience details are not available. 3. Actophotometer- Not Verified, 4. Equipments Not Available and No Verified on portal Verification, 5. Triple Door Entering Setup For Aseptic Room-Not Available, 6. Pharmacology Software-Not Available."

192	PCI-7851	HARDAM SINGH VEDIC PHARMACY COLLEGE	House No: 0 ,Street: 0 ,Landmark: BALDEO ,Panchayat: AWERNI ,Village: AWERNI ,PostOffice: AWERNI ,Pincode: 281301	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Insufficients Equipment as per noms, 4. Equipments Not Available and not Verified on portal."
193	PCI-6397	LONGSHREE EDUCATIONAL INSTITUTE	House No: BHADAR ,Street: BHADAR ,Landmark: BHADAR ,Panchayat: BHADAR ,Village: BHADAR ,PostOffice: SONK ,Pincode: 281123	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-not Available, 3. No OfNational Journals Available-not Available, 4. No OfInternational Journals Available-Not Available, 5. Six Faculties are Presents, 6. Microscopes-Not Verified, 7. Insufficients Equipment as per noms, 8. Equipments Not Available and Not Verified on portal Verification."
194	PCI-6832	Saharanpur Institute of Advanced Studies	House No: Plot No 185 187 188 ,Street: Janta Road ,Landmark: Near Dreams College ,Panchayat: Gokalpur ,Village: Gokalpur ,PostOffice: Nazirpura ,Pincode: 247001	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Six Faculties are Presents, Experience details are not available. 4. Digital balance (0.1 mg)-Not Verified, 5. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 6. Bio Metric Attendance System For Student-Not Available, 7. Triple Door Entering Setup For Aseptic Room-Not Available."
195	PCI-8038	Sunderpur Pharmacy College	House No: Sunderpur ,Street: Sunderpur ,Landmark: NH307 Delhi Dehradun Road ,Panchayat: Thapul Ismailpur ,Village: Sunderpur ,PostOffice: Sunderpur ,Pincode: 247662	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available 4. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 5. IR Thermometer-Not Verified, 6. Haemocytometer with Micropipettes-Not Verified, 7. Water Testing Kit-Not Verified, 8. Automated Single Station Tablet punching machine-not Verified, 9. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."
196	PCI-7748	SUSHIL COLLEGE OF PHARMACY	House No: gang nahar ,Street: hastinapur road ,Landmark: near gang nahar ,Panchayat: Mawana ,Village: mawana ,PostOffice: mawana ,Pincode: 250401	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Seven Faculties are Presents, Experience details are not available."
197	PCI-7501	CDS college of Pharmacy	House No: 1 ,Street: Badruddinnagar Nanu ,Landmark: Sardhana ,Panchayat: Badruddinnagar Nanu ,Village: Meerut ,PostOffice: Dabathuwa ,Pincode: 250341	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-not Available, 2. InstitutionApplications-not Available, 3. GSTDetails-Not Available, 4. InstituteDetails-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. No OfInternational Journals Available-Not Available, 7. All the faculties are absent during inspection, faculty experience is not available 8. Faculty Details not Available on portal, 9. Is Municipality Registration Office Available-not Available, 10. Is Previously Any Institution Running In Same Building-Not Available, 11. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 12. Stop watch-Not Verified, 13. Inseficiants Equipment as per noms, 14. Equipment Not Verified on portal, 15. Triple Door Entering Setup For Aseptic Room-Not Available, 16. Machine Are Fixed On Cemented Blocks-not Available, 17. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 18. Bio Metric Attendance System For Faculty-Not Available, 19. Smart Classroom-Not Available, 20. Bio Metric Attendance System For Student-Not Available, 21. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available. In view of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
198	PCI-5945	ORDIAL COLLEGE OF PHARMACY	House No: NA ,Street: NA ,Landmark: NA ,Panchayat: MADIHAN ,Village: DEORIKALA ,PostOffice: MADIHAN ,Pincode: 231210	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Statutory Documents Verification-Not Available, 2. Account Verification-Not Available, 3. Library Verification-Not Available, 4. Faculty Verification-Not Available, 5. Infrastructure Verification-Not Available, 6. Equipment Verification-Not Available, 7. Others Verification-Not Available, 8. Inspector Check List Verification-Not Available, 9. The college authority denied the inspection." In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.

199	PCI-7492	MBL COLLEGE OF PHARMACY	House No: 363-364 ,Street: NH-2 ,Landmark: Village -Mahuan ,Panchayat: Mahuan ,Village: Mathura ,PostOffice: Farah ,Pincode: 281122	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Five Faculties are Presents and Two Absents, Experience details are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. All-purpose equipment with all accessories-Not Verified, 7. UV-Vis Cabinet-Not Verified, 8. Display of pharmacist registration, license and other licenses-Not Verified, 9. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
200	PCI-5956	RBS COLLEGE	House No: MADAURA ,Street: MADAURA ,Landmark: MADAURA ,Panchayat: MADAURA ,Village: MADAURA ,PostOffice: BALDEV ,Pincode: 281301	UTTAR PRADESH BOARD OF TECHNICAL EDUCATION GURU GOVIND SINGH MARG LUCKNOW UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 3. Six Faculties are Presents and Two Absents, Experience details are not available. 4. faculties photograph name of VIJAYPAL TOAMAR, NETRAPAL SIKARWAR, PRASHANT PUROHIT, ANUPAM PATHAK not show on pci portal, 5. Building Construction Cost-Not Available, 6. Digital pH meter-Not Verified, 7. Equipments Not Available and Not Verified on portal Verification, 8. Is social pharmacy laboratories maintained as per new regulations-Not Available, 9. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 10. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 11. All Equipments Properly Displayed With SOP In Laboratories -Not Available, 12. Is Display Of Chart In Respective Laboratories-Not Available, 13. Smart Classroom-Not Available."
201	PCI-7249	SMT. PHOOLMATI DEVI COLLEGE	House No: 61/65 ,Street: MANT ROAD ,Landmark: MANT ROAD RAYA ,Panchayat: THANAAMERSINGH ,Village: MATHURA ,PostOffice: RAYA ,Pincode: 281204	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Four Faculties are Presents, Experience details are not available. 4. Andreasen's Pipette-Not Verified, 5. Various types of PPE Kits,-Not Verified, 6. Height and body weight chart-Not Verified, 7. Filtration assembly with Vacuum Pump-Not Verified, 8. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 9. Hot plates-Not Verified, 10. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 11. Smart Classroom-Not Available."
202	PCI-5778	SHRI R.P. COLLEGE OF PHARMACY	House No: 1 ,Street: KHAJURAN ,Landmark: NEAR ICCHAPURTI HANUAN MANDIR ,Panchayat: KHAJURAN ,Village: KHAJURAN ,PostOffice: DHEMA ,Pincode: 222125	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Nine Faculties are Presents, Experience details are not available. 4. Faculties MANEESH MAURYA photograph not show on portal."
203	PCI-7485	S M B L ACADEMY	House No: 127 ,Street: NH-2 TO JHANDIPUR ROAD ,Landmark: NH-2 near toll Plaza ,Panchayat: MAHUAN ,Village: MAHUAN ,PostOffice: FARAH ,Pincode: 281122	BOARD OF TECHNICAL EDUCATION, UTTAR PRADESH Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE O-Not Available, 5. Pay Seale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 6. No Of International Journals Available-Not Available, 7. Titles Available-Not Available, 8. Six Faculties are Presents and Two Absents and Two Leave, Experience details are not available. 9. Pharmacognosy Lab -Not Available, 10. Is Previously Any Institution Running In Same Building-Not Available, 11. Is Municipality Registration Office Available-Not Available, 12. Display for various disinfectants, mosquito repellents etc-Not Verified, 13. Wall Mounted Water Distillation Unit-Not Verified, 14. Health information display,-Not Verified, 15. Distillation Unit-Not Verified, 16. Thieles Tube-Not Verified, 17. Display of pharmacist registration, license and other licenses-Not Verified, 18. Nessler's Cylinders-Not Verified, 19. All-purpose equipment with all accessories-Not Verified, 20. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 21. Height and body weight chart-Not Verified, 22. Peak Flow meter-Not Verified, 23. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 24. Bio Meteric Attendance System For Student-Not Available, 25. Pharmacology Software-Not Available, 26. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 27. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 28. Instrument Numbering Register-Not Available, 29. Triple Door Entering Setup For Aseptic Room-Not Available, 30. CCTV Available-Not Available, 31. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
204	PCI-8262	Global Genius College	House No: 1 ,Street: Sonkh ,Landmark: Sonkh ,Panchayat: Sonkh dehat ,Village: Sonkh ,PostOffice: Sonkh ,Pincode: 281123	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. Latest Project Budget & Expenditure Report-Not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 6. Volumes Available-Not Available, 7. No Of International Journals Available-Not Available, 8. No Of National Journals Available-not Available, 9. Five Faculties are Presents and Three Absents and One Leave, Experience details are not available. 10. Is Municipality Registration Office Available-Not Available, 11. Designated patient counselling area,-Not Verified, 12. Stadiometer-Not Verified, 13. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 14. Empty cartons of variety medicines (across variety dosage forms)-not Verified, 15. Menstrual hygiene products-Not Verified, 16. Patient waiting area,-Not Verified, 17. Andreasen's Pipette-Not Verified, 18. Box/area for expiry medicines,-not Verified, 19. Computers: hospital and community pharmacy management software-Not Verified, 20. Various types of PPE Kits,-Not Verified, 21. Height and body weight chart-Not Verified, 22. Nessler's Cylinders-Not Verified, 23. Drug information resources-Not Verified, 24. Lock and key arrangement for Schedule X and NDPS medicines,-not Verified, 25. Refrigerator-Not Verified, 26. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 27. Thieles Tube-Not Verified, 28. All-purpose equipment with all accessories-Not Verified, 29. Drug Information books-Not Verified, 30. RYLE's tube-Not Verified, 31. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 31. Display for various disinfectants, mosquito repellents etc-Not Verified, 32. Patient Information... Leaflets/Cards-Not Verified, 33. First aid equipment-Not Verified, 34. Peak Flow meter-Not Verified, 35. Water Testing Kit-Not Verified, 36. Digital Balance (10 mg Sensitivity)-Not Verified, 37. Pestle and mortar porcelain-Not Verified, 38. Display of pharmacist registration, license and other licenses-Not Verified, 39. Display windows, shelves-Not Verified, 40. Dummy devices (eg. Inhalers)-Not Verified, 41. Analytical Balances for demonstration-Not Verified, 42. Is social pharmacy laboratories maintained as per new regulations-Not Available, 43. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 44. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 45. Smart Classroom-Not Available, 46. Gas Connection Proof & Receipt-Not Available, 47. Pharmacology Software-Not Available, 48. Triple Door Entering Setup For Aseptic Room-Not Verified, 49. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 50. All Equipments Properly Displayed With SOP In Laboratories -Not Available, 51. Bio Meteric Attendance System For Faculty-Not Available, 52. Bio Meteric Attendance System For Student-Not Available, 53. Availability Of Institute Website-Not Available, 54. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 55. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."

205	PCI-7708	RBS PHARMACY COLLEGE	House No: GADDOPUR ,Street: GADDOPUR ,Landmark: GADDOPUR ,Panchayat: GADDOPUR ,Village: GADDOPUR ,PostOffice: GADDOPUR ,Pincode: 222125	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	<p>Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. BankDetailsResponse-Not Available, 2. Affiliation of examining authority-Not Available, 3. InstitutionApplications-Not Available, 4. State policy decision-Not Available, 5. GSTDetails-Not Available, 6. Approval of state govt-Not Available, 7. InstituteDetails-Not Available, 8. No Of National Journals Available-Not Available, 9. No Of International Journals Available-Not Available, 10. Nine Faculties are Presents and Three Absents, Faculty experience is not available. 11. Is Municipality Registration Office Available-Not Available, 12. Bill book (dummy) Computer stationary for bill printing-Not Verified, 13. Distillation Unit-Not Verified, 14. Dummy Inhalers and Nebulizer - Not Verified, 15. Drug information resources-Not Verified, 16. Inventory Software for Retail Pharmacy-Not Verified, 17. Computer with LCD-Not Verified, 18. Viscometer Ostwald/Brookfield-Not Verified, 19. All-purpose equipment with all accessories-Not Verified, 20. Drug Information books-Not Verified, 21. Lock and key arrangement for Schedule X and NDPS medicines-Not Verified, 22. Patient Information ...Leaflets/Cards-Not Verified, 23. Liquid Filling Machine-Not Verified, 24. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 25. Colostomy bags-Not Verified, 26. Automated Single Station Tablet punching machine-Not Verified, 27. Display for various disinfectants, mosquito repellents etc-Not Verified, 28. Computers: hospital and community pharmacy management software-Not Verified, 29. Computer-Not Verified, 30. Is social pharmacy laboratories maintained as per new regulations-Not Available, 31. Triple Door Entering Setup For Aseptic Room-Not Available, 32. Smart Classroom-Not Available, 33. Herbal Garden-Not Available, 34. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 35. Instrument Numbering Register-Not Available, 36. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available
206	PCI-7200	SIR JP COLLEGE OF PHARMACY	House No: KHASRA 100 94 97 256 ,Street: LOHINDA CHAURAHA ROAD ,Landmark: KEWTALI ,Panchayat: KEWATALI ,Village: GADWARA ,PostOffice: MAHRAJGANJ ,Pincode: 222145	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	<p>"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. Statutory Documents Verification-Not Available, 2. Account Verification-not Available, 3. Library Verification-Not Available, 4. Faculty Verification-Not Available, 5. Infrastructure Verification-Not Available, 6. Equipment Verification-not Available, 7. Others Verification-Not Available, 8. Inspector Check List Verification-not Available, 9. institute was found closed and telephonically the chairman and secretary both denied." <p>In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.</p>
207	PCI-6515	DR. APJ ABDUL KALAM COLLEGE OF EDUCATION	House No: PS 22 ,Street: HAPUR ROAD ,Landmark: I POCKET ,Panchayat: MEERUT ,Village: MEERUT CITY ,PostOffice: GHOSIPUR ,Pincode: 250002	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	<p>"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. Drug information resources-Not Verified, 5. All-purpose equipment with all accessories-Not Verified, 6. Computers: hospital and community pharmacy management software-Not Verified"
208	PCI-5849	MAHALAXMI PHARMACY COLLEGE	House No: 483 ,Street: MAWANA ROAD ,Landmark: SRV GLOBAL PUBLIC SCHOOL ,Panchayat: NANGLI ESA ,Village: MEERUT ,PostOffice: BANA ,Pincode: 250401	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	<p>"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Stadiometer-not Verified, 7. Digital Balance (1 mg)-not Verified,
209	PCI-8053	KANISHKA COLLEGE OF PHARMACY FARAH MATHURA	House No: 00 ,Street: NH2 ,Landmark: FARAH ,Panchayat: DAULATPUR ,Village: DAULATPUR ,PostOffice: farah ,Pincode: 281122	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	<p>"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Faculties Not Available as per noms, 7. faculties verification details not show on portal, 8. Insufficients Equipments as per noms, 9. Equipments Not Available and Not Verified on portal Verification, 10. Triple Door Entering Setup For Aseptic Room-Not Available, 11. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 12. Pharmacology Software-Not Available, 13. Availability Of Institute Website-Not Available, 14. Smart Classroom-Not Available, 15. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."

210	PCI-6274	RAMVRIKSH COLLEGE OF PHARMACY	House No: KAMALPUR KOLAURA ,Street: MUHAMMADABAD GOHNA TO MAU ROAD ,Landmark: KAMALPUR ,Panchayat: KAMALPUR ,Village: KAMALPUR ,PostOffice: KOLAURA ,Pincode: 276403	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Faculties DILIP ARYA photograph not show on portal, 5. Insufficients Equipments as per noms, 6. Equipments Not Available and Not Verified on portal, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-not Available."
211	PCI-6508	JAIMURTI COLLEGE OF PHARMACY	House No: 0 ,Street: SIRSAGANJ - JAYMAI ROAD ,Landmark: GOVERNMENT GIRLS INTER COLLEGE ,Panchayat: ARAON KHURD ,Village: NAGLA BALL ,PostOffice: JAYMAI ,Pincode: 283151	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Six Faculties are Presents and Two Absents, Experience details are not available. 3. Is Municipality Registration Office Available-Not Available, 4. Equipments Not Available and Not Verified on portal Verification, 5. Triple Door Entering Setup For Aseptic Room-Not Available, 6. Pharmacology Software-Not Available, 7. Pharmacology Software-Not Available, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
212	PCI-6062	NEELKANTH COLLEGE OF EDUCATION	House No: 0 ,Street: TRILOCHAN ROAD ,Landmark: NEAR TRILOCHAN MAHADEV MANDIR ,Panchayat: REHATI ,Village: REHATI ,PostOffice: TRILOCHAN ,Pincode: 222136	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents and One Absents, Experience details are not available. 4. One Assistant Professor and Three Lecturers photograph and name not show on portal, 5. Is Municipality Registration Office Available-not Available, 6. Basic safety equipments (Safety Goggles , aprons, gloves, footwear)-Not Verified, 7. Smart Classroom-Not Available"
213	PCI-6248	B R K PHARMACY COLLEGE	House No: BHADIR ,Street: MUHAMMADABAD TO JIYANPUR ROAD ,Landmark: BHADIR ,Panchayat: BHADIR ,Village: BHADIR ,PostOffice: BHADIR ,Pincode: 276405	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Five Faculties are Presents, Experience details are not available. 4. All Faculties photograph not show on portal without Faculties ANIL MAURYA, 5. Insufficients Equipments as per noms, 6. Equipments Not Available and Not Verified on portal Verification, 7. Smart Classroom-Not Available, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available."
214	PCI-6336	MAA ASHA GYANDEEP COLLEGE OF PHARMACY	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: Kuchhmuchh ,Village: VILLAGE ,PostOffice: NAYANSAND ,Pincode: 222133	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. State policy decision-Not Available, 3. GSTDetails-Not Available, 4. Is Computer Laboratories Available As Per Norms-Not Available, 5. Five Faculties are Presents and Two Absents, Experience details are not available. 6. Bio Meteric Attendance System For Faculty-Not Available, 7. Smart Classroom-Not Available, 8. Availability Of Institute Website-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Bio Metric Attendance System For Student-Not Available."
215	PCI-7409	BABA VISHWANATH COLLEGE OF PHARMACY	House No: NA ,Street: NA ,Landmark: NA ,Panchayat: MAKRA ,Village: JAUNPUR ,PostOffice: LAHANGPUR ,Pincode: 222136	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. No Of International Journals Available-Not Available, 4. Three Faculties are Presents, Experience details are not available. 6. Faculties MADAN MAURYA photograph not show on portal, 7. Is Municipality Registration Office Available-Not Available, 8. Bulk density apparatus-Not Verified, 9. Insufficients Equipments as per noms, 10. Equipments Not Available and Not Verified on portal, 11. Smart Classroom-Not Available, 12. Herbal Garden-Not Available, 13. Triple Door Entering Setup For Aseptic Room-Not Available."
216	PCI-4742	BM Vidyapeeth Vaibhavpuri Dayalbagh Agra District Agra Uttar pradesh	House No: 174 178 215 ,Street: BHADROLI BAH AGRA ,Landmark: BHADROLI ,Panchayat: BHADROLI ,Village: BHADROLI ,PostOffice: BHADROLI ,Pincode: 283113	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven Faculties are Presents but Experience(years) details Not Available, 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Upload pharmacy laboratories four angle geo tag-Not Available."
217	PCI-7747	Maa Sharda College of Pharmacy	House No: 3069 ,Street: Patti Narendrapur Sarpatha Road ,Landmark: Suithakalan ,Panchayat: Suithakalan ,Village: Jaunpur ,PostOffice: Suithakala ,Pincode: 223105	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching -Not Available, 4. Two Faculties are Presents and Three Absents, Experience details are not available. 5. Faculties Not Available as per norms, 6. Is Municipality Registration Office Available-Not Available, 7. Building Construction Cost-Not Available, 8. Is Institute Building Complete And Ownership Of Building Is With Institute-Not Available, 9. Variety of Syringes-Not Verified, 10. Rotary microtome-Not Verified, 11. Micrometre slide Stage-Not Verified, 12. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 13. Colostomy bags-Not Verified, 14. Variety of catheters-Not Verified, 15. Urine pots-Not Verified, 16. RYLE's tube-Not Verified, 17. Variety of Needles-Not Verified, 18. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 19. Is social pharmacy laboratories maintained as per new regulations-Not Available, 20. Pharmacology Software-Not Available, 21. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 22. Smart Classroom-Not Available, 23. Triple Door Entering Setup For Aseptic Room-Not Available, 24. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 25. Instrument Numbering Register-Not Available, 26. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 27. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."

218	PCI-7396	SANT BULA CHHOYU YADUWANSHIY COLLEGE OF PHARMACY	House No: NA ,Street: NA ,Landmark: NA ,Panchayat: BHOGWA JALALPUR ,Village: BHOGWA JALALPUR ,PostOffice: SACHUE ,Pincode: 276129	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Faculties Not Available as per noms, 3. Only One Faculty are Presents, 4. Equipments Not Available and Not Verified on portal Verification , 5. Triple Door Entering Setup For Aseptic Room-Not Available, 6. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 7. Smart Classroom-Not Available."
219	PCI-6916	JAGATRAJ MAHAVIDYALAY	House No: 1757 ,Street: CHARKHARI ROAD ,Landmark: CHARKHARI ROAD ,Panchayat: MUHAL SIKANDARPURA ,Village: CHARKHARI ROAD ,PostOffice: RATH ,Pincode: 210431	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Seven Faculties are Presents, Experience details are not available. 4. Triple Door Entering Setup For Aseptic Room-Not Available, 5. Smart Classroom-Not Available."
220	PCI-7360	SHAMBHUNATH COLLEGE OF PHARMACY	House No: TINAHARI ,Street: ALINAGAR SHAHID ROAD MADHUBAN MAU ,Landmark: 200 MITER EAST FROM TINAHARI CHAURAHA ,Panchayat: TINAHARI ,Village: TINAHARI ,PostOffice: PARSUPUR ,Pincode: 275307	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. No Of National Journals Available-Not Available, 4. No Of National Journals Available-Not Available, 5. Seven Faculties are Presents, Experience details are not available. 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Equipments Not Available and Not Verified on portal Verification, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
221	PCI-5811	MAA VINDHYAVASINI COLLEGE OF PHARMACY BANDHANPUR SURAJPUR MAU	House No: 1 ,Street: 1 ,Landmark: CHAKHASAN JIVAPAR ,Panchayat: BANDHANPUR ,Village: BANDHANPUR ,PostOffice: MISHRAULI ,Pincode: 276306	UTTAR PRADESH BOARD OF TECHNICAL EDUCATION GURU GOVIND SINGH MARG LUCKNOW UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Affiliation of examining authority-Not Available, 3. BankDetailsResponse-Not Available, 4. Lab And Class room Not Available as per norms, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Latest Project Budget & Expenditure Report-Not Available, 7. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 8. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 9. Seven faculties are Presents and One Leave, Experience details are not available 10. Faculties photograph name of AJAY PATEL ,SUSHIL PRATAP, MANGESH KANNAUJIA, ASHOK YADAV, JITENDRA RANA, HEMENDRA not show on portal, 11. Is Previously Any Institution Running In Same Building-Not Available, 12. Is Municipality Registration Office Available-Not Available, 13. Analytical Balances for demonstration-Not Verified, 14. Micrometre slide Eyepiece-Not Verified, 15. Colostomy bags-Not Verified, 16. Automated Single Station Tablet punching machine-Not Verified, 17. Digital pH meter-Not Verified, 18. Computers: hospital and community pharmacy management software-Not Verified, 19. Height and body weight chart-Not Verified, 20. Digital Melting Point Apparatus-Not Verified, 21. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 22. Is social pharmacy laboratories maintained as per new regulations-Not Available, 23. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 24. Triple Door Entering Setup For Aseptic Room-Not Available, 25. Bio Meteric Attendance System For Student-Not Available, 26. Bio Meteric Attendance System For Faculty-Not Available, 27. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 28. Availability Of Institute Website-Not Available, 29. Smart Classroom-Not Available, 30. Pharmacology Software-Not Available."
222	PCI-6418	J.D. INSTITUTE OF PHARMACY	House No: NIL ,Street: SATHIYAON ,Landmark: 0 ,Panchayat: ABARI ,Village: ABARI ,PostOffice: ABARI ,Pincode: 276406	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff(teaching & Non-teachi-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 5. No Of National Journals Available-Not Available, 6. No Of Computer Available-Not Available, 7. Titles Available-Not Available, 8. Is Computer Laboratories Available As Per Norms-Not Available, 9. No Of International Journals Available-not Available, 10. Volumes Available-Not Available, 11. Is Previously Any Institution Running In Same Building-Not Available, 12. Equipment is Not Available as per pci noms, 13. Refrigerator-Not Verified, 14. Is social pharmacy laboratories maintained as per new regulations-Not Available, 15. Triple Door Entering Setup For Aseptic Room-Not Available, 16. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 17. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 18. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 19. Instrument Numbering Register-Not Available, 20. Faculties Not Available as per norms, "
223	PCI-7171	RAM NAVAL SINGH COLLEGE OF PHARMACY	House No: 1031 ,Street: AZAMGARH TO GAZIPUR ,Landmark: NEAR IOC PETROL PUMP ,Panchayat: CHIRAIYAKOT ,Village: CHIRAIYAKOT ,PostOffice: CHIRAIYAKOT ,Pincode: 276129	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Two Faculties are Presents and Eight Absents, Faculties are not available as per norms. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Sieve shaker with sieve set-Not Verified, 6. Ointment spatula-Not Verified, 7. PPE Kits,-Not Verified, 8. Peak Flow meter-Not Verified, 9. Peak Flow meter-Not Verified, 10. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 11. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 12. Digital Balance (10 mg Sensitivity)-Not Verified, 13. Different Contraceptive Devices and Models-Not Verified, 14. IR Thermometer-Not Verified, 15. Permanent slide of different microbes-Not Verified, 16. Sintered glass filter with vacuum-Not Verified, 17. Haemocytometer with Micropipettes-Not Verified, 18. Thieles Tube-Not Verified, 19. Ampoule washing machine-Not Verified, 20. Sabli's haemoglobinometers- Not Verified, 21. Inspection book,-not Verified, 22. Magnetic Stirrers with Thermostat-Not Verified, 23. Dummy Inhalers and Nebulizer-Not Verified, 24. Drug information resources-Not Verified, 25. Micrometre slide Stage-not Verified, 26. Liquid Filling Machine-Not Verified, 27. Stadiometer- Not Verified, 28. Stethoscopes-Not Verified, 29. Filtration assembly with Vacuum Pump-Not Verified, 30. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 31. Refrigerator-Not Verified, 32. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 33. Micrometre slide Eyepiece-Not Verified, 34. Computer with LCD-Not Verified, 35. Andreasen's Pipette-Not Verified, 36. Pulse Oximeter-Not Verified, 37. Ointment filling machine-Not Verified, 38. Brookfield viscometer-Not Verified, 39. Mannequins for injection IV Arm-Not Verified, 40. All-purpose equipment with all accessories-Not Verified, 41. Liquid Mixer-Not Verified, 42. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 43. Inventory Software for Retail Pharmacy-Not Verified, 44. Digital Colorimeter-Not Verified, 45. Bottle Sealing Machine-Not Verified, 46. Mercury Thermometer-Not Verified, 47. Menstrual hygiene products-Not Verified, 48. Sphygmomanometers-Not Verified, 49. Variety of Needles-Not Verified, 50. Ointment slab-Not Verified, 51. Mannequins for CPR-1 (with indication Signals)-not Verified, 52. Digital balance (10mg)-Not Verified, 53. Human Permanent Slides for various tissues-Not Verified, 54. Tablet counter - small size-Not Verified, 55. Analytical Balances for demonstration-Not Verified, 56. Clarity test apparatus-Not Verified, 57. Friability test apparatus (Digital Single/Double unit)-not Verified, 58. Various name plates indicating different parts of Pharmacy,-Not Verified, 59. Thermostatic Water Bath-Not Verified, 60. Triple Door Entering Setup For Aseptic Room-Not Available."
224	PCI-6857	SUGWANTI SAMBHUNATH SMARAK PHARMACY COLLEGE	House No: NA ,Street: KAJHA ,Landmark: MOHHAMMADABAD ,Panchayat: KAJHA ,Village: KAJHA ,PostOffice: KAJHA ,Pincode: 276129	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Approval of state govt-Not Available, 2. State policy decision-Not Available, 3. GSTDetails-Not Available, 4. Affiliation of examining authority-Not Available, 5. BankDetailsResponse-Not Available, 6. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 7. Faculties Not Available as per norms, 8. Is Municipality Registration Office Available-Not Available, 9. Equipments Not Available and Not Verified on portal Verification, 10. Insufficient Equipments as per norms, 11. Upload pharmacy laboratories four angle geo tag-Not Available, 12. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 13. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 14. Smart Classroom-Not Available, 15. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 16. Pharmacology Software-Not Available."

225	PCI-6043	GOVINDI PHARMACY COLLEGE	House No: NA ,Street: NA ,Landmark: 0 ,Panchayat: DADANPUR AHIRAUULI ,Village: DADANPUR AHIRAUULI ,PostOffice: ARIYASO GHOSI ,Pincode: 275105	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-not Available, 2. GSTDetails-Not Available, 3. No Of International Journals Available-Not Available, 4. Three Faculties are Presents, Faculties are not available as per norms. 5. Insufficients Equipment as per noms, 6. Equipments Not Available and Not Verified on portal Verification, 7. Upload pharmacy laboratories four angle geo tag-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available."
226	PCI-8044	RAHMANIYA D.PHARMA COLLEGE	House No: 0 ,Street: MARYADPUR ,Landmark: ROPANPUR HISHAMPUR ,Panchayat: HISHAMPUR ,Village: ROPANPUR HISHAMPUR ,PostOffice: MARYADPUR ,Pincode: 221602	UTTAR PRADESH BOARD OF TECHNICAL EDUCATION GURU GOVIND SINGH MARG LUCKNOW UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. BankDetailsResponse-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 5. Four Faculties are Presents, Faculties are not available as per norms. 6. Is Municipality Registration Office Available-Not Available, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Upload pharmacy laboratories four angle geo tag-Not Available, 9. Pharmacology Software-Not Available."
227	PCI-7114	Maharaja Prithviraj Chauhan College of Pharmacy	House No: Gata No. 214 ,Street: Tanda Bajpur Road ,Landmark: Tanda ,Panchayat: Sarakthal ,Village: Village- Sarakthal ,PostOffice: Pipli Nayak ,Pincode: 244925	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents but Experience(years) details not Available, 4. facilities photograph name of Rohtash Kumar not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Distillation Unit-Not Verified, 7. Buchner Funnels (Medium)-Not Verified, 8. Thieles Tube-Not Verified, 9. Ampoule washing machine-Not Verified, 10. Colostomy bags-Not Verified, 11. Automated Single Station Tablet punching machine-Not Verified, 12. Wall Mounted Water Distillation Unit-Not Verified, 13. Variety of catheters-Not Verified, 14. Ointment slab-Not Verified, 15. Mannequins for CPR-1 (with indication Signals)-Not Verified, 16. Digital balance (10mg)-Not Verified, 17. Dummy Inhalers and Nebulizer- Not Verified, 18. Specimen for various organs and systems-Not Verified, 19. Mannequins for injection IV Arm-Not Verified, 20. All-purpose equipment with all accessories-not Verified, 21. Liquid Mixer-Not Verified, 22. Vacuum Pump-Not Verified, 23. Micrometre slide Stage-Not Verified, 24. Liquid Filling Machine-Not Verified, 25. Collapsible tube - Filling and Sealing-Not Verified, 26. Autoclave-Not Verified, 27. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 28. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 29. Electric water bath unit-Not Verified, 30. Ointment spatula-Not Verified, 31. Peak Flow meter-Not Verified, 32. Water Testing Kit-Not Verified, 33. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 34. Pesticide and mortar porcelain-Not Verified, 35. Pfizer type hardness tester-Not Verified, 36. Urine Bag-Not Verified, 37. Sieve shaker with sieve set-Not Verified, 38. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 39. Hot plates-Not Verified, 40. Digital Colorimeter-Not Verified, 41. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 42. Bottle washing Machine-Not Verified, 43. Oxygen masks-Not Verified, 44. Andreasen's Pipette-Not Verified, 45. Adult Weighing Scale (150 kg)-Not Verified, 46. Ointment filling machine-Not Verified, 47. Capsule Counter-Not Verified, 48. Filtration assembly with Vacuum Pump-Not Verified, 49. Surgical devices and Sutures-Not Verified, 50. Stop watch-Not Verified, 51. Micrometre slide Eyepiece-Not Verified, 52. Desiccator-Not Verified, 53. Permanent slide of different microbes-Not Verified, 54. Sintered glass filter with vacuum-Not Verified, 55. Haemocytometer with Micropipettes-Not Verified, 56. Tablet counter - small size-Not Verified, 57. IV set-Not Verified, 58. Dummy devices (eg. Inhalers)-Not Verified, 59. Clarity test apparatus-Not Verified, 60. Projection microscope-Not Verified, 61. Thermostatic Water Bath-Not Verified, 62. Various types of PPE Kits,-Not Verified, 63. Stalagmometer-Not Verified, 64. Height and body weight chart-Not Verified, 65. Urine pots-not Verified, 66. RYLE's tub-Not Verified, 67. Sphygmomanometers-Not Verified, 68. Is social pharmacy laboratories maintained as per new regulations-Not Available, 69. Triple Door Entering Setup For Aseptic Room-Not Available, 70. Triple Door Entering Setup For Aseptic Room-Not Available, 71. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 72. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 73. Smart Classroom-Not Available, 74. Is Display Of Chart In Respective Laboratories-Not Available."
228	PCI-7965	P S College Of Pharmacy	House No: 0 ,Street: Shyampur Eka ,Landmark: SHYAMPUR ,Panchayat: Eka ,Village: Shyampur Eka ,PostOffice: Eka ,Pincode: 283152	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Three Faculties are Presents, Faculties are not available as per norms. 4. Madhuri Verma Principal photograph not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Refrigerator-Not Verified, 7. Height and body weight chart-Not Verified, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Smart Classroom-Not Available, 10. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
229	PCI-7706	K R B COLLEGE OF PHARMACY	House No: 0 ,Street: ASAN ROAD ,Landmark: NEAR FCI GODAWAN ASAN ROAD KOTAKI ,Panchayat: TUNDALA ,Village: TUNDALA ,PostOffice: TUNDALA ,Pincode: 283204	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. Five Faculties are Presents and Two Absents and One Leave, Faculties are not available as per norms. 3. Is Municipality Registration Office Available-Not Available, 4. Building Construction Cost-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 9. Herbal Garden-Not Available, 10. Pharmacology Software-Not Available."
230	PCI-5640	S S INSTITUTE OF PHARMACY	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: MOHAMMADPUR ,Village: Village ,PostOffice: Naupedwa ,Pincode: 222109	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Faculties Not Available as per norms, 4. Two Faculties Available and Three Absents, 5. Insufficients Equipments as per noms, 6. Equipments Not Available and Not Verified on portal, 7. Smart Classroom-Not Proper show on portal."
231	PCI-6433	Kanhaiya College of Pharmacy	House No: Bharaura ,Street: Malhani ,Landmark: Temple ,Panchayat: Bharaura ,Village: Bharaura ,PostOffice: Malhani Bazar ,Pincode: 222001	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT- Not Available, 5. No Of International Journals Available-Not Available, 6. Faculties Not Available as per norms, 7. Two Faculties are Presents, 8. Is Municipality Registration Office Available-Not Available, 9. Nessler's Cylinders-not Verified, 10. Colostomy bags-Not Verified, 11. Automated Single Station Tablet punching machine-Not Verified, 12. Display for various disinfectants, mosquito repellents etc-Not Verified, 13. Ointment slab-Not Verified, 14. Health information display-Not Verified, 15. Mannequins for CPR-1 (with indication Signals)-Not Verified, 16. Bill book (dummy) Computer stationary for bill printing-Not Verified, 17. Models for various organs-Not Verified, 18. Filtration assembly with Vacuum Pump-Not Verified, 19. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 20. Micrometre slide Eyepiece-Not Verified, 21. Oxygen masks-Not Verified, 22. Andreasen's Pipette-Not Verified, 23. Monsanto's hardness tester-Not Verified, 24. Capsule Counter-not Verified, 25. Various name plates indicating different parts of Pharmacy,-Not Verified, 26. Projection microscope-Not Verified, 27. Various types of PPE Kits,-Not Verified, 28. Stalagmometer- Not Verified, 29. Height and body weight chart-Not Verified, 30. Micrometre slide Stage-Not Verified, 31. Liquid Filling Machine-Not Verified, 32. Stadiometer-Not Verified, 33. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 34. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 35. Tablet counter - small size-Not Verified, 36. Dummy devices (eg. Inhalers)-Not Verified, 37. Viscometer Ostwald/Brookfield-Not Verified, 38. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 39. Drug Information books-Not Verified, 40. Distillation Unit-Not Verified, 41. Hot Plate-Not Verified, 42. Buchner Funnels (Medium)-Not Verified, 43. Thieles Tube-Not Verified, 44. Ampoule washing machine-Not Verified, 45. Bottle washing Machine-Not Verified, 46. Inspection book,-Not Verified, 47. Inspection book,-Not Verified, 48. RYLE's tube-Not Verified, 49. Variety of Needles-Not Verified, 50. Box/area for expiry medicines,-Not Verified, 51. Digital Thermometer-Not Verified, 52. Patient Information ..Leaflets/Cards-Not Verified, 53. Ointment spatula-Not Verified, 54. Peak Flow meter-Not Verified, 55. Water Testing Kit-Not Verified, 56. IR Thermometer-Not Verified, 57. Sintered glass filter with vacuum-Not Verified, 58. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 59. Menstrual hygiene products-Not Verified, 60. Instrument Numbering Register-Not Available."

232	PCI-8034	SHREE MANSA RAM BRAMHA JI COLLEGE OF PHARMACY	House No: 712 ,Street: BAHADURPUR ,Landmark: MARYADPUR ,Panchayat: BAHADURPUR ,Village: BAHADURPUR ,PostOffice: BAHADURPUR ,Pincode: 221602	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Triple Door Entering Setup For Aseptic Room-Not Available, 6. Bio Metric Attendance System For Student-Not Available."
233	PCI-6128	RAMDEV RAMHARSH COLLEGE OF PHARMACY	House No: JAMIN ATAULLAH ,Street: CHIRAIYAKOT TO KHARIHANI ROAD ,Landmark: CHIRAIYAKOT BAZAR ,Panchayat: JAMIN ATAULLAH ,Village: JAMIN ATAULLAH ,PostOffice: CHIRAIYAKOT ,Pincode: 276129	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Six Faculties are Presents and Two Absents, Experience details are not available. 4. InSufficients Equipment as per noms, 5. Equipments Not Available and Not Verified on portal Verification, 6. Triple Door Entering Setup For Aseptic Room-Not Available, 7. Bio Metric Attendance System For Student-Not Available."
234	PCI-7630	LALSAR COLLEGE OF PHARMACY	House No: 1 ,Street: TAKETUWA RAMPUR ,Landmark: TAKETUWA RAMPUR ,Panchayat: TAKETUWA RAMPUR ,Village: TAKETUWA RAMPUR ,PostOffice: TAKETUWA RAMPUR ,Pincode: 275301	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-not Available, 3. Latest Project Budget & Expenditure Report-Not Available, 4.Six Faculties are Presents and One Absents, Experience details are not available. 5. PHARMACY PRACTICE 2-Not Verified, 6. Viscometer Ostwald/Brookfield-Not Verified, 7. Pharmacology Software-Not Available, 8. Pharmacotherapeutic charts for various diseases & disorders-not Verified, 9. Refrigerator-Not Verified, 10. Height and body weight chart-Not Verified, 11. Models for various organs-Not Verified, 12. Desiccator-Not Verified, 13. Various types of PPE Kits,-Not Verified, 14. Nessler's Cylinders-Not Verified, 15. Vacuum Pump-Not Verified, 16. Digital Balance (10 mg Sensitivity)-Not Verified, 17. Capsule filling machine-Not Verified, 18. Human Skeleton and bones-Not Verified, 19. Sintered glass filter with vacuum-Not Verified, 20. Clarity test apparatus-Not Verified, 21. Digital Colorimeter-Not Verified, 22. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 23. Is Display Of Chart In Respective Laboratories-Not Available, 24. Bio Metric Attendance System For Student-Not Available, 25. Triple Door Entering Setup For Aseptic Room-Not Available"
235	PCI-7255	BARONIA GROUP OF INSTITUTIONS	House No: Main road ,Street: Main road ,Landmark: main road ,Panchayat: mahroni ,Village: mahroni ,PostOffice: mahroni ,Pincode: 284405	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. BankDetailsResponse-Not Available, 4. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 5. Eight Faculties are Presents, Experience details are not available. 6. PHARMACEUTICAL CHEMISTRY LAB I-Not Available, 7. PHARMACEUTICS LAB I-Not Available, 8. PHARMACY PRATICE LAB I-Not Available, 9. ICH Stability chamber with temperature & humidity features-Not Verified, 10. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 11. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 12. Inventory Software for Retail Pharmacy-Not Verified, 13. Various types of PPE Kits,-Not Verified, 14. Instrument Numbering Register-Not Available."
236	PCI-4190	Ch. Ram Prakash Yadav Pharmacy College	House No: 0 ,Street: MOHALLA BADARIYA ,Landmark: SORON ,Panchayat: SORON ,Village: SORON ,PostOffice: SORON ,Pincode: 207403	Board of technical education Uttar Pradesh Lucknow	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. State policy decision-Not Available, 3. GSTDetails-Not Available, 4. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 5. Is Computer Laboratories Available As Per Norms-Not Available, 6. Eight Faculties are Presents, Faculty details are not available. 7. Is Municipality Registration Office Available-Not Available, 8. Mannequins for injection IV Arm-Not Verified, 9. Smart Classroom-Not Available, 10. Ampoule washing machine-Not Verified, 11. Monsanto's hardness tester-Not Verified, 12. Sahli's haemoglobinometers Not Verified, 13. Ointment filling machine-Not Verified, 14. Water Testing Kit-Not Verified, 15. Stadiometer-Not Verified, 16. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 17. Various types of PPE Kits,-Not Verified, 18. Mannequins for CPR-1 (with indication Signals)-Not Verified, 19. Peak Flow meter-Not Verified, 20. Sieve shaker with sieve set-Not Verified, 21. Bottle Sealing Machine-Not Verified, 22. Stalagmometer- Not Verified, 23. Friability test apparatus (Digital Single/Double unit)-Not Verified, 24. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 25. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 26. Viscometer Ostwald/Brookfield-Not Verified, 27. Height and body weight chart-Not Verified, 28. Inventory Software for Retail Pharmacy-Not Verified, 29. Automated Single Station Tablet punching machine -Not Verified, 30. Human Skeleton and bones-Not Verified, 31. Bottle washing Machine-Not Verified, 32. IR moisture balance-Not Verified, 33. Is social pharmacy laboratories maintained as per new regulations-Not Available, 34. Bio Meteric Attendance System For Student-Not Available, 35. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 36. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 37. Bio Meteric Attendance System For Faculty-Not Available, 38. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 39. Triple Door Entering Setup For Aseptic Room-Not Available, 40. Machine Are Fixed On Cemented Blocks-Not Available"
237	PCI-7490	SHANTI DEVI JAIN DEGREE COLLEGE	House No: 245 K ,Street: MUZAFFARNAGAR ROAD SHAHPUR ,Landmark: SHAHPUR ,Panchayat: SHAHPUR ,Village: SHAHPUR ,PostOffice: SHAHPUR ,Pincode: 251318	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. Approval of state gov-Not Available, 3. Affiliation of examining authority-not Available, 4. InstitutionApplications-Not Available, 5. GSTDetails-Not Available, 6. BankDetailsResponse-Not Available, 7. InstituteDetails-Not Available, 8. Account Verification-Not Available, 9. Library Verification-Not Available, 10. Faculty Verification-Not Available, 11. Infrastructure Verification-Not Available, 12. Equipment Verification-Not Available, 13. Others Verification-Not Available, Inspector Check List Verification-Not Available, 14. Due to concerns raised by the college authorities the inspection has been denied." In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.

238	PCI-5822	Vedansh College of Pharmacy	House No: Syana Road ,Street: Garhmukteshwar ,Landmark: Garh syana road ,Panchayat: Allahbakhshpur ,Village: Hapur ,PostOffice: Salarpur ,Pincode: 245205	BOARD OF TECHNICAL EDUCATION, LUCKNOW, UTTAR PRADESH	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. InstitutionApplications-Not Available, 2. GSTDetails-Not Available, 3. BankDetailsResponse-Not Available, 4. InstituteDetails-Not Available, 5. Only Six Faculty are Presents and One on Leave. Experience details of the faculty of B. Pharm qualification is not available. 6. Equipments Not Available and Not Verified on portal Verification, 7. Refrigerator-Not Verified, 8. Upload pharmacy laboratories four angle geo tag-Not Available, 9. Is social pharmacy laboratories maintained as per new regulations-Not Available, 10. Machine Are Fixed On Cemented Blocks-Not Available, 11. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 12. Bio Meteric Attendance System For Student-Not Available, 13. Bio Meteric Attendance System For Faculty-Not Available, 14. Instrument Numbering Register-Not Available, 15. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 16. Triple Door Entering Setup For Aseptic Room-Not Available, 17. Pharmacology Software-Not Available, 18. Machines are not cemented Stock registers are not maintain.
239	PCI-7288	RAM MURTI INSTITUTE OF PHARMACY	House No: 00 ,Street: GOPALPUR ,Landmark: GAJANA ,Panchayat: GOPALPUR ,Village: GOPALPUR ,PostOffice: KUDDA ,Pincode: 222170	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Five Faculties are Presents. Experience details are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Nessler's Cylinders-Not Verified, 6. Filtration assembly with Vacuum Pump-Not Verified, 7. Refrigerator-Not Verified, 8. Sintered glass filter with vacuum-Not Verified, 9. Andreasen's Pipette-Not Verified, 10. Variety of Needles-Not Verified, 11. Thieles Tube-Not Verified, 12. Pfizer type hardness tester-Not Verified, 13. Liquid Mixer-Not Verified, 14. Drug Information books-Not Verified, 15. Triple Door Entering Setup For Aseptic Room-Not Available."
240	PCI-7294	VASHUDHA COLLEGE OF PHARMACY	House No: 00 ,Street: ALAMPUR ,Landmark: ALAMPUR ,Panchayat: ALAMPUR ,Village: ALAMPUR ,PostOffice: BALWARGANJ ,Pincode: 222203	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Nine Faculties are Presents and One Absents. Experience details are not available. 4. Faculties KAMRAN Hussain, Awadhesh Tiwari, MANEESH MAURYA, Vishal Sharma, Km Kumari, Paratek Tanwar, Akash Srivastava photograph not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Pulse Oximeter-Not Verified, 8. Height and body weight chart-Not Verified, 9. Refrigerator-Not Verified, 10. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 11. Peak Flow meter-Not Verified, 12. Thieles Tube-Not Verified, 13. Glucometer-Not Verified, 14. Triple Door Entering Setup For Aseptic Room-Not Available, 15. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
241	PCI-5771	BHARAT EDUCATIONAL INSTITUTE PHARMACY	House No: 2 KM Milestone ,Street: Barla-Baseda Road ,Landmark: Barla ,Panchayat: Bhamavari ,Village: Bhamavari ,PostOffice: Barla ,Pincode: 251307	BOARD OF TECHNICAL EDUCATION, LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-not Available, 2. GSTDetails-Not Available, 3. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. No Of International Journals Available-Not Available, 6. No Of National Journals Available-Not Available, 7. Faculties Not Available as per norms, 8. Is Municipality Registration Office Available-Not Available, 9. Building Construction Cost-Not Available, 10. Ointment filling machine-Not Verified, 11. on portal uploaded Faculties details All Faculties are Absents, 12. Colostomy bags-Not Verified, 13. Automated Single Station Tablet punching machine-Not Verified, 14. Variety of catheters-Not Verified, 15. Filtration assembly with Vacuum Pump-Not Verified, 16. Sieve shaker with sieve set-Not Verified, 17. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 18. Ointment spatula-Not Verified, 19. Peak Flow meter-Not Verified, 30. Water Testing Kit-Not Verified, 20. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 21. Digital Melting Point Apparatus-Not Verified, 22. Mannequins for injection IV Arm-Not Verified, 23. Liquid Mixer-Not Verified, 24. Upload pharmacy laboratories four angle geo tag-Not Available, 25. Pharmacology Software-Not Available, 26. Gas Connection Proof & Receipt-Not Available, 27. Machine Are Fixed On Cemented Blocks-Not Available, 28. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 29. Triple Door Entering Setup For Aseptic Room-Not Available, 30. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."
242	PCI-8203	SALAR COLLEGE OF PHARMACY	House No: 0 ,Street: CHHAPAR ,Landmark: NEAR TOLL PLAZA ,Panchayat: CHHAPAR ,Village: CHHAPAR ,PostOffice: CHHAPAR ,Pincode: 251307	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADD. SHRI GOVIND MARG, BANS MANDI, CHARBAGH, LUCKNOW 226001	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Five Faculties are Presents and Three Absents, 3. All Faculties Experience(years) not mentioned on portal, 4. Human Permanent Slides for various tissues-Not Verified, 5. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 6. Permanent slide of different microbes-Not Verified, 7. Refrigerator-Not Verified, 8. All-purpose equipment with all accessories-Not Verified, 9. Mannequins for injection IV Arm-Not Verified, 10. Ointment filling machine-Not Verified, 11. Peak Flow meter-Not Verified, 12. Automated Single Station Tablet punching machine-Not Verified, 13. RYLE's tube-Not Verified, 14. Height and body weight chart-Not Verified, 15. Stadiometer-Not Verified, 16. Stadiometer-Not Verified, 17. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 18. Liquid Mixer-not Verified, 19. Mannequins for CPR-1 (with indication Signals)-Not Verified, 20. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 21. Triple Door Entering Setup For Aseptic Room-Not Available, 22. All Equipments Properly Displayed With SOP In Laboratories-Not Available."
243	PCI-6670	SWAMI KALYAN DEV COLLEGE OF PHARMACY	House No: 241/245/222 ,Street: MEERAPUR ROAD ,Landmark: MAIN HIGHWAY ,Panchayat: KAITHORA ,Village: MUBARIKPUR ,PostOffice: MEERAPUR ,Pincode: 251315	N A, The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Two Faculties are Presents and Six Absents, Faculties are not available as per norms. 4. All Faculties Experience(years) details not show on portal, 5. Mannequins for injection IV Arm-Not Verified, 6. Stop watch-Not Verified, 7. Smart Classroom-Not Available, 8. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available."
244	PCI-8185	R B COLLEGE OF PHARMACY	House No: 58 ,Street: NEAR ITI CHAURAHA ,Landmark: NEAR ITI CHAURAHA ,Panchayat: ETAWAH ,Village: NEAR ITI CHAURAHA ,PostOffice: ETAWAH ,Pincode: 206001	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. State policy decision-Not Available, 3. GSTDetails-Not Available, 4. Five Faculties are Presents, Faculties are not available as per norms. 5. All Faculties photograph not show on portal, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Upload pharmacy laboratories four angle geo tag-Not Available, 8. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."

245	PCI-7404	Shri Ram Sanskrit Mahavidyalay Pharmacy College	House No: 293 350 ,Street: Sikrara Sitalganj Road ,Landmark: Ganapur Market ,Panchayat: Lorika ,Village: Lorika ,PostOffice: Khajurahwan ,Pincode: 222161	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Five Faculties are Presents and Two Absents, Faculties are not available as per norms. 5. Faculties Sachinder Yadav, Mahendra Patel, Shakti Jaiswal, Abhishek Singh photograph not show on portal, 6. Monsanto's hardness tester-Not Verified, 7. Mannequins for injection IV Arm-Not Verified, 8. Mechanical stirrer-Not Verified, 9. Buchner Funnels (Medium)-Not Verified, 10. Liquid Filling Machine-Not Verified, 11. Bio Meteric Attendance System For Student-Not Available, 12. Availability Of Institute Website-Not Available, 13. Liquid Filling Machine-Not Verified, 14. Mannequins for CPR-1 (with indication Signals)-Not Verified, 15. Pharmacology Software-Not available, 16. Triple Door Entering Setup For Aseptic Room-Not Available, 17. Bio Meteric Attendance System For Faculty-Not Available, 18. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 19. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available."
246	PCI-6286	AAKANKSHA COLLEGE OF PHARMACY	House No: - ,Street: NH-119 ,Landmark: Babra Mandir Marg ,Panchayat: Rasulpur ,Village: Rasulpur ,PostOffice: Meerapur ,Pincode: 251315	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.), NIL	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Eight Faculties are Presents, Experience details are not available, 4. Building Construction Cost-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Distillation Unit-Not Verified, 8. Mercury Thermometer-Not Verified, 9. Sphygmomanometers-Not Verified, 10. Upload pharmacy laboratories four angle geo tag-not Available, 11. Triple Door Entering Setup For Aseptic Room-not Available, 12. Herbal Garden-Not Available, 13. CCTV Available-Not Available, 14. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available."
247	PCI-7768	S.D.COLLEGE OF PHARMACY	House No: 1 ,Street: Near Peeth Bazar Budhana ,Landmark: Budhana ,Panchayat: Budhana ,Village: Budhana ,PostOffice: Budhana ,Pincode: 251309	B.T.E LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Latest Project Budget & Expenditure Report-Not Available, 4. Four Faculties are Presents and Two Absents and Two Leave, Faculties are not available as per norms. 5. All Faculties Experience(years) details not mentioned on portal, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Equipments Not Available and Not Verified on portal Verification, 8. Upload pharmacy laboratories four angle geo tag-Not Available, 9. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 10. Herbal Garden-Not Available, 11. Smart Classroom-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Bio Meteric Attendance System For Student-Not Available, 14. Instrument Numbering Register-Not Available."
248	PCI-7642	Swami Kalyan Dev College of Pharmacy	House No: 456 ,Street: Jolly Road ,Landmark: Jolly Road ,Panchayat: Behra Sadat ,Village: Behra Sadat ,PostOffice: Kakroli ,Pincode: 251316	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Eight Faculties are Presents but Experience(years) details Not Available, 4. faculties Sanjeet Kumar photograph not show on portal, 5. Building Construction Cost-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Filtration assembly with Vacuum Pump-Not Verified, 8. Andraesen's Pipette-Not Verified, 9. Water Testing Kit-Not Verified, 10. Stalagmometer-Not Verified, 11. IR Thermometer-Not Verified, 12. Upload pharmacy laboratories four angle geo tag-Not Available, 13. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 14. Instrument Numbering Register-Not Available, 15. Pharmacology Software-Not Available."
249	PCI-6452	SHRI RAJENDRA SINGH COLLEGE OF PHARMACY	House No: 226 227 ,Street: GHIROR ROAD ,Landmark: Temple ,Panchayat: Nagar panchayat Kurawali ,Village: Kurawali ,PostOffice: kurawali ,Pincode: 205265	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Account Verification-Not Available, 4. Library Verification-Not Available, 5. Faculty Verification-Not Available, 6. Infrastructure Verification-Not verified, 7. Equipment Verification-Not Available, 8. Is social pharmacy laboratories maintained as per new regulations-Not Available, 9. Upload pharmacy laboratories four angle geo tag-Not Available, 10. Bio Meteric Attendance System For Student-Not Available, 11. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 12. Fire Safety Equipment-not Available, 13. Smart Classroom-Not Available, 14. Is Display Of Chart In Respective Laboratories-Not Available, 15. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-not Available, 16. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 17. Gas Connection Proof & Receipt-Not Available, 18. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 19. Availability Of Institute Website-Not Available, 20. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 21. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 22. Machine Are Fixed On Cemented Blocks-not Available, 23. Bio Meteric Attendance System For Faculty-not Available, 24. Triple Door Entering Setup For Aseptic Room-Not Available, 25. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 26. Instrument Numbering Register-Not Available, 27. Pharmacology Software-Not Available, 28. General And Departmental Notice Boards-Not Available, 28. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available."
250	PCI-6608	JB Singh College of Pharmacy	House No: Tarawadev ,Street: G T Road ,Landmark: Near Toli Plaza ,Panchayat: Nagla Sudama ,Village: Tarawadev ,PostOffice: Naviganj ,Pincode: 205301	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. No Of International Journals Available-not Available, 4. Five Faculties are Presents and Two Absents, 5. All Faculties Experience(years) details not mentioned on portal verification, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Equipments Not Available and Not Verified on portal Verification."
251	PCI-7229	ch prem singh premvati pharmacy college ganeshpur post kaithauli mainpuri	House No: GANESHPUR ,Street: GANESHPUR ,Landmark: GANESHPUR ARJUNPUR ,Panchayat: ARJUNPUR ,Village: GANESHPUR ,PostOffice: KAITHAULI ,Pincode: 206302	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Faculties Not Available as per norms, One Faculties Available, 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Is Municipality Registration Office Available-Not Available, 5. Viscometer Ostwald/Brookfield-Not Verified, 6. Inventory Software for Retail Pharmacy-Not Verified, 7. Triple Door Entering Setup For Aseptic Room-Not Available."
252	PCI-6150	SHRI GIRRAJ MAHARAJ COLLEGE OF PHARMACY	House No: 549 ,Street: KRISHNA NAGAR ,Landmark: GOVERDHAN CHAURAHA ,Panchayat: MATHURA BANAGAR ,Village: MATHURA ,PostOffice: KRISHNA NAGAR ,Pincode: 281004	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Six Faculties are Presents, Experience details are not available. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Clevenger apparatus-Not Verified."
253	PCI-7365	PACHAINYA COLLEGE OF PHARMACY	House No: 0 ,Street: MAGORRA ,Landmark: ,Panchayat: MAGORRA ,Village: MAGORRA ,PostOffice: MAGORRA ,Pincode: 281001	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Faculties Not Available as per norms, 4. Three Faculties are Presents and Two Absents, Experience details are not available. 5. Is Municipality Registration Office Available-Not Available, 6. Building Construction Cost-Not Available, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Sieve shaker with sieve set-Not Verified, 9. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not VErified, 10. Buchner Funnels (Medium)-Not Verified, 11. Colostomy bags-Not Verified, 12. Display for various disinfectants, mosquito repellents etc-Not Verified, 13. Viscometer Ostwald/Brookfield-Not Verified, 14. Filtration assembly with Vacuum Pump-Not Verified, 15. Stadiometer-Not Verified, 16. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 17. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 18. RYLE's tube-Not Verified, 19. Sphygmomanometers-Not Verified, 20. Peak Flow meter-Not Verified, 21. Tablet disintegration test apparatus IP (Digital Single/Double uni)-Not Verified, 22. Sintered glass filter with vacuum-Not Verified, 23. Basic safety equipments (Safety Goggles , aprons, gloves, footwear- Not Verified."

254	PCI-8026	B.D.M. MAHAVIDYALAYA	House No: 235 ,Street: PAIGAON ,Landmark: JAHARVEER MANDIR ,Panchayat: PAIGAON ,Village: PAIGAON ,PostOffice: PAIGAON ,Pincode: 281401	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH ADD. SHRI GOVIND MARG, BANS MANDI, CHARBAGH, LUCKNOW-226001	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Five Faculties are Presents, Experience details are not available, 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Andresen's Pipette-Not Verified, 7. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 8. Triple Door Entering Setup For Aseptic Room-Not Available., 9. Mannequins for injection IV Arm-Not Verified, 10. All-purpose equipment with all accessories-Not Verified, 11. Liquid Mixer-Not Verified, 12. Drug Information books-Not Verified, 13. Sieve shaker with sieve set-Not Verified, 14. Liquid Filling Machine-Not Verified, 15. Nessler's Cylinders-Not Verified, 16. Magnetic Stirrers with Thermostat-Not Verified, 17. Drug information resources-Not Verified, 18. Inventory Software for Retail Pharmacy-Not Verified, 19. Patient Information ...Leaflets/Cards-Not Verified, 20. Various name plates indicating different parts of Pharmacy-Not Verified, 21. Computers: hospital and community pharmacy management software-Not Verified, 22. Bottle washing Machine-Not Verified, 23. Inspection book,-Not Verified, 24. Display of pharmacist registration, license and other licenses-Not Verified, 25. Pharmacology Software-Not Available, 26. Smart Classroom-Not Available,
255	PCI-8079	B.R. COLLEGE OF PHARMACY	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: NA ,Village: JALHUPUR ,PostOffice: JALHUPUR ,Pincode: 221104	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Four Faculties are Presents, Experience details are not available, 4. Is Municipality Registration Office Available-Not Available, 5. in Sufficient Equipments and Not Verified on portal, 6. Pharmacology Software-Not Available, 7. Bio Meteric Attendance System For Student-Not Available, 8. CCTV Available-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available."
256	PCI-8112	BANARAS INSTITUTE OF PHARMACY EDUCATION	House No: 625 ,Street: Parsara ,Landmark: Near Khalsipur Railway Crossing ,Panchayat: Gajokhar ,Village: Gajokhar ,PostOffice: Parsara ,Pincode: 221206	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Two Faculties are Presents and Four Absents and One Leave, Experience details are not available. Faculties are not available as per norms. 3. Bio Meteric Attendance System For Student-Not Available, 4. Triple Door Entering Setup For Aseptic Room-Not Available."
257	PCI-6738	S B Institute of Pharmacy	House No: Delhna ,Street: Kashipur ,Landmark: NH-2 ,Panchayat: Delhna ,Village: Delhna ,PostOffice: Kashipur ,Pincode: 221311	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. No Of International Journals Available-Not Available, 5. Faculties Not Available as per norms, 6. Only Two Faculties are Presents, 7. Is Municipality Registration Office Available-Not Available, 8. Equipments Not Available and Not Verified on portal Verification, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 11. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 12. Gas Connection Proof & Receipt-Not Available, 13. Pharmacology Software-Not Available."
258	PCI-7302	GD Memorial of pharmacy college	House No: 0 ,Street: MARIHAN BAZAR MIRZAPUR ,Landmark: MARIHAN BAZAR MIRZAPUR ,Panchayat: MARIHAN GAON ,Village: MARIHAN MIRZAPUR ,PostOffice: MARIHAN ,Pincode: 231210	THE SECRETARY UTTAR PRADESH BOARD OF TECHNICAL EDUCATION ,GURU GOVIND SINGH MARG LUCKNOW,UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Is Computer Laboratories Available As Per Norms-Not Available, 4. Is Computer Laboratories Available As Per Norms-Not Available, 5. Six Faculties are Presents and One Absents, Experience details are not available. 6. faculties DHARMBEER JATAV photograph not show on portal, 7. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 8. Upload electricity telephone bill-Not Available, 9. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available,
259	PCI-7672	CHANDRADEV SMARAK COLLEGE OF PHARMACY	House No: Vill Khanpur ,Street: Tenduli Khurhat Road ,Landmark: Tenduli ,Panchayat: Khanpur ,Village: Khanpur ,PostOffice: Kajhakhurd ,Pincode: 276403	The Secretary Uttar Pradesh Board of Technical Education,Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents, Experience details are not available. 4. Is Previously Any Institution Running In Same Building-not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Triple Door Entering Setup For Aseptic Room-Not Available, 7. Pharmacology Software-Not Available."
260	PCI-7425	Ramashankar Singh college of pharmacy	House No: 639 ,Street: MAKHANA ,Landmark: MAKHANA ,Panchayat: ratanpura ,Village: MAKHANA ,PostOffice: PINDOHARI ,Pincode: 221706	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. No Of International Journals Available-Not Available, 4. No Of National Journals Available-Not Available, 5. Five Faculties are Presents and One Absents, Experience details are not available. 6. Faculties ANJALI SHRIVASTAVA, DHARMENDRA KUMAR KUMAR, RAVI PATHAK photograph not show on portal, 7. Is Municipality Registration Office Available-Not Available, 8. Is Previously Any Institution Running In Same Building-Not Available, 9. Insufficient Equipments as per norms, 10. Equipments Not Available and Not Verified on portal, 11. Upload pharmacy laboratories four angle geo tag-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Pharmacology Software-Not Available, 14. Machine Are Fixed On Cemented Blocks-Not Available."
261	PCI-5732	R K S COLLEGE OF PHARMACY	House No: 0 ,Street: NA ,Landmark: ,Panchayat: ,Village: Udaichandpur ,PostOffice: Kerakat ,Pincode: 222142	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Is Municipality Registration Office Available-Not Available, 4. In Sufficient Equipment as per norms, 5. Equipments Not Available and Not Verified on portal Verification, 6. Faculties Not Available as per norms, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
262	PCI-8083	SHAFI DEGREE COLLEGE	House No: 0 ,Street: Bisalpur ,Landmark: Near Sugar Factory ,Panchayat: Bisalpur ,Village: Bisalpur ,PostOffice: Bisalpur ,Pincode: 262201	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, Experience details are not available. 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."

263	PCI-6544	BALA DEVI ROSHAN LAL COLLEGE OF PHARMACY	House No: Gata No 250 and 252 .Street: Kasimpur ,Landmark: NEAR NEELKANTH PETROL PUMP PILIBHIT ROAD BISALPUR .Panchayat: Kasimpur ,Village: Kasimpur ,PostOffice: Amra Karoor .Pincode: 262201	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Eight Faculties are Presents and Two Leave, Experience details are not available. 4. faculties photograph name of PAWAN KUMAR, PRABHAT DIXIT, SARTHAK GUPTA not show on portal, 5. Is Municipality Registration Office Available-not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."
264	PCI-6065	DOODHNATH GROUP OF INSTITUTIONS	House No: 1461 1463 1465 1050 .Street: DOODHNATH NAGAR .Landmark: NAIGUA ROAD .Panchayat: SAKRAR , Village: JHANSI ,PostOffice: SAKRAR .Pincode: 284205	BOARD OF TECHNICAL EDUCATION, U.P., LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Three Faculties are Presents and Two Absents, Experience details are not available. 4. Faculties not Available as per norms, 5. Capsule Counter-Not Verified, 6. Peak Flow meter-Not Verified, 7. Capsule filling machine-Not Verified, 8. Mannequins for CPR-1 (with indication Signals)-Not Verified, 9. Mannequins for CPR-1 (with indication Signals)-Not Verified, 10. Friability test apparatus (Digital Single/Double unit)-Not Verified, 11. eq_name-Not Verified, 12. Nessler's Cylinders-Not Verified, 13. Mannequins for injection IV Arm-Not Verified, 14. Triple Door Entering Setup For Aseptic Room-Not Available."
265	PCI-7429	KS COLLEGE OF PHARMACY	House No: 0 ,Street: JHAKRI .Landmark: GURSARI ROAD .Panchayat: JHAKRI , Village: JHAKRI ,PostOffice: ROOPA DHAMNA ,Pincode: 284204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. InstituteDetails-Not Available, 4. Eight Faculties are Presents, 5. Faculties Experience(years) details Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Thieles Tube-Not Verified, 8. Pharmacology Software-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Availability Of Institute Website-Not Available."
266	PCI-5646	B P COLLEGE OF PHARMACY	House No: 0 ,Street: NA .Landmark: NA ,Panchayat: GAURA UPARWAR ,Village: VILLAGE ,PostOffice: CHAUBEPUR ,Pincode: 221104	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. State policy decision-Not Available, 4. Is Municipality Registration Office Available-Not Available, 5. In Sufficient Equipments as per norms, 6. Equipments Not Not Verified on portal Verification, 7. Faculties Not Available as per norms, 8. Faculties Details not Verified on portal, 9. Smart Classroom-Not Available, 10. Bio Metric Attendance System For Student-Not Available, 11. Bio Metric Attendance System For Faculty-Not Available."
267	PCI-6873	GSS KANYA MAHAVIDHYALAYA	House No: 0 ,Street: GUNNAUR .Landmark: GUNNAUR .Panchayat: GUNNAUR ,Village: GUNNAUR ,PostOffice: GUNNAUR ,Pincode: 243722	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. State policy decision-Not Available, 4. No Of International Journals Available-Not Available, 5. Eight Faculties are Presents, 6. Faculties photograph not show on portal, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Is Municipality Registration Office Available-Not Available, 9. Stalagmometer- Not Verified, 10. Height and body weight chart-Not Verified, 11. Micrometre slide Stage-Not Verified, 12. Liquid Filling Machine-Not Verified, 13. Stadiometer- Not Verified, 14. Buchner Funnels (Medium)-Not Verified, 15. Thieles Tube-Not Verified, 16. IR Thermometer-Not Verified, 17. Digital balance 10mg sensitivity-Not Verified, 18. Viscometer Ostwald/Brookfield-Not Verified, 19. Liquid Mixer-Not Verified, 20. Andreasen's Pipette-Not Verified, 21. Pulse Oximeter-Not Verified, 22. Digital balance (10mg)-Not Verified, 23. Smart Classroom-Not Available, 24. Bio Metric Attendance System For Student-Not Available, 25. Bio Metric Attendance System For Faculty-Not Available, 26. Triple Door Entering Setup For Aseptic Room-Not Available,
268	PCI-6229	R LS COLLEGE OF PHARMACY AND RESEARCH CENTRE	House No: 0 ,Street: ASMOLI ROAD ,Landmark: Khaspur .Panchayat: KHASPUR ,Village: KHASPUR ,PostOffice: KHASPUR ,Pincode: 244102	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. No Of International Journals Available-Not Available, 4. Eight Faculties are Presents and all faculties photograph not show on portal, Experience details are not available. 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available."
269	PCI-7995	VIKRAM SINGH KANYA MAHAVIDYALAYA	House No: 0 ,Street: CHANDHASI .Landmark: CHANDHASI .Panchayat: CHANDHASI ,Village: Mughalsarai ,PostOffice: CHANDAULI ,Pincode: 232101	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Classroom Not Available as per norms, 4. Insufficient Equipments as per norms, 5. Upload pharmacy laboratories four angle geo tag-Not Available, 6. Equipments Not Verified on portal Verification, 7. Faculties Not Available as per norms.
270	PCI-7439	VIDYAWATI PHARMACY COLLEGE	House No: 1 ,Street: MANIYAREPUR CHANDAWAK .Landmark: MANIYAREPUR .Panchayat: CHANDWAK ,Village: CHANDWAK ,PostOffice: CHANDWAK ,Pincode: 222129	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-not Available, 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Insufficient Equipments as per norms, 5. Faculties Not Available as per norms.
271	PCI-5669	SIMS COLLEGE OF PHARMACY	House No: 974 ,Street: Near NH-58 ,Landmark: DAURALA .Panchayat: SAMOLI SALEMPUR MEERUT ,Village: Meerut ,PostOffice: Daurala ,Pincode: 250221	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. State policy decision-Not Available, 4. Seven Faculties are Presents, Experience details are not available. 5. Is Municipality Registration Office Available-Not Available, 6. Computers: hospital and community pharmacy management software-Not Verified, 7. Capsule filling machine-Not Verified, 8. Water Testing Kit-Not Verified, 9. All-purpose equipment with all accessories-Not Verified, 10. All-purpose equipment with all accessories-Not Available."

272	PCI-7836	MOTHERHOOD INSTITUTE OF TECHNOLOGY	House No: BADRUDDIN NAGAR NANU ,Street: SARDHANA ROAD ,Landmark: NANU ,Panchayat: NANU ,Village: BADRUDDIN NAGAR NANU ,PostOffice: NANU ,Pincode: 250341	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. BankDetailsResponse-Not Available, 3. InstituteDetails-Not Available, 4. GSTDetails-Not Available, 5. Six Faculties are Presents and Two Absents, Experience details are not available. 6. Triple Door Entering Setup For Aseptic Room-Not Available."
273	PCI-8224	Sw Sunder Lal Shivhare College Of Pharmacy	House No: NA ,Street: NH34 ,Landmark: ,Panchayat: MAKRAW ,Village: MAKRAW ,PostOffice: MAKRAW ,Pincode: 210507	BOARD OF THECNICAL EDUCATION UTTAR PRADESH NIL	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Four Faculties are Presents, Experience details are not available. 4. Faculties Assistant Professor name Not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Building Construction Cost-Not Available, 7. Stadiometer-Not Verified, 8. Bio Meteric Attendance System For Student-Not Available, 9. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 10. Pharmacology Software-Not Available, 11. Triple Door Entering Setup For Aseptic Room-Not Available."
274	PCI-8179	Institute for Higher Education and Health Science	House No: khasra No 584 ,Street: Nabipur Road ,Landmark: Near Paani ki Tanki ,Panchayat: NA ,Village: Ghaziabad ,PostOffice: Basantpur Sainthli ,Pincode: 201206	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Four Faculties are Presents and Four Absents, Experience details are not available. 4. Pharmacology Software-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Capsule Counter-Not Verified, 8. Desiccator-Not Verified, 9. Stalagometer-not Verified, 10. Stalagometer-Not Verified, 11. Thieles Tube-Not Verified, 12. Pestle and mortar porcelain-Not Verified, 13. Analytical Balances for demonstration-Not Verified, 14. Andreasen's Pipette-Not Verified, 15. Sintered glass filter with vacuum-Not Verified, 16. Viscometer Ostwald/Brookfield-Not Verified, 17. Buchner Funnels (Medium)-Not Verified, 18. Triple Door Entering Setup For Aseptic Room-Not Available ."
275	PCI-7578	DIGAMBER JAIN COLLEGE OF EDUCATION	House No: PLOT NO 813 ,Street: ROORKEE ROAD ,Landmark: M S HOSPITAL ,Panchayat: DADRI ,Village: MEERUT ,PostOffice: SAKOTI ,Pincode: 250223	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. Affiliation of examining authority-Not Available, 3. State policy decision-Not Available, 4. GSTDetails-Not Available, 5. Approval of state govt-Not Available, 6. Latest Project Budget & Expenditure Report-Not Available, 7. Details Of Salary Disbursement-bank Transfer Details-Not Available, 8. Faculties Not Available as per norms, 9. No Of International Journals Available-Not Available, 10. In Sufficient Equipments as per norms, 11. Equipments Not Available and Not Verified on portal Verification, 12. Upload electricity telephone bill-Not Available, 13. Bio Meteric Attendance System For Faculty-Not Available, 14. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 15. Gas Connection Proof & Receipt-Not Available, 16. Electricity Bill With Sanction Of Electric Load By Electric Supply Provider Company-Not Available, 17. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 18. Machine Are Fixed On Cemented Blocks-Not Available, 19. Triple Door Entering Setup For Aseptic Room-Not Available, 20. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 21. Smart Classroom-Not Available, 22. Bio Meteric Attendance System For Student-Not Available, 23. Pharmacology Software-Not Available."
276	PCI-7878	BHARTI VIDHYAPEETH	House No: VILL RALI CHAUHAN ,Street: KILA ROAD ,Landmark: ,Panchayat: RALI CHAUHAN ,Village: MEERUT ,PostOffice: ABDULLAPUR ,Pincode: 250001	BOARD OF THECNICAL EDUCATION UTTAR PRADESH UP	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. BankDetailsResponse-Not Available, 4. Latest Project Budget & Expenditure Report-Not Available, 5. No Of International Journals Available-Not Available, 6. Eight Faculties are Presents and One Leave, Experience details are not available. 7. Bio Meteric Attendance System For Faculty-not Available, 8. Bio Meteric Attendance System For Student-not Available, 9. faculties SUMEET SINGH, ROHTASH KUMAR, RAMESH CHAUDHARY, RAVINDRA SINGH photograph not show on portal, 10. Digital balance (10mg)-not Verified, 11. Distillation Unit-Not Verified, 12. Display of name of owner-Not Verified, 13. Computers: hospital and community pharmacy management software-Not Verified, 14. Digital balance 10mg sensitivity-Not Verified, 15. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 16. Filtration assembly with Vacuum Pump-Not Verified, 17. Designated patient counselling area,-Not Verified, 18. Thermostatic Water Bath-Not Verified, 19. Andreasen's Pipette-Not Verified, 20. Display of name of owner-Not Verified, 21. Display of name of owner-Not Verified, 22. Health information display,-Not Verified, 23. Ointment filling machine-Not Verified, 24. All-purpose equipment with all accessories-Not Verified, 25. Digital balance 10mg sensitivity-Not Verified, 26. Health information display,-Not Verified, 27. Computers: hospital and community pharmacy management software-Not Verified, 28. All-purpose equipment with all accessories-Not Verified, 29. Pulse Oximeter-Not Verified, 30. PCI And BTEUP Joint Inspection-not Available, 31. Pharmacology Software-Not Available, 32. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-not Available, 33. Triple Door Entering Setup For Aseptic Room-Not Available, 34. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, "
277	PCI-7766	KASTURI COLLEGE OF EDUCATION	House No: BADRUDDIN NAGAR NANU ,Street: SARDHANA ROAD ,Landmark: NEAR NANU NAHAR ,Panchayat: NANU ,Village: BADRUDDIN NAGAR NANU ,PostOffice: SARDHANA ,Pincode: 250341	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Latest Project Budget & Expenditure Report-Not Available, 3. Five Faculties are Presents and Three Absents, Experience details are not available. 4. faculties AKASH photograph not show on portal, 5. Display of name of owner-Not Verified, 6. Liquid Mixer-Not Verified, 7. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 8. Lock and key arrangement for Schedule X and NDPS medicines-Not Verified, 9. Designated patient counselling area,-Not Verified, 10. Ampoule washing machine-Not Verified, 11. Various name plates indicating different parts of Pharmacy,-Not Verified, 12. Upload pharmacy laboratories four angle geo tag-Not Available, 13. Pharmacology Software-Not Available, Triple Door Entering Setup For Aseptic Room-Not Available, 14. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 15. PCI And BTEUP Joint Inspection-Not Available, 16. Herbal Garden-Not Available."
278	PCI-6083	R.B.S.COLLEGE OF PHARMACY	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: KURNI ,Village: KURNI ,PostOffice: SAMADHGANJ ,Pincode: 222135	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-not Available, 2. GSTDetails-Not Available, 3. Titles Available-Not Available, 4. No Of International Journals Available-not Available, 5. Eight Faculties are Presents, Experience details are not available. 6. Triple Door Entering Setup For Aseptic Room-Not Available, 7. faculties SHWETA RANI photograph not show on portal, 8. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 9. Is Municipality Registration Office Available-Not Available, 10. Hot plates-Not Verified, 11. Ampoule washing machine-not Verified, 12. Analytical Balances for demonstration-Not Verified, 13. Tablet dissolution test apparatus IP (Digital single/double Unit)-Not Verified, 14. Andreasen's Pipette-not Verified, 15. Inventory Software for Retail Pharmacy-Not Verified, 16. Mannequins for injection IV Arm-not Verified, 17. Digital Thermometer-not Verified, 18. Buchner Funnels (Medium)-Not Verified, 19. Stadiometer-not Verified, 20. Drug Information books-Not Verified, 21. Adult Weighing Scale (150 kg)-Not Verified, 22. Magnetic Stirrers with Thermostat-Not Verified, 23. Capsule Counter-not Verified, 24. Dummy devices (eg. Inhalers)-Not Verified, 25. Pulse Oximeter-not Verified, 26. Viscometer Ostwald/Brookfield-Not Verified, 27. Digital BP Instrument-not Verified, 28. Ointment filling machine-Not Verified, 29. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 30. Dummy Inhalers and Nebulizer-not Verified, 31. Sintered glass filter with vacuum-not Verified, 32. Colostomy bags-Not Verified-not Verified, 33. Drug information resources-Not Verified, 34. Magnetic stirrer, 500ml and 1 liter capacity with speed control-not Verified, 35. Urine Bag-Not Verified, 36. Stalagometer-not Verified, 37. Refrigerator-Not Verified, 38. Mannequins for CPR-1 (with indication Signals)-Not Verified, 39. Ampoule filling and sealing machine (Jet Burner)-not Verified, 40. RYLE's tube-Not Verified, 41. Tablet counter - small size-Not Verified, 42. ESR Apparatus (Westergren and Wintrobe)-not Verified, 43. Computers: hospital and community pharmacy management software-Not Verified, 44. Filtration assembly with Vacuum Pump-Not Verified, 45. Thieles Tube-Not Verified, 46. Glucometer-Not Verified, 47. Peak Flow meter-Not Verified, 48. Peak Flow meter-Not Verified, 49. Bottle washing Machine-Not Verified, 50. All-purpose equipment with all accessories-not Verified, 51. IR Thermometer-Not Verified, 52. Digital Melting Point Apparatus-not Verified, 53. Health information display,-Not Verified, 54. Digital balance 10mg sensitivity-Not Verified, 55. Human Permanent Slides for various tissues-not Verified, 56. Friability test apparatus (Digital Single/Double unit)-Not Verified, 57. Wall Mounted Water Distillation Unit-Not Verified, 58. Desiccator-not Verified, 59. Micrometre slide Stage-Not Verified, 60. Is social pharmacy laboratories maintained as per new regulations-not Available, 61. Machine Are Fixed On Cemented Blocks-Not Available."

279	PCI-8100	ABS INTERNATIONAL SCHOOL AND COLLEGE SAWANSA BADLAPUR JAUNPUR	House No: 0 ,Street: SAWANSA BADLAPUR ,Landmark: ,Panchayat: SAWANSA BADLAPUR ,Village: SAWANSA BADLAPUR ,PostOffice: BADLAPUR ,Pincode: 222145	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Statutory Documents Verification-Not Available, 2. Account Verification-Not Available, 3. Library Verification-Not Available, 4. Infrastructure Verification-Not Available, 5. Equipment Verification-Not Verified, 6. Others Verification-Not Available, 7. Inspector Check List Verification-Not Available, 8. this college is closed denied to conduct the inspection" In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.
280	PCI-6654	SRDP PHARMACY COLLEGE	House No: NIL ,Street: SUJANGANJ ROAD ,Landmark: NIL ,Panchayat: VISAWAN ,Village: SEMARI ,PostOffice: SAHAPUR ,Pincode: 222131	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Salary Acquaintance Register Of StaffTeaching & Non-teaching)-not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Faculties Not Available as per norms, 6. No Of International Journals Available-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Equipments Not Available and Not Verified on portal Verification, 9. Is social pharmacy laboratories maintained as per new regulations-Not Available, 10. Is social pharmacy laboratories maintained as per new regulations-Not Available, 11. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 12. Instrument Numbering Register-Not Available, 13. Triple Door Entering Setup For Aseptic Room-Not Available, 14. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available."
281	PCI-5560	SHREE PRAHLAD SMARAK COLLEGE OF PHARMACY	House No: 205 206 408 ,Street: SILTHARI CHURK ,Landmark: SILTHARI CHURK ,Panchayat: SILTHARI CHURK ,Village: SILTHARI CHURK ,PostOffice: SIDDHI KALAN ,Pincode: 231216	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Five Faculties are Presents and One Absents and Two leave, 4. Faculties Experience(years) details Not Available, 5. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 6. Pharmaceutical jurisprudence- Not Verified, 7. Pharmaceutical chemistry 1-Not Verified, 8. Equipments Not Available and Not Verified on portal Verification, 9. Hot plate-Not Verified, 10. Availability Of Institute Website-Not Available, 11. Triple Door Entering Setup For Aseptic Room-Not Available, 12. Smart Classroom-Not Available, 13. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 14. Bio Meteric Attendance System For Student-Not Available, 15. Instrument Numbering Register-Not Available, 16. Pharmacology Software-Not Available, 17. Machine Are Fixed On Cemented Blocks-Not Available, 18. Bio Meteric Attendance System For Faculty-Not Available, 19. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available"
282	PCI-6427	MUSAFIR BAL GOPAL PHARMACY COLLEGE PADARIKALA RAMGARH Distt SONBHADRA UP	House No: PADARIKALA ,Street: ROBERTSGANJ ,Landmark: PADARIKALA ,Panchayat: PADARIKALA ,Village: RAMGARH ,PostOffice: ROBERTSGANJ ,Pincode: 231213	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Building Construction Cost-Not Available, 4. Is Municipality Registration Office Available-Not Available, 5. Faculties Not Available as per norms, 6. Insufficient Equipments as per norms, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Equipments Not Available and Not Verified on portal Verification, 9. Menstrual hygiene products-Not Verified, 10. Display for various disinfectants, mosquito repellents etc-Not Verified, 11. Is social pharmacy laboratories maintained as per new regulations-Not Available, 12. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 13. All Equipments Properly Displayed With SOP In Laboratories -Not Available, 14. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 15. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 16. Pharmacology Software-Not Available, 17. Smart Classroom-Not Available, 18. Availability Of Institute Website-Not Available.
283	PCI-8208	Prince Institute of Innovative Technology	House No: Plot No 9 ,Street: PIIT ,Landmark: Near Gurudwara ,Panchayat: NA ,Village: Greater Noida ,PostOffice: Alpha ,Pincode: 201306	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Affiliation of examining authority-Not Available, 2. BankDetailsResponse-Not Available, 3. GSTDetails-Not Available, 4. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE O-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Eight Faculties are Presents, Experience details are not available, 7. Faculties ANJU PAL wrong photograph show on portal, 8. Is Municipality Registration Office Available-Not Available"
284	PCI-8293	G N COLLEGE OF PHARMACY	House No: PLOT NO 6B ,Street: KNOWLEDGE PARK II ,Landmark: NEAR INDIA EXPO MART ,Panchayat: TUGALPUR ,Village: GREATER NOIDA ,PostOffice: JAGAT FARM ,Pincode: 201310	BOARD OF TECHNICAL EDUCATION, UTTAR PRADESH Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Three Faculties Available, Experience details are not available. 5. Faculties Not Available as per norms"
285	PCI-5888	Shanti Polytechnic and Pharmacy	House No: 23A 23B 34 37 ,Street: BAGHPAT ROAD ,Landmark: BAGHPAT ROAD ,Panchayat: KURALI ,Village: KURALI ,PostOffice: KURALI ,Pincode: 250501	NIL, The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. State policy decision-Not Available, 4. State policy decision-not Available, 5. Five Faculties are Presents and Three Absents and One Leave, 6. Faculties Experience(years) details Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Is Municipality Registration Office Available-Not Verified, 9. Andreason's Pipette-Not Verified, 10. Drug information resources-Not Verified, 11. All-purpose equipment with all accessories-Not Verified, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
286	PCI-6762	SHRI GURU HAR GOVIND SAHABH JI MEMORIAL COLLEGE OF EDUCATION	House No: 2 13/1 13/3 14 15 ,Street: SARDHANA BINOLI ROAD ,Landmark: ,Panchayat: JULEHRA ,Village: SARDHANA ,PostOffice: SARDHANA ,Pincode: 250342	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Four Faculties are Presents and Two Absents and Two Leave, 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Equipments Not Available and Not Verified on portal Verification, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Faculties Experience(years) details Not Available.

287	PCI-5657	shanti institute of technology and pharmacy	House No: 40A 40B 59 69 57Mi .Street: BAGHPAT ROAD .Landmark: BAGHPAT ROAD .Panchayat: KURALI ,Village: KURALI ,PostOffice: KURALI ,Pincode: 250501	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. State policy decision-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 5. Six Faculties are Presents and Faculties Experience(years)-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Friability test apparatus (Digital Single/Double unit)-Not Verified, 8. Specimen for various organs and systems-Not Verified, 9. Viscometer Ostwald/Brookfield-Not Verified, 10. All-purpose equipment with all accessories-Not Verified, 11. Hot plate-Not Verified, 12. Micrometre slide Stage-Not Verified, 13. Collapsible tube - Filling and Sealing-Not Verified, 14. Water Testing Kit-Not Verified, 15. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 16. Different Contraceptive Devices and Models-Not Verified, 17. Nessler's Cylinders-Not Verified, 18. Magnetic Stirrer with Thermostat-Not Verified, 19. Drug information resources-Not Verified, 20. Display for various disinfectants, mosquito repellents etc-Not Verified, 21. Capsule filling machine-Not Verified, 22. Ointment slab-Not Verified, 23. Digital balance (10mg)-Not Verified, 24. Buchner Funnel (Medium)-Not Verified, 25. Thieles Tube-Not Verified, 26. Digital balance 10mg sensitivity-Not Verified, 27. Inventory Software for Retail Pharmacy-Not Verified, 28. Digital Colorimeter-Not Verified, 29. Mercury Thermometer-Not Verified, 30. Surgical devices and Sutures-Not Verified, 31. Stop watch-Not Verified, 32. Micrometre slide Eye-piece-Not Verified, 33. Bio Metric Attendance System For Student-Not Available, 34. Triple Door Entering Setup For Aseptic Room-Not Available, 35. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 36. Pharmacology Software-Not Available."
288	PCI-7454	TUNDLA COLLEGE OF PHARMACY	House No: 96/1 96/2 ,Street: MULTAN SINGH MARG .Landmark: tundla ,Panchayat: PARTAPUR ,Village: PARTAPUR ,PostOffice: TUNDLA ,Pincode: 283204	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Six Faculties are Presents, Experience details are not available. 4. Faculties photograph not show on portal, 5. No Of International Journals Available-Not Available, 6. Is Municipality Registration Office Available-Not Available, 7. Andreasen's Pipette-Not Verified, 8. Insufficients Equipment as per norms, 9. Is social pharmacy laboratories maintained as per new regulations-Not Available, 10. Bio Metric Attendance System For Student-Not Available, 11. Bio Metric Attendance System For Faculty-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available."
289	PCI-7152	S.S. COLLEGE OF PHARMACY	House No: Shanker Eye Hospital .Street: Jaunpur City ,Landmark: Jaunpur City ,Panchayat: Jaunpur City ,Village: Shanker Eye Hospital ,PostOffice: 2220002 ,Pincode: 222002	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. Five Faculties are Presents and Two Absents, 3. Faculties Experience(years) details Not Available, 4. GSTDetails-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 6. No Of National Journals Available-Not Available, 7. Triple Door Entering Setup For Aseptic Room-Not Available.", 8. Faculties Pragna Baranwal photograph not show on portal, 9. Is Municipality Registration Office Available-Not Available, 10. Nessler's Cylinders-Not Verified, 11. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 12. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 13. Refrigerator-Not Verified, 14. Sintered glass filter with vacuum-Not Verified, 15. Haemocytometer with Micropipettes-Not Verified, 16. Surgical devices and Sutures-not Verified, 17. Computers: hospital and community pharmacy management software-Not Verified, 18. Sahli's haemoglobinometers-Not Verified, 19. Ointment spatula-Not Verified, 20. Thermostatic Water Bath-Not Verified, 21. Water Testing Kit-Not Verified, 22. Inventory Software for Retail Pharmacy-Not Verified, 23. Automated Single Station Tablet punching machine-Not Verified, 24. Thieles Tube-Not Verified, 25. Micrometre slide Eye-piece-Not Verified, 26. Micrometre slide Stage-Not Verified, 27. Dummy Inhalers and Nebulizer- Not Verified, 28. Human Permanent Slides for various tissues-Not Verified, 29. Andreasen's Pipette-Not Verified, 30. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 31. Digital pH meter-Not Verified, 32. Permanent slide of different microbes-Not Verified, 33. Mercury Thermometer-Not Verified, 34. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 35. Dummy devices (eg. Inhalers)-Not Verified, 36. Viscometer Ostwald/Brookfield-Not Verified, 37. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 38. Sphygmomanometers-Not Verified, 39. Monsanto's hardness tester-Not Verified, 40. Bio Metric Attendance System For Student-Not Available, 41. General And Departmental Notice Boards-Not Available."
290	PCI-7155	SUN INSTITUTE OF MEDICAL SCIENCES	House No: NA ,Street: NA .Landmark: PAKADI CHAURAHA ,Panchayat: BADHAUNA ,Village: BADHAUNA ,PostOffice: FATEHGANJ ,Pincode: 222132	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -not Available, 6. No Of International Journals Available-not Available, 7. Seven faculties are Presents and Two Leave, 8. Faculties Experience(years) details Not Available, 9. Instrument Numbering Register-Not Available, 10. Distillation Unit-Not Verified, 11. Hot Plate-Not Verified, 12. Buchner Funnel (Medium)-not Verified, 13. Thieles Tube-Not Verified, 14. Ampoule washing machine-Not Verified, 15. Sieve shaker with sieve set-Not Verified, 16. Sieve shaker with sieve set-Not Verified, 17. Micrometre slide Stage-Not Verified, 18. Liquid Filling Machine-Not Verified, 19. Stadiometer-Not Verified, 20. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 21. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 22. Electric water bath unit-Not Verified, 23. Andreasen's Pipette-not Verified, 24. Pulse Oximeter-Not Verified, 25. Monsanto's hardness tester-Not Verified, 26. Ointment filling machine-Not Verified, 27. Capsule Counter-Not Verified, 28. Ointment spatula-Not Verified, 29. Water Testing Kit-Not Verified, 30. Permanent slide set of plants and charts for Pharmacognosy Lab-not Verified, 31. Digital Balance (10 mg Sensitivity)-Not Verified, 32. Pestle and mortar porcelain-Not Verified, 33. Pfizer type hardness tester-Not Verified, 34. Various devices for screening services (B.P., monitor, glucometer etc)-Not Verified, 35. Thermostatic Water Bath-Not Verified, 36. Various types of PPE Kits,-Not Verified, 37. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 38. Digital Melting Point Apparatus-Not Verified, 39. Viscometer Ostwald/Brookfield-Not Verified, 40. Mannequins for injection IV Arm-Not Verified, 41. Magnetic stirrer, 500ml and 1 liter capacity with speed control-not Verified, 42. Liquid Mixer-Not Verified, 43. Liquid Mixer-Not Verified, 44. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 45. Permanent slide of different microbes-Not Verified, 46. Sintered glass filter with vacuum-Not Verified, 47. Surgical devices and Sutures-Not Verified, 48. Refrigerator-Not Verified, 49. Micrometre slide Eye-piece-Not Verified, 50. Desiccator-Not Verified, 51. Capsule filling machine-Not Verified, 52. Wall Mounted Water Distillation Unit-Not Verified, 53. Ointment slab-Not Verified, 54. Mannequins for CPR-1 (with indication Signals)-Not Verified, 55. Digital balance (10mg)-Not Verified, 56. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 57. Hot plates-Not Verified, 58. Mercury Thermometer-Not Verified, 59. RYLE's tube-Not Verified, 60. Human Permanent Slides for various tissues-not Verified, 61. Tablet counter - small size-Not Verified, 62. Dummy devices (eg. Inhalers)-Not Verified, 63. Clarity test apparatus-Not Verified, 64. Triple Door Entering Setup For Aseptic Room-Not Available, 65. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."
291	PCI-6267	Kite School of Pharmacy and Medical Science	House No: NH 58 ,Street: Bypass Road Opposite Ansal Sushant City Main Gate ,Landmark: Opposite Ansal Sushant City ,Panchayat: Ghat ,Village: Ghat ,PostOffice: Meerut ,Pincode: 250002	UPBTE LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Two Faculties Available, 4. Faculties Not Available as per norms,
292	PCI-5994	J S ACADEMY	House No: PALLAVPURAM .Street: PALLAVPURAM .Landmark: near baraat Ghar ,Panchayat: meerut ,Village: MEERUT ,PostOffice: MODIPURAM ,Pincode: 250110	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Eight Faculties are Presents, Experience details are not available. 6. Faculties AFSAR ALL, ANUJ KUMAR photograph not show on portal, 7. Thieles Tube-Not Verified, 8. Human Permanent Slides for various tissues-Not Verified, 8. Andreasen's Pipette-Not Verified, 9. Mannequins for CPR-1 (with indication Signals)-Not Verified, 10. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 11. Viscometer Ostwald/Brookfield-Not Verified, 12. Mannequins for injection IV Arm-Not Verified, 13. Peak Flow meter-Not Verified, 14. Water Testing Kit-Not Verified, 15. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 16. Nessler's Cylinders-Not Verified, 17. Stalagmometer-Not Verified, 18. Permanent slide of different microbes-Not Verified, 19. Sintered glass filter with vacuum-Not Verified, 20. Stop watch-Not Verified, 21. Desiccator-Not Verified, 22. Triple Door Entering Setup For Aseptic Room-Not Available, 23. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 24. Availability Of Institute Website-Not Available."
293	PCI-5893	MAA VAISHNO DEVI COLLEGE OF PHARMACY	House No: 0 ,Street: DADRI .Landmark: DADRI ,Panchayat: DADRI ,Village: DADRI ,PostOffice: DADRI ,Pincode: 250223	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse 3. Six Faculties are Presents and Two Leave, Experience details are not available."

294	PCI-8535	Hayward College Of Pharmacy	House No: 00 ,Street: street ,Landmark: Bijoli thana ,Panchayat: local ,Village: Bhela kalan ,PostOffice: Bhela kalan ,Pincode: 474006	RGPV Bhopal, DIPLOMA WING RGPV BHOPAL	B.Pharm, D.Pharm	B.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time 1. Bank Details -Not Provided/Available, 2. GST Details-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Out of 11 faculties only seven were Presents and four were absent on the day of inspection, 5. Is Previously Any Institution Running In Same Building-details not provided, 6. Is Municipality Registration Certificate Available-not Available, 7. Ampoule washing machine-Not Verified, 8. Steam distillation still-Not Verified, 9. Peak Flow meter-Not Verified, 10. Standard graphs of various drugs-Not Verified, 11. Ostwald's viscometer-Not Verified, 12. Paper Electrophoresis Unit-Not Verified, 13. Pole Climbing apparatus-Not Verified, 14. Tissue culture station-Not Verified, 15. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 16. Phase contrast/Trinocular Microscope-Not Verified, 17. Micrometre slide Eyepiece-Not Verified, 18. Potentiometer-Not Verified, 19. Gel Electrophoresis (Vertical and Horizontal)-Not Verified, 20. Menstrual hygiene products-Not Verified, 21. Levers, cannulae-Not Verified, 22. Tray dryer-Not Verified, 23. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 24. Display for various disinfectants, mosquito repellents etc-Not Verified, 25. Wall Mounted Water Distillation Unit-Not Verified, 26. Laminar airflow unit-Not Verified, 27. Precision Melting point Apparatus-Not Verified, 28. Viscometer Ostwald/Brookfield-Not Verified, 29. Reflux flask and condenser double / triple necked -Not Verified, 30. Permanent slide of different microbes-Not Verified, 31. Stadiometer-Not Verified, 32. IR Thermometer-Not Verified, 33. Myographic Lever-Not Verified, 34. Refrigerated Centrifuge-Not Verified, 35. Aerators-Not Verified, 36. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 37. Herbal Garden-Not Available, 38. Bio Metric Attendance System For Student-Not Available, 39. Model Pharmacy Laboratory does not have Provision Of Drug Information Center And Patient Counselling Center, 40. Triple Door Entering Setup For Aseptic Room-Not Available., D.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time 1. Bank Details -Not Provided/Available, 2. GST Details-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Out of 11 faculties only seven were Presents and four were absent on the day of inspection, 5. Is Previously Any Institution Running In Same Building-details not provided, 6. Is Municipality Registration Certificate Available-not Available, 7. Ampoule washing machine-Not Verified, 8. Steam distillation still-Not Verified, 9. Peak Flow meter-Not Verified, 10. Standard graphs of various drugs-Not Verified, 11. Ostwald's viscometer-Not Verified, 12. Paper Electrophoresis Unit-Not Verified, 13. Pole Climbing apparatus-Not Verified, 14. Tissue culture station-Not Verified, 15. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 16. Phase contrast/Trinocular Microscope-Not Verified, 17. Micrometre slide Eyepiece-Not Verified, 18. Potentiometer-Not Verified, 19. Gel Electrophoresis (Vertical and Horizontal)-Not Verified, 20. Menstrual hygiene products-Not Verified, 21. Levers, cannulae-Not Verified, 22. Tray dryer-Not Verified, 23. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 24. Display for various disinfectants, mosquito repellents etc-Not Verified, 25. Wall Mounted Water Distillation Unit-Not Verified, 26. Laminar airflow unit-Not Verified, 27. Precision Melting point Apparatus-Not Verified, 28. Viscometer Ostwald/Brookfield-Not Verified, 29. Reflux flask and condenser double / triple necked -Not Verified, 30. Permanent slide of different microbes-Not Verified, 31. Stadiometer-Not Verified, 32. IR Thermometer-Not Verified, 33. Myographic Lever-Not Verified, 34. Refrigerated Centrifuge-Not Verified, 35. Aerators-Not Verified, 36. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 37. Herbal Garden-Not Available, 38. Bio Metric Attendance System For Student-Not Available, 39. Model Pharmacy Laboratory does not have Provision Of Drug Information Center And Patient Counselling Center, 40. Triple Door Entering Setup For Aseptic Room-Not Available.
295	PCI-8247	Dr. V. P. Madnawat College Of Pharmacy	House No: Hathras Junction ,Street: hathras sikandra rao road ,Landmark: Hathras Junction ,Panchayat: kalora ,Village: Hathras Junction ,PostOffice: Hathras Junction ,Pincode: 204101	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. InstituteDetails-Not Available, 3. GSTDetails-Not Available, 4. Faculties Experience(years) details Not Available, 5. Salary Acquaintance Register Of Staff(teaching & Non-teaching -Not Available, 6. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE-Not Available, 7. No Of International Journals Available-Not Available, 8. Six Faculties are Presents and Two Absents, 9. Display of name of owner-Not Verified, 10. Patient waiting area,-Not Verified, 11. Andreasen's Pipette-Not Verified, 12. Ointment filling machine-Not Verified, 13. Box/area for expiry medicines,-Not Verified, 14. Patient Information ,Leaflets/Cards-not Verified, 15. Ointment spatula-Not Verified, 16. First aid equipment-Not Verified, 17. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 18. Drug information resources-Not Verified, 19. Sintered glass filter with vacuum-Not Verified, 20. Empty cartons of variety medicines (across variety dosage forms)-Not Verified, 21. Bill book (dummy) Computer stationary for bill printing-Not Verified, 22. Charts /displays/ AVs on tobacco control, glyemic index of foods, nutrition, reproductive health-Not Verified, 23. Thieles Tube-Not Verified, 24. Sahli's haemoglobinometers-Not Verified, 25. Bottle washing Machine-Not Verified, 26. Inspection book,-Not Verified, 27. Display of pharmacist registration, license and other licenses-Not Verified, 28. Designated patient counselling area,-Not Verified, 29. Stadiometer- Not Verified, 30. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 31. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 32. Mannequins for injection IV Arm-Not Verified, 33. All-purpose equipment with all accessories-Not Verified, 34. Drug Information books-Not Verified, 35. Inventory Software for Retail Pharmacy-Not Verified, 36. Menstrual hygiene products-Not Verified, 37. Various devices for screening services (B.P_monitor, glucometer etc)-Not Verified, 38. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 39. Various name plates indicating different parts of Pharmacy,-Not Verified, 40. Height and body weight chart-Not Verified, 41. Display windows, shelves-Not Verified, 42. Tablet counter - small size-Not Verified, 43. Tablet counter - small size-Not Verified, 44. Clarity test apparatus-Not Verified, 45. Display for various disinfectants, mosquito repellents etc-Not Verified, 46. Wall Mounted Water Distillation Unit-Not Verified, 47. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 48. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 49. Pharmacology Software-Not Available, 50. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available."
296	PCI-7319	DR RAM CHARITTAR NISHAD COLLEGE OF PHARMACY	House No: Chaura Santdas ,Street: Sikrara ,Landmark: SIKRARA ,Panchayat: CHAURA SANTDAS ,Village: CHAURA SANTDAS ,PostOffice: SIKRARA ,Pincode: 222131	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available 3. Latest Project Budget & Expenditure Report-Not Available, 4. Only Three Faculty are Presents and Four Absents, Principal & Faculty Experience details are not available. 5. Faculties photograph not show on portal, 6. Building Construction Cost-Not Available, 9. Stop watch-Not Verified, 10. Bottle Sealing Machine-Not Verified, 11. Triple Door Entering Setup For Aseptic Room-Not Available, 12. Pharmacology Software-Not Available.
297	PCI-7407	SRS COLLEGE OF PHARMACY	House No: 138 ,Street: INDAWALI TO ARJUN ROAD ,Landmark: SHIV TEMPLE ,Panchayat: INDAWALI ,Village: INDAWALI ,PostOffice: BALDEO ,Pincode: 281301	BTE UP	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Only Five Faculties are Presents and One Absents and Three Leave, 4. Digital Melting Point Apparatus-Not Verified, 5. Viscometer Ostwald/Brookfield-Not Verified, 6. RYLE's tube-Not Verified, 7. Stalagmometer- Not Verified, 8. Colostomy bags-Not Verified.
298	PCI-7208	SHREE JEE BABA COLLEGE OF PHARMACY	House No: SEMARI CHHATA ,Street: SEMARI CHHATA ,Landmark: NH 19 ,Panchayat: CHHATA ,Village: SEMARI CHHATA ,PostOffice: CHHATA ,Pincode: 281401	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Only Three Faculties are Presents and Three are absents and Two on Leave, Faculties are not available as per norms. Faculty Experience details are not available. 2. Is Previously Any Institution Running In Same Building-Not Available, 3. Actophotometer-Not Verified.

299	PCI-4635	Gaura College Of Pharmacy Vill Amoura Post Pandaha Dist Azamgarh Uttar Pradesh	House No: 0 ,Street: GAURA ,Landmark: GAURA ,Panchayat: GAURA ,Village: GAUR ,PostOffice: GAURA ,Pincode: 276202	UPBTE LUCKNOW	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. InstituteDetails-Not Available, 3. InstitutionApplications-Not Available, 4. GSTDetails-Not Available, 5. Salary Acquaintance Register OfStaffteaching & Non-teaching - Not Available, 6. Details OfSalary Disbursement-bank Transfer Details-Not Available, 7. Is Computer Laboratories Available As Per Norms-Not Available, 8. There are No Faculty Available as per norms, faculty experience details - not available 9. Only One Faculty are Presents during inspection. 10. Is Previously Any Institution Running In Same Building-Not Available, 11. Is Municipality Registration Office Available-Not Available, 12. Actophotometer-Not Verified, 13. Equipments Not Available and Not Verified on portal Verification, 14. Bio Meteric Attendance System For Student-Not Available, 15. Pharmacology Software-Not Available, 16. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 17. Smart Classroom-Not Available, 18. Triple Door Entering Setup For Aseptic Room-Not Available, 19. Instrument Numbering Register-Not Available,
300	PCI-7445	SURYA INSTITUTE OF PHARMACY	House No: 0 ,Street: GHINHAPUR GOPALPUR AZAMGARH ,Landmark: GHINHAPUR GOPALPUR AZAMGARH ,Panchayat: GHINHAPUR ,Village: GHINHAPUR GOPALPUR AZAMGARH ,PostOffice: GOPALPUR ,Pincode: 276204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Faculty as per norms -Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 4. No Of National Journals Available-Not Available, 5. Is Computer Laboratories Available As Per Norms-Not Available, 6. No Of International Journals Available-Not Available, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Equipments Not Available and Not Verified on portal Verification, 9. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 10. Smart Classroom-Not Available, 11. Bio Meteric Attendance System For Student-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 14. Laboratories and Classrooms are not available as per norms.
301	PCI-7926	KAILASHNATH COLLEGE OF PHARMACY	House No: 0 ,Street: AZAMGARH ,Landmark: SIDHNATH BABA TEMPLE ,Panchayat: DEEHA ,Village: AZAMGARH ,PostOffice: DEEHA ,Pincode: 276128	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Six Faculties are Presents and Two Absents, 2. All faculty's Experience(years) details not mentioned on portal, 3. Faculty AAMIT MAURYA, AJEET SINGH and JAI PASWAN photograph not show on portal, 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Carbon dioxide euthanasia set-up-Not Verified, 6. Equipments Not Available and Not Verified on portal Verification, 7. Bio Meteric Attendance System For Student-Not Available, 8. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 9. Instrument Numbering Register-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available, 11. Smart Classroom-Not Available.
302	PCI-7160	CAMBRIDGE SCHOOL OF PHARMACY	House No: 393/401 ,Street: RATH ROAD SAQLAINABAD ,Landmark: RATH ROAD SAQLAINABAD ,Panchayat: PANWARI ,Village: PANWARI ,PostOffice: PANWARI ,Pincode: 210429	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Eight Faculties are Presents, Principal & Faculty Experience details are not available. 2. Mannequins for injection IV Arm-Not Verified, 3. Drug Information books-Not Verified, 4. Display of name of owner-Not Verified, 5. Various devices for screening services (B.P._monitor_ glucometer etc)-Not Verified, 6. Various name plates indicating different parts of Pharmacy,-Not Verified, 7. Stalagmometer-Not Verified, 8. Height and body weight chart-Not Verified, 9. Drug information resources-Not Verified, 10. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 11. Filtration assembly with Vacuum Pump-Not Verified, 12. Surgical devices and Sutures-Not Verified, 13. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 14. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 15. Patient Information _Leaflets/Cards-Not Verified, 16. Peak Flow meter-not Verified, 17. Inspection book,-Not Verified.
303	PCI-6903	Atul pharmacy college sirsaganj road mainpuri	House No: 1180 ,Street: SIRSAGANJ ROD ,Landmark: NEAR SINDHIYA TIRAHA ,Panchayat: AUDEN MANDAL ,Village: LALPUR ,PostOffice: AUDEN MANDAL ,Pincode: 205001	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 2. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 3. Only Four Faculties Presents and Two Absents, Experience details are not available. 4. Principal photograph not show in PCI portal, 5. PHYSIOLOGY, PHARMACOLOGY AND PHARMACOGNOSY LAB-Not Verified, 6. PHARMACEUTICAL CHEMISTRY-Not Verified, 7. BIOCHEMISTRY, CLINICAL PATHOLOGY, HOSPITAL AND CLINICAL PHARMACY LAB-Not Verified, 8. Is Municipality Registration Office Available-Not Available, 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 11. Thieles Tube-Not Verified, 12. IR Thermometer-Not Verified, 13. Upload pharmacy laboratories four angle geo tag-Not Available, 14. Upload electricity telephone bill-Not Available, 15. Is social pharmacy laboratories maintained as per new regulations-Not Available, 16. Pharmacology Software-Not Available, 17. Triple Door Entering Setup For Aseptic Room-Not Available.
304	PCI-7782	SWAMI VIVEKANAND COLLEGE OF PHARMACY	House No: NA ,Street: MAMNA ROAD ,Landmark: NA ,Panchayat: NA ,Village: MAMNA ROAD ,PostOffice: MAHOBA ,Pincode: 210427	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Eight Faculties are Presents, 2. All Faculties Experience(years) details not available on portal, 3. Equipments Not Available and Not Verified on portal, 4. Upload electricity telephone bill-Not Available. 5. Principal is not available. 6. Only One Classroom is verified which is not available as per norms.
305	PCI-7311	LN INSTITUTE OF PHARMACY	House No: 1 ,Street: LABHUA ROAD ,Landmark: NEAR HANUMAN MANDIR ,Panchayat: SHIKOHABAD ,Village: SHIKOHABAD ,PostOffice: shikohabad ,Pincode: 205135	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Approval of State Govt - Not Properly Visible, 2. BankDetailsResponse-Not Available, 3. GSTDetails-Not Available, 4. Salary Acquaintance Register - Not Available, 5. Only One Faculty VISHAL KUMAR Principal is Available, Faculties are not available as per norms. 6. Is Municipality Registration Office Available-Not Available, 7. Digital pH meter-Not Verified, 8. Sieve shaker with sieve set-Not Verified, 9. Digital Melting Point Apparatus-Not Verified, 10. Viscometer Ostwald/Brookfield-Not Verified, 11. Glucometer-Not Verified, 12. Liquid Mixer-Not Verified, 13. Pulse Oximeter-Not Verified, 14. Adult Weighing Scale (150 kg)-Not Verified, 15. Micrometre slide Stage-Not Verified, 16. Liquid Filling Machine-Not Verified, 17. Stadiometer-Not Verified, 18. Colostomy bags-Not Verified, 19. Bill book (dummy) Computer stationary for bill printing-Not Verified, 20. Dummy Inhalers and Nebulizer-Not Verified, 21. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 22. Compound microscope-Not Verified, 23. Tablet counter - small size-Not Verified, 24. Dummy devices (eg. Inhalers)-Not Verified, 25. Clarity test apparatus-Not Verified, 26. Buchner Funnels (Medium-Not Verified, 27. Thieles Tube-Not Verified, 28. Ampoule washing machine-Not Verified, 29. Projection microscope-Not Verified, 30. Stalagmometer-Not Verified, 31. Micrometre slide Eyepiece-Not Verified, 32. IR Thermometer-Not Verified, 33. Bottle washing Machine-Not Verified, 34. Peak Flow meter-Not Verified, 35. Triple Door Entering Setup For Aseptic Rooms-Not Available.

306	PCI-7920	SHRI VINAYAK PARAMADICAL COLLEGE	House No: 0 ,Street: 0 ,Landmark: ETAH ROAD ,Panchayat: NAGLA AWAJI ,Village: TUNDALA ,PostOffice: THANUMAI ,Pincode: 203135	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. Faculty experience details -Not Available, 3. Principal has B. Pharm Qualification -Not Available as per norms, 4. GSTDetails-Not Available, 5. Eight Faculties are Presents, 6. Is Municipality Registration Office Available-Not Available, 7. Bio Meteric Attendance System For Student-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available.
307	PCI-7803	RAM SHRI DEVI MAHAVIDYALAYA	House No: 0 ,Street: NAGLA MAHARI ,Landmark: KUMRAUA ,Panchayat: KUMRAUA ,Village: NANGLA MAHARI ,PostOffice: NAGLA MAHARI ,Pincode: 207124	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Salary Register -Not Properly Available, 2. GSTDetails-Not Available, 3. Computer Details-Not Available, Only one laptop photo found, 4. BankDetailsResponse-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Insufficient Equipments as per norms, 7. Equipments Not Available and Not Verified on portal Verification, 8. Smart Classroom-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Instrument Numbering Register-Not Available, 11. Faculties Not Available as per norms, 12. Faculty details not show on portal
308	PCI-6314	R B S MAHAVIDHYALYA DEPARTMENT OF PHARMACY	House No: 2883 ,Street: Aliganj road Patiyali ,Landmark: 000 ,Panchayat: Patiyali ,Village: Patiyali ,PostOffice: Patiyali ,Pincode: 207243	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Audited Financial Statement Last Three Years-Not Properly Visible, 2. GSTDetails-Not Available, 3. BankDetailsResponse-Not Available, 4. Details Of Salary Disbursement-bank Transfer Data-Not Available, 5. Seven Faculties are Presents, Experience details are not available, 6. Is Municipality Registration Office Available-Not Available, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available.
309	PCI-5722	SHRI GAURI SHANKAR COLLEGE	House No: 209/1 210/1 210/2 206/1 212 ,Street: KOTLA ROAD ,Landmark: NEAR MISHRA FILLING STATION ,Panchayat: KUTUKPUR CHANAURA ,Village: FIROZABAD ,PostOffice: MUIUDDINPUR ,Pincode: 283203	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, Experience details are not available. 3. Pharmacology Software-Not Available.
310	PCI-6034	C.B.S COLLEGE OF PHARMACY	House No: 609 520 521 ,Street: KHAIRGARH ROAD ,Landmark: NEAR PRATAPPUR ,Panchayat: BAIRANI SANAURA ,Village: BAIRANI SANAURA FIROZABAD ,PostOffice: PRATAPPUR ,Pincode: 283145	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Details Of Salary Disbursement-bank Transfer Details - Not Available, 2. GSTDetails-Not Available, 3. Audited Financial Statement Last Three Years-Not Available, 4. Eight Faculties are Presents, Principal & Faculty experience details are not available, 5. faculty photograph name of Vijay Sharma, Vishal Raj, Mayank Agarwal, PREETI SOLANKI Not show on portal, 6. Thermostatic Water Bath-Not Verified, 7. Compound microscope-Not Verified, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Pharmacology Software-Not Available.
311	PCI-5733	S D R COLLEGE OF PHARMACY	House No: 0 ,Street: NA ,Landmark: NA ,Panchayat: MUGHAL SARAI ,Village: VILLAGE ,PostOffice: MUGHAL SARAI ,Pincode: 232101	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, 3. Is Municipality Registration Office Available-Not Available, 4. Is social pharmacy laboratories maintained as per new regulations-Not Available, 5. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 5. General Insurances Provided For Assets Against Fire,burglary And Other Calamities-Not Available, 6. Smart Classroom-Not Available, 7. PCI And BTEUP Joint Inspection-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Faculties are not available as per norms. 10. Equipment are not available as per norm.
312	PCI-7134	Aaprup College of Pharmacy	House No: Kushahan ,Street: Kushahan ,Landmark: Kushahan ,Panchayat: Kushahan ,Village: Chandauli ,PostOffice: Chandauli ,Pincode: 232104	UPBTE LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 3. Salary Acquaintance Register Of Staff teaching & Non-teach-Not Available, 4. Faculties Not Available as per norms, 5. Two faculties details are Available on portal, 6. Is Municipality Registration Office Available-Not Available, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Tablet counter - small size-Not Verified, 9. Analytical Balances for demonstration-not Verified, 10. Microscopes-Not Verified, 11. Water Testing Kit-Not Verified, 12. Nessler's Cylinders-Not Verified, 13. Magnetic Stirrers with Thermostat-Not Verified, 14. Dummy Inhalers and Nebulizer-Not Verified, 15. Digital pH meter-Not Verified, 16. Projection microscope-Not Verified, 17. Thermostatic Water Bath-Not Verified, 18. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 19. Stalagometer-Not Verified, 20. Height and body weight chart-Not Verified, 21. Height and body weight chart-Not Verified, 22. Hot plates-Not Verified, 23. Mercury Thermometer-Not Verified, 24. Stethoscopes-Not Verified, 25. Surgical devices and Sutures-Not Verified, 26. Stop watch-Not Verified, 27. Sahli's haemoglobinometers-Not Verified, 28. Micrometre slide Stage-Not Verified, 29. Stadiometer-Not Verified, 30. Stadiometer-Not Verified, 31. Electric water bath unit-not Verified, 32. Buchner Funnels (Medium)-Not Verified, 33. Thieles Tube-not Verified, 34. Digital balance (10mg)-Not Verified, 35. Capsule Counter-Not Verified, 36. Digital Melting Point Apparatus-Not Verified, 37. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 38. Hot Air Oven-Not Verified, 39. Compound microscope-Not Verified, 40. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 41. Smart Classroom-Not Available, 42. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 43. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 44. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available.
313	PCI-6790	ST.JANU BABA PARAMEDICAL COLLEGE	House No: PLOT NO- 457 ,Street: MAINPURI ROAD MANDAI ,Landmark: JANU BABA MANDIR MANDAI ,Panchayat: MANDAI ,Village: MANDAI ,PostOffice: MANDAI ,Pincode: 283135	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Lab and Classroom Not Available as per norms,-4. State policy decision-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Three Faculties Available, Faculties Not Available as per norms, 7. Is Municipality Registration Office Available-Not Available, 8. Is Previously Any Institution Running In Same Building-Not Available, 9. Insufficient Equipments as per norms, 10. Equipments Not Available and Not Verified on portal, 11. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 12. Pharmacology Software-Not Available, 13. Triple Door Entering Setup For Aseptic Room-Not Available."

314	PCI-7113	M.R.S. PARAMEDIACAL INSTITUTE	House No: POLT NO-34-262 ,Street: BALIPUR SIRSAGANJ ROAD ,Landmark: NEAR PSC HOSPITAL BALIPUR ,Panchayat: BALIPUR ,Village: BALIPUR ,PostOffice: BALIPUR ,Pincode: 205142	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. No Of National Journals Available-Not Available, 5. Two Faculties Available, Faculties Not Available as per norms, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Insufficients Equipment as per norms, 9. Equipments Not Available and Not Verified on portal, 10. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 11. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 12. Pharmacology Software-Not Available, 13. Pharmacology Software-Not Available, 14. Bio Meteric Attendance System For Faculty-Not Available, 15. Bio Meteric Attendance System For Student-Not Available. 16. Classroom Not Available as per norms, 17. Two Faculties Experience(years) details Not Available.
315	PCI-7276	SHAILENDRA SINGH COLLEGE OF PHARMACY	House No: 28 44 ,Street: JASRANA ,Landmark: SHIV MANDIR ,Panchayat: BHADANA ,Village: RAJGARH ,PostOffice: BHADANA ,Pincode: 205152	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Three Faculties are Presents, 4. faculties not available as per norms, 5. Is Municipality Registration Office Available-Not Available, 6. Triple Door Entering Setup For Aseptic Room-Not Available, 7. Availability Of Institute Website-Not Available, 8. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 9. Pharmacology Software-Not Available, 10. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available.
316	PCI-7048	VIVEK COLLEGE OF PHARMACY	House No: 22 ,Street: sara ,Landmark: ,Panchayat: ,Village: Govindpuri ,PostOffice: Govindpuri ,Pincode: 201201	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Four Faculties are Presents and Four Leave, 4. Insufficients Equipments as per norms, 5. Equipments Not Available and Not Verified on portal Verification, 6. Three Labs Available, Infrastructures are not available as per norms. 7. Faculties Experience(years) Not Available.
317	PCI-7030	P R S COLLEGE OF PHARMACY	House No: 0 ,Street: vilsad road ,Landmark: NEAR HATSARI ,Panchayat: ALIGANJ ,Village: ALIGANJ DEHAT ,PostOffice: ALIGANJ ,Pincode: 207247	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. There are not Faculty available as per PCI norms, 3. five Faculty Details on portal All are Absents, 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Water Testing Kit-Not Verified, 7. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 8. IR Thermometer-Not Verified, 9. Andreasen's Pipette-Not Verified, 10. Pulse Oximeter-Not Verified, 11. Various types of PPE Kits,-Not Verified, 12. Micrometre slide Stage-Not Verified, 13. Stadiometer-Not Verified, 14. Surgical devices and Sutures-Not Verified, 15. Mannequins for injection IV Arm-Not Verified, 16. Liquid Mixer-Not Verified, 17. Mannequins for CPR-1 (with indication Signals)-Not Verified, 18. Bio Meteric Attendance System For Student-Not Available, 19. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 20. Triple Door Entering Setup For Aseptic Room-Not Available.
318	PCI-6877	ANUBIS INSTITUTE OF MEDICAL SCIENCES	House No: NH 530 ,Street: Rampur Road ,Landmark: 0 ,Panchayat: Meerganj ,Village: Paraura ,PostOffice: Meerganj ,Pincode: 243504	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 3. No Of National Journals Available-Not Available, 4. No Of International Journals Available-Not Available, 5. Seven Faculties are Presents and One Absents, Faculties are not available as per norms, 6. Faculty Experience(years) Details not mentioned on PCI portal, 7. Is Municipality Registration Office Available-Not Available, 8. Display of name of owner-Not Verified, 9. Patient waiting area,-Not Verified, 10. Andreasen's Pipette-Not Verified, 11. Capsule Counter-Not Verified, 12. Display windows, shelves-Not Verified, 13. Tablet counter - small size-Not Verified, 14. Dummy devices (eg. Inhalers)-Not Verified, 15. Analytical Balances for demonstration-Not Verified, 16. Buchner Funnels (Medium)-not Verified, 17. Thieles Tube-not Verified, 18. Thieles Tube-Not Verified, 19. Inventory Software for Retail Pharmacy-not Verified, 20. Bottle Sealing Machine-Not Verified, 21. Patient Information ...Leaflets/Cards-Not Verified, 22. Ointment spatula-Not Verified, 23. Peak Flow meter-Not Verified, 24. Permanent slide set of plants and charts for Pharmacognosy Lab-not Verified, 25. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 26. Computers: hospital and community pharmacy management software-Not Verified, 27. Various types of PPE Kits,-Not Verified, 28. Standard sieves, sieve no. 8, 10, 12,22,24, 44,54,60,80,85, 100,120-Not Verified, 29. Sieve shaker with sieve set-Not Verified, 30. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 31. Sahli's haemoglobinometers-Not Verified, 32. Bottle washing Machine-Not Verified, 33. Inspection book-Not Verified, 34. Display of pharmacist registration, license and other licenses-Not Verified, 35. Liquid Filling Machine-Not Verified, 36. RYLE's tube-Not Verified, 37. Ointment slab-Not Verified, 38. IR Thermometer-Not Verified, 39. Bio Meteric Attendance System For Faculty-Not Available, 40. Machine Are Fixed On Cemented Blocks-Not Available, 41. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 42. Bio Meteric Attendance System For Student-Not Available, 43. General Insurance Provided For Assets Against Fire,burglary And Other Calamities-Not Available, 44. Availability Of Institute Website-Not Available, 45. Pharmacology Software-Not Available, 46. Smart Classroom-Not Available, 47. Triple Door Entering Setup For Aseptic Room-Not Available, 48. Instrument Numbering Register-Not Available.
319	PCI-7955	KHANDELWAL COLLEGE OF PHARMACY	House No: Gata No 31 32 ,Street: Village Dahlau E Zed ,Landmark: Village Dahlau E Zed ,Panchayat: Faridpur ,Village: FARIDPUR ,PostOffice: Faridpur ,Pincode: 243503	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff teaching & Non-teach-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE-Not Available, 4. No Of International Journals Available-Not Available, 5. Eight Faculties are Presents, Principal & Faculty experience details are not available, 6. Is Municipality Registration Office Available-Not Available, 7. Monsanto's hardness tester-Not Verified, 8. Inventory Software for Retail Pharmacy-Not Verified, 9. Bottle Sealing Machine-Not Verified, 10. Inspection book,-Not Verified, 11. All-purpose equipment with all accessories-Not Verified, 12. Lock and key arrangement for Schedule X and NDPS medicines,-Not Available, 13. Computers: hospital and community pharmacy management software-Not Verified, 14. Bio Meteric Attendance System For Student-Not Available, 15. Triple Door Entering Setup For Aseptic Room-Not Available, 16. Instrument Numbering Register-Not Available.
320	PCI-6638	ACMT COLLEGE	House No: 01 ,Street: NH2 ,Landmark: NA ,Panchayat: ROOPASPUR ,Village: ROOPASPUR ,PostOffice: MAKHANPUR ,Pincode: 283203	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Audited Financial Statement Last Three Years -Not Properly Visible, 3. BankDetailsResponse-Not Available, 4. Computer Laboratory -Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Only Eight Faculties are Presents but All Faculty photograph not show on portal, Experience details are not available, 7. Is Municipality Registration Office Available-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 10. Smart Classroom-Not Available.
321	PCI-7885	S.P. COLLEGE OF PHARMACY	House No: 1 ,Street: etah shikohabad to nagla dheer link road ,Landmark: dheer road ,Panchayat: nagla dheer ,Village: nagla dheer ,PostOffice: nagla dheer ,Pincode: 283130	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven Faculties are Presents, Faculty of B. Pharm Qualification have not 3 years of experience. Faculties are not available as per norms. 3. Is Municipality Registration Office Available-Not Available, 4. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 5. Triple Door Entering Setup For Aseptic Room-Not Available."

322	PCI-818	Haldia Institute Of Pharmacy Icare Complex Hatiberia	House No: ICARE Complex ,Street: HATIBERIA ,Landmark: ICARE COMPLEX KNOWLEDGE CITY ,Panchayat: HATIBERIA ,Village: HATIBERIA ,PostOffice: HIT college ,Pincode: 721657	The Registrar West Bengal University of Health Sciences, The Registrar West Bengal University of Health Sciences, The Registrar West Bengal University of Health Sciences, The Registrar West Bengal University of Health Sciences	M.Pharm Pharmacology, Pharm.D, M.Pharm Pharmaceutical Chemistry, M.Pharm Pharmaceutics, M.Pharm Pharmaceutical Analysis, B.Pharm, D.Pharm	M.Pharm (Pharmaceutical Chemistry)-15 , Pharm.D Grant approval for 2024-2025 academic session for the conduct of 1st year for 30 admissions for Pharm.D course. , M.Pharm (Pharmaceutical Analysis)-15, M.Pharm (Pharmacology)-15, D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course., B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course., M.Pharm (Pharmaceutics)-15
323	PCI-6708	PRITEE COLLEGE OF PHARMACY	House No: preet vihar ,Street: bisalpur road ,Landmark: ,Panchayat: rasoolpur vahanpur ,Village: rasoolpur vahanpur ,PostOffice: kakra kalan ,Pincode: 243503	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 5. Equipments Not Available and Not Verified on portal Verification, 6. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 7. Is Display Of Chart In Respective Laboratories-Not Available, 8. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Smart Classroom-Not Available, 11. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 12. Bio Meteric Attendance System For Student-Not Available, 13. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 14. Herbal Garden-Not Available, 15. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 16. Pharmacology Software-Not Available, 17. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 18. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 19. Bio Meteric Attendance System For Faculty-Not Available, 20. Instrument Numbering Register-Not Available, 21. Machine Are Fixed On Cemented Blocks-Not Available, 22. Institute not found as PCI norm. 23. Facilities is Not Available as per norms.
324	PCI-6629	GURU NANAK PHARMACY COLLEGE	House No: 0 ,Street: Thakurdwara Road ,Landmark: Near Saini Dhaba ,Panchayat: Umarpur Khadar ,Village: Umarpur Khadar ,PostOffice: Seohara ,Pincode: 246746	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. No Of International Journals Available-Not Available, 3. No Of National Journals Available-Not Available, 4. No Of Computer Available-Not Available, 5. Three Faculties are Presents and Three Absents, Experience details are not available. 6. Is Municipality Registration Office Available-Not Available, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Ampoule washing machine-Not Verified, 9. Thieles Tube-Not Verified, 10. Digital BP Instrument-Not Verified, 11. Pfizer type hardness tester-Not Verified, 12. RYLE's tube-Not Verified, 13. Andraesen's Pipette-Not Verified, 14. Liquid Mixer-Not Verified, 15. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 16. Surgical devices and Sutures-Not Verified, 17. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 18. Mannequins for CPR-1 (with indication Signals)-Not Verified, 19. Levers, cannulae-Not Verified, 20. Human Permanent Slides for various tissues-Not Verified, 21. Height and body weight chart-Not Verified, 22. Peak Flow meter-Not Verified, 23. Filtration assembly-Not Verified, 24. Is social pharmacy laboratories maintained as per new regulations-Not Available, 25. Triple Door Entering Setup For Aseptic Room-Not Available, 26. Herbal Garden-not Available, 27. Pharmacology Software-Not Available, 28. General And Departmental Notice Boards-Not Available."
325	PCI-6478	Prathviraj Chauhan College of Pharmacy	House No: 501 ,Street: Moradabad Road Dhampur ,Landmark: Chakrajmal Dhampur ,Panchayat: Chakrajmal ,Village: Chakrajmal ,PostOffice: Chakrajmal ,Pincode: 246761	THE SECRETARY BOARD OF TECHNICAL EDUCATION LUCKNOW UP	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Four Faculties are Presents and Three Absents, Faculty experience are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Computer with LCD-Not Verified, 6. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available.", 7. Machine Are Fixed On Cemented Blocks-Not Available, 8. Digital BP Instrument-not Verified, 9. Oxygen masks-Not Verified, 10. Andraesen's Pipette-not Verified, 11. Pulse Oximeter-Not Verified, 12. Monsanto's hardness tester-Not Verified, 13. Adult Weighing Scale (150 kg)-Not Verified, 14. Capsule Counter-Not Verified, 15. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 16. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 17. Bottle Sealing Machine-Not Verified, 18. Urine Bag-Not Verified, 19. Sieve shaker with sieve set-Not Verified, 20. Digital Thermometer-Not Verified, 21. Filtration assembly with Vacuum Pump-Not Verified, 22. Lock and key arrangement for Schedule X and NDPS medicines.-Not Verified, 23. Refrigerator-Not Verified, 24. Variety of Syringes-Not Verified, 25. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 26. Micrometre slide Eyepiece-Not Verified, 27. Urine pots-Not Verified, 28. RYLE's tube-Not Verified, 29. Variety of Needles-Not Verified, 30. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 31. Bill book (dummy) Computer stationary for bill printing-Not Verified, 32. Micrometre slide Stage-Not Verified, 33. Stadiometer-Not Verified, 34. Collapsible tube - Filling and Sealing-Not Verified, 35. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 36. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 37. Magnetic Stirrers with Thermostat-Not Verified, 38. Dummy Inhalers and Nebulizer-Not Verified, 39. Drug information resources-Not Verified, 40. Various name plates indicating different parts of Pharmacy,-Not Verified, 41. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 42. Projection microscope-Not Verified, 43. Various types of PPE Kits,-Not Verified, 44. Stalagmometer-Not Verified, 45. Height and body weight chart-Not Verified, 46. Height and body weight chart-Not Verified, 47. Specimen for various organs and systems-Not Verified, 48. Mannequins for injection IV Arm-Not Verified, 49. Glucometer-Not Verified, 50. Liquid Mixer-Not Verified, 51. Drug Information books-Not Verified, 52. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 53. Vacuum Pump-Not Verified, 54. IR Thermometer-Not Verified, 55. Permanent slide of different microbes-Not Verified, 56. Sintered glass filter with vacuum-Not Verified, 57. Haemocytometer with Micropipettes-not Verified, 58. Colostomy bags-Not Verified, 59. Display for various disinfectants, mosquito repellents etc-Not Verified, 60. Variety of catheters-Not Verified, 61. Ointment slab-Not Verified, 62. Health information display,-Not Verified, 63. Mannequins for CPR-1 (with indication Signals)-Not Verified, 64. Patient Information ...Leaflets/Cards-Not Verified, 65. Ointment spatula-Not Verified, 66. Peak Flow meter-Not Verified, 67. Water Testing Kit-Not Verified, 68. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 69. Different Contraceptive Devices and Models-Not Verified, 70. Pfizer type hardness tester-not Verified, 71. Distillation Unit-Not Verified, 72. Buchner Funnels (Medium)-Not Verified, 73. Thieles Tube-Not Verified, 74. Human Permanent Slides for various tissues-Not Verified, 75. Display windows, shelves-Not Verified, 76. Tablet counter - small size-Not Verified, 77. IV set-Not Verified, 78. Dummy devices (eg. Inhalers)-Not Verified, 79. Sahli's haemoglobinometers-Not Verified, 80. Bottle washing Machine-Not Verified, 81. Display of pharmacist registration, license and other licenses-Not Verified, 82. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 83. Triple Door Entering Setup For Aseptic Room-Not Available, 84. Pharmacology Software-Not Available.
326	PCI-6898	LAKSHYA COLLEGE OF ADVANCE EDUCATION	House No: Village Bagwara ,Street: Seohara ,Landmark: MBD Road ,Panchayat: Bagwara ,Village: Bagwara ,PostOffice: Bagwara ,Pincode: 246745	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Is Computer Laboratories Available As Per Norms-Not Available, 3. Volumes Available-Not Available, 4. Three Faculties are Presents and Three Absents and Two Leave, Provide the experience details of Principal & Faculty having B. Pharm qualification. 5. Is Municipality Registration Office Available-Not Available, 6. Building Construction Cost-Not Available, 7. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 8. Colostomy bags-Not Verified, 9. Automated Single Station Tablet punching machine-Not Verified, 10. Variety of catheters-Not Verified, 11. Mannequins for CPR-1 (with indication Signals)-Not Verified, 12. Distillation Unit-Not Verified, 13. Thieles Tube-Not Verified, 14. Various name plates indicating different parts of Pharmacy,-Not Verified, 15. Various types of PPE Kits,-Not Verified, 16. Stalagmometer-Not Verified, 17. Height and body weight chart-Not Verified, 18. IV set-Not Verified, 19. Dummy devices (eg. Inhalers)-Not Verified, 20. Sieve shaker with sieve set-Not Verified, 21. Peak Flow meter-Not Verified, 22. Water Testing Kit-Not Verified, 23. Stadiometer-Not Verified, 24. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 25. Surgical devices and Sutures-Not Verified, 26. Mannequins for injection IV Arm-Not Verified, 27. Liquid Mixer-Not Verified, 28. Urine pots-Not Verified, 29. RYLE's tube-Not Verified, 30. Variety of Needles-Not Verified, 31. Bottle Sealing Machine-Not Verified, 32. Menstrual hygiene products-Not Verified, 33. Bottle washing Machine-Not Verified, 34. Is social pharmacy laboratories maintained as per new regulations-Not Available, 35. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 36. CCTV Available-Not Available, 37. Machine Are Fixed On Cemented Blocks-Not Available, 38. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 39. General And Departmental Notice Boards-Not Available, 40. Triple Door Entering Setup For Aseptic Room-Not Available, 41. Smart Classroom-Not Available, 42. Pharmacology Software-Not Available.
327	PCI-7570	SHRI JEET RAM SMARAK INSTITUTION OF PHARMACY	House No: RITHORA ,Street: BHANDSAR ROAD ,Landmark: BHANDSAR ROAD ,Panchayat: RITHORA ,Village: RITHORA ,PostOffice: BHANDSAR ,Pincode: 243122	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Statutory Documents Verification-Not Available, 2. Account Verification-Not Available, 3. Library Verification-Not Available, 4. Faculty Verification-Not Available, 5. Infrastructure Verification-Not Available, 6. Equipment Verification-Not Available, 7. Others Verification-Not Available, 8. Inspector Check List Verification-Not Available." College denied for inspection. In View of above, It was decided that notice under section 13 be issued to the institution as the institution is not complying with the prescribed norms as per Regulations of the PCI.

328	PCI-7201	SAI COLLEGE OF PHARMACY	House No: 786 ,Street: CHHATTARPUR ,Landmark: TRIVENI ROAD ,Panchayat: CHHATTARPUR ,Village: CHHATTARPUR ,PostOffice: AHIRALI ,Pincode: 276301	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Seven Faculties are Presents, Provide the experience details of Principal and Faculty having B. Pharm Qualification. 2. Is Municipality Registration Office Available-Not Available, 3. Building Construction Cost-Not Available, 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Magnetic Stirrers with Thermostat-Not Verified, 6. Andreasen's Pipette-Not Verified, 7. Colostomy bags-Not Verified, 8. Inventory Software for Retail Pharmacy-Not Verified, 9. Buchner Funnels (Medium)-Not Verified, 10. Computer-Not Verified, 11. Stadiometer-Not Verified, 12. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 13. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 14. Display windows, shelves-Not VErified, 15 Digital Melting Point Apparatus-Not Verified, 16. Peak Flow meter-Not Verified, 17. Computers: hospital and community pharmacy management software-Not Verified, 18. Stalagmometer- Not Verified, 19. Sintered glass filter with vacuum-Not Verified.
329	PCI-6861	DEEPMALA COLLEGE OF PHARMACY	House No: 198 205 ,Street: Vill Zaid ,Landmark: near Swaroop Rice Mill ,Panchayat: Zaid ,Village: Zaid ,PostOffice: Faridpur ,Pincode: 243201	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Eight Faculties are Presents, Experience details are not available 4. Faculty MOHD FAIM photograph not show on portal, 5. Upload pharmacy laboratories four angle geo tag-Not Available."
330	PCI-122	Apollocollege Of Pharmacy Mevaloorkuppam Valarpuram Post Sriperumbudur Taluk Kanchipuram Dist 602 105	House No: Apollo College of Pharmacy ,Street: Nayapakkam Road ,Landmark: TAMIL NADU ,Panchayat: Mevaloorkuppam ,Village: Mevaloorkuppam ,PostOffice: Mevaloorkuppam ,Pincode: 602105	The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai, The Director Directorate of Medical Education Poonamallee High Road Kilpauk Chennai, The Registrar The Tamil Nadu Dr M G R Medical University No Old No P B No Anna Salai Guindy Chennai	B.Pharm, D.Pharm, Pharm.D	Pharm.D Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Available 3. Experiences of 03 out of 58 Faculties were not mentioned. Faculty with highest degree as B. Pharm have less than 3 years of experience. 4. Pharmacology-2 lab not verified. 5. Various Instruments/Equipments Not as per PCI norms or not verified on portal atthe time of inspection (e.g. Height and body weight chart, Filling Machine, Mannequins for injection IV Arm, Capsule Counter, Digital Balance, Inventory Software for Retail Pharmacy, Drug information resources, Patient waiting area, Laminar air flow bench, Licensed Software packages for Physiological & Pharmacological experiment, Sintered glass funnel with complete filtering assemble, IV set, Ampoule washing machine, PH meter, Desiccator, DigitalMelting Point Apparatus, Liquid Filling Machine, Bottle washing Machine, PatientInformation Leaflets/Cards,Ointment filling machine, Pfizer type hardness tester,Disintegration test apparatus, Water bath six holes, Shaker bath apparatus, Magnetic stirrer with thermostat, Soxhlet apparatus (different capacity), Glass column (different sizes), BOD incubator, Clevenger apparatus, Plethysmometer, Membrane filter, Magnetic stirrer, Display of pharmacist registration, license and other licenses, Clavengers apparatus, Proper arrangement of medicines, shelves, racks, drawers, Hardness tester, Drug Information books, Different Contraceptive Devices and Models, Bottle Sealing Machine, Vacuum Desiccators different sizes, Ultrasonic bath sonicator and many more). B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. D.Pharm Deficiency reportfor your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-not Available 2. Bank Details -Not Available 3. Experiences of 03 out of 58 Faculties were not mentioned. Faculty with highest degree as B. Pharm have less than 3 years of experience. 4. Pharmacology-2 lab not verified. 5. Various Instruments/Equipments Not as per PCI norms or not verified on portal atthe time ofinspection (e.g. Height and body weight chart, FillinMachine, Mannequins for injection IV Arm, CapsuleCounter, Digital Balance, Inventory Software for Retail Pharmacy, Drug information resources, Patient waiting area, Laminar air flow bench, Licensed Software packages for Physiological & Pharmacological experiment, Sintered glass funnel with complete filtering assemble, IV set, Ampoule washing machine, PH meter, Desiccator, Digital Melting Point Apparatus, Liquid Filling Machine, Bottlewashing Machine, PatientInformation Leaflets/Cards, Ointment filling machine, Pfizer type hardness tester, Disintegration test apparatus, Water bath six holes, Shaker bath apparatus, Magnetic stirrer with thermostat, Soxhlet apparatus (different capacity), Glass column (different sizes), BOD incubator,Clevenger apparatus, Plethysmometer, Membrane filter, Magnetic stirrer, Display of pharmacist registration, license and other licenses, Clavengers apparatus, Proper arrangement of medicines, shelves, racks, drawers, Hardness tester, Drug Information books, Different Contraceptive Devices and Models, Bottle Sealing Machine, Vacuum Desiccators differentsizes, Ultrasonic bath sonicator and many more).
331	PCI-7865	MOHAN INSTITUTE OF PHARMACY	House No: 234 ,Street: ALIGANJ SIROLI ROAD ,Landmark: ALIGANJ ,Panchayat: SATTAR NAGAR ,Village: SATTAR NAGAR ,PostOffice: MANDORA ,Pincode: 243302	D PHARM- BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Only Four Faculties are Presents, Principal is not Presents, Experience details are not available. Faculties are not available as per norms. 5. Is Municipality Registration Office Available-Not Available, 6. Triple Door Entering Setup For Aseptic Room-Not Available, 7. Bio Meteric Attendance System For Student-Not Available, 8. Bio Meteric Attendance System For Faculty-Not Available, 9. Smart Classroom-Not Available, 10. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 11. Machine Are Fixed On Cemented Blocks-Not Available, 12. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 13. Pharmacology Software-Not Available, Equipments Not Available And Not Verified as per norms.
332	PCI-8022	RNS College of Pharmacy	House No: 441 ,Street: chauri surari road ,Landmark: chauri surari road ,Panchayat: prusuttampur ,Village: chauri ,PostOffice: prusuttampur ,Pincode: 221402	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 5. No Of National Journals Available-Not Available, 6. No Of International Journals Available-Not Available, 7. There are no Faculties Available as per noms, 8. Only Principal Sureja Bhovanbhai appointed and he was Absent, 9. Is Institute Building Complete And Ownership Of Building Is With Institute-Not Available, 10. Is Municipality Registration Office Available-Not Available, 11. Is social pharmacy laboratories maintained as per new regulations-Not Available, 12. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 13. Bio Meteric Attendance System For Student-Not Available, 14. Triple Door Entering Setup For Aseptic Room-Not Available, 15. Availability Of Institute Website-Not Available, 16. Pharmacology Software-Not Available, 17. Herbal Garden-not Available, 18. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-not Available, 19. Equipments not Available as per norms.

333	PCI-6115	AYUSH INSTITUTE OF PHARMACY	House No: 22 24 ,Street: BALEDEEH ,Landmark: NEAR GOVT PRIMARY SCHOOL ,Panchayat: BALEDEEH ,Village: BASTI ,PostOffice: DASIYA ,Pincode: 272150	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. Five Faculties are Presents and Three Absents, Faculty experience details are not available. 4. Is Municipality Registration Office Available-Not Available, 5. Triple Door Entering Setup For Aseptic Room-Not Available, 6. Herbal Garden-Not Available.
334	PCI-7600	MANNIYA KANSHIRAM COLLEGE OF PHARMACY AND HEALTH SCIENCE	House No: NETA NAGAR ,Street: SALAMATPUR ,Landmark: NETA NAGAR ,Panchayat: SALAMATPUR ,Village: NETA NAGAR ,PostOffice: ANUPSHAHR ,Pincode: 203390	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Six Faculties are Presents and Two Leave, Provide the experience details of Principal and Faculty having B. Pharm qualification. 2. Filtration assembly with Vacuum Pump-Not Verified, 3. CCTV Available-Not Available, 4. Pharmacology Software-Not Available.
335	PCI-9950	Shree GURURAGHAVENDRA COLLEGE OF PHARMACY	House No: 023 ,Street: banglore road ,Landmark: near madhugiri circle ,Panchayat: koratagere ,Village: koratagere ,PostOffice: koratagere post office ,Pincode: 572129	Rajiv Gandhi University Health Science Karnataka 4th 'T' Block Jayanagar	B.Pharm	B. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Pay Scale to Teaching Or Non-teaching As Per UGC Or AICTE -Not provided 3. Salary Acquaintance Register Of Staff (teaching & Non-teaching)-Not maintained 4. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available/Not Provided 5. Details Of Salary Disbursement-bank Transfer Details-Not Available 6. International Journals not subscribed/data not provided 7. National Journals not subscribed/data not provided 8. Faculty not as per norms of PCI 9. Faculty cadre ratio not maintained. 10. Principal not appointed. 11. At the time of inspection not a single faculty is present. 12. Instruments/Equipments were not available as per PCI norms. 13. Social pharmacy laboratory not maintained as per new regulations. 14. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available 15. Bio Metric Attendance System Not Available in institution 16. Machines are not Fixed On Cemented Blocks 17. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available/Maintained 18. Triple Door Entering Setup For Aseptic Room-Not Available 19. Pharmacology Software-Not Available 20. Instrument Numbering Register-Not Available"
336	PCI-5415	KOPAL INSTITUTE OF PHARMACY	House No: 395 ,Street: 15 KM FROM PILIBHIT ON NH30 ,Landmark: VISHANPUR ,Panchayat: DHAURERA ,Village: DHAURERA VISHANPUR ,PostOffice: DHAURERA ,Pincode: 262406	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Is Computer Laboratories Available As Per Norms-Not Available, 3. Eight Faculties are Presents, Provide the Experience details of Principal and Faculty having B. Pharm qualification. 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Triple Door Entering Setup For Aseptic Room-Not Available, 6. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available.
337	PCI-6307	BRD COLLEGE OF PHARMACY	House No: 0 ,Street: AZAMGARH TO VARANASI MARG ,Landmark: BINDRA BAZAR MARKET ,Panchayat: RANIPUR RAJMO ,Village: RANIPUR RAJMO ,PostOffice: Bindra Bazar ,Pincode: 276205	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. InstituteDetails-not Available, 3. GSTDetails-not Available, 4. InstitutionApplications-Not Available, 5. Eight Faculties are Presents but Experience(years) details not available. 6. Experience details of Principal is not available. 7. LIBRARY SOFTWARE AND IP ARE NOT AVAILABLE
338	PCI-8160	SHRI TRIDANDI DEV HANUMAT COLLEGE OF PHARMACY	House No: 0 ,Street: 0 ,Landmark: ,Panchayat: CHANDAULI ,Village: CHANDAULI ,PostOffice: CHAHANIYA ,Pincode: 232109	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. Eight Faculties are Presents, 3. Is Municipality Registration Office Available-Not Available, 4. Refrigerator-Not Verified, 5. Equipments Not Available and Not Verified on portal Verification, 6. Pharmacology Software-Not Available. 7. Principal is not available. 8. Principal and Faculty experience details are not available. 9. Only one classroom is verified which is not sufficient as per norms.
339	PCI-5746	H D. COLLEGE OF PHARMACY	House No: Sarehua KLa ,Street: Tajpur Road hd ,Landmark: Sakaldiha Minar ,Panchayat: Sarehua Kala ,Village: Sarehua Kala ,PostOffice: Sakaldiha ,Pincode: 232109	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. No Of International Journals Available-not Available, 3. Titles Available-Not Available, 4. Four Faculty are Presents and Three Leave, Principal & Faculty experience details are not available. 5. Faculty photograph name of Amitesh Singh not show on portal, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Sintered glass filter with vacuum-Not Verified, 8. Different Contraceptive Devices and Models-Not Verified, 9. Triple Door Entering Setup For Aseptic Room-Not Available.

340	PCI-6630	ARYAN GLOBAL PHARMACY COLLEGE	House No: 00 ,Street: NEGURA ,Landmark: NEGURA ,Panchayat: NEGURA ,Village: NEGURA ,PostOffice: CHANDAULI ,Pincode: 232105	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Faculty Verification Details are Not Available, 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Viscometer Ostwald/Brookfield-Not Verified, 5. RYLE's tube-Not Verified, 6. Various types of PPE Kits,-Not Verified, 7. Thieles Tube-Not Verified, 8. Andreesen's Pipette-Not Verified, 9. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 10. Micrometre slide Stage-Not Verified, 11. Stop watch-Not Verified, 12. Refrigerator-Not Verified, 13. Stalagmometer-Not Verified, 14. Liquid Mixer-Not Verified, 15. Smart Classroom-Not Available, 16. Triple Door Entering Setup For Aseptic Room-Not Available. 17. In Faculty mentioned two named SUSHEEL MISHRA and AKASH DUBEY both have same photographs. Facilities are not available as per norms.
341	PCI-6116	DHAMPUR COLLEGE OF PHARMACY	House No: NH 74 ,Street: Nagina Road ,Landmark: Tula Ram Restaurant ,Panchayat: Hakeempur Chandan ,Village: Hakeempur Chandan ,PostOffice: Dhampur ,Pincode: 246761	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. No Of National Journals Available-Not Available, 3. No Of International Journals Available-Not Available, 4. Nine Faculties are Presents and Six Absents, Experience details are not available. 5. Equipments Not Available and Not Verified as per norms, 6. Machine Are Fixed On Cemented Blocks-Not Available, 7. Instrument Numbering Register-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Availability Of Institute Website-Not Available, 10. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available.
342	PCI-5909	VISION COLLEGE OF HEALTH AND MEDICAL SCIENCES	House No: 3 Milestone ,Street: Raipur Road ,Landmark: Raipur Road ,Panchayat: Najibabad ,Village: Najibabad ,PostOffice: Najibabad ,Pincode: 246763	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. No Of International Journals Available-Not Available, 5. Faculties is not Available as per norms, 6. Three Faculties are Presents, 7. Is Municipality Registration Office Available-Not Available, 8. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 9. Automated Single Station Tablet punching machine-Not Verified, 10. Liquid Filling Machine-Not Verified, 11. Sahli's haemoglobinometers-Not Verified, 12. Nessler's Cylinders-Not Verified, 13. Digital Melting Point Apparatus-Not Verified, 14. Sintered glass filter with vacuum-Not Verified, 15. Thieles Tube-Not Verified, 16. Pulse Oximeter-Not Verified, 17. Haemocytometer with Micropipettes-Not Verified, 18. Variety of catheters-Not Verified, 19. Andreesen's Pipette-Not Verified, 20. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 21. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 22. Micrometre slide Stage-Not Verified, 23. Viscometer Ostwald/Brookfield-Not Verified, 24. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 25. Urine pots-Not Verified, 26. Various types of PPE Kits,-Not Verified, 27. Stalagmometer-Not Verified, 28. Permanent slide of different microbes-Not Verified, 29. Analytical Balances for demonstration-Not Verified, 30. Human Permanent Slides for various tissues-Not Verified, 31. Filtration assembly with Vacuum Pump-Not Verified, 32. Mannequins for CPR-1 (with indication Signals)-Not Verified, 33. Stadiometer-Not Verified, 34. Bottle Sealing Machine-Not Verified, 35. Water Testing Kit-Not Verified, 36. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 37. Stop watch-Not Verified, 38. Liquid Mixer-Not Verified, 39. Mercury Thermometer-Not Verified, 40. Buchner Funnels (Medium)-Not Verified, 41. Sieve shaker with sieve set-Not Verified, 42. Bottle washing Machine-Not Verified, 43. Ointment slab-Not Verified, 44. Peak Flow meter-Not Verified, 45. Monsanto's hardness tester-Not Verified, 46. Pfizer type hardness tester-Not Verified, 47. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 48. IR Thermometer-Not Verified, 49. Micrometre slide Eyepiece-Not Verified, 50. Specimen for various organs and systems-Not Verified, 51. Tablet counter - small size-Not Verified, 52. Ointment spatula-Not Verified, 53. Upload pharmacy laboratories four angle geo tag-Not Available, 54. Triple Door Entering Setup For Aseptic Room-Not Available, 55. Smart Classroom-Not Available, 56. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 57. Bio Metric Attendance System For Student-Not Available, 58. Pharmacology Software-Not Available, 59. Bio Metric Attendance System For Faculty-Not Available, 60. Instrument Numbering Register-Not Available, 61. Availability Of Institute Website-Not Available, 62. Machine Are Fixed On Cemented Blocks-Not Available."
343	PCI-6402	MAA KHANDWARI COLLEGE OF PHARMACY	House No: E16/24 PHASE-III ,Street: PREMCHAND NAGAR COLONY ,Landmark: NA ,Panchayat: PANDEYPUR ,Village: NA ,PostOffice: PANDEYPUR ,Pincode: 277201	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff teaching & Non-teaching - Not Available, 3. No Of International Journals Available-Not Available, 4. Volumes Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Equipments Not Available and Not Verified as per norms, 7. Pharmacology Software-Not Available, 8. Bio Metric Attendance System For Student-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 11. Smart Classroom-Not Available, 12. Faculties Not Available as per norms, 13. Insufficient Equipment as per norms, 14. Classroom Not Available as per norms,
344	PCI-4645	Lokmani College Of Pharmacy Village Isharpur Paragana Seohara Tehsil Dhampur Dist Bijnor Uttar Pradesh	House No: 0 ,Street: KADRABAD ,Landmark: ,Panchayat: kadrabad ,Village: kadrabad ,PostOffice: kadrabad ,Pincode: 246746	BTEUP LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Four Faculties are Presents and One Absents and One Leave, Experience details are not available. 3. faculties photograph name of SHIVAM YADAV not show on portal, 4. Equipments are not available and not verified in institute as per norms, 5. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 6. Availability Of Institute Website-Not Available, 7. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 8. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 9. Instrument Numbering Register-Not Available, 10. Triple Door Entering Setup For Aseptic Room-Not Available, 11. Smart Classroom-Not Available, 12. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-not Available, 13. Pharmacology Software-Not Available.14. Classroom and Lab Not Available as per norms.
345	PCI-6716	RAMJI SINGH MEMOFRIAL COLLEGE OF PROFESSIONAL STUDIES	House No: Plot No-49 ,Street: Nagina Bundki Najibabad Road ,Landmark: Dwarikesh Sugar Mill ,Panchayat: Medpura Sultan ,Village: Gajipur Bhagwan ,PostOffice: Medpura Sultan ,Pincode: 246762	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT- Not Available, 4. No Of International Journals Available-Not Available, 5. Is Computer Laboratories Available As Per Norms-Not Available, 6. Faculties Not Available as per norms, 7. faculties details not show on portal, 8. Is Municipality Registration Office Available-Not Available, 9. Equipments Not Available and Not Verified on portal Verification, 10. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 11. Pharmacology Software-Not Available, 12. Availability Of Institute Website-Not Available, 13. Smart Classroom-Not Available, 14. Bio Metric Attendance System For Student-Not Available, 15. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 16. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 17. Bio Metric Attendance System For Faculty-Not Available, 18. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 19. Instrument Numbering Register-Not Available."
346	PCI-6287	RAMA INSTITUTE OF HIGHER EDUCATION	House No: 0 ,Street: NAJIBABAD ROAD ,Landmark: NAJIBABAD ROAD ,Panchayat: KIRATPUR ,Village: KIRATPUR ,PostOffice: KIRATPUR ,Pincode: 246731	UTTAR PRADESH BOARD OF TECHNICAL EDUCATION Add. 1 Shri Govind Marg, Bans Mandi, Charbagh, Lucknow 226001	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff teaching & Non-teaching - Not Available, 4. Salary Acquaintance Register Of Staff teaching & Non-teaching)-Not Available, 5. Four Faculties are Presents and Four Absents, 6. Andreesen's Pipette-Not Verified, 7. Ointment filling machine-Not Verified, 8. Thieles Tube-Not Verified, 9. Magnetic Stirrers with Thermostat-Not Verified, 10. Liquid Filling Machine-Not Verified, 11. Stadiometer-Not Verified, 12. Analytical Balances for demonstration-Not Verified, 13. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 14. Bottle Sealing Machine-Not Verified, 15. Digital Melting Point Apparatus-Not Verified, 16. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 17. Bottle washing Machine-Not Verified, 18. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 19. Bio Metric Attendance System For Student-Not Available, 20. All Equipments Properly Displayed With SOP In Laboratories -Not Available, 21. Instrument Numbering Register-Not Available, 22. Machine Are Fixed On Cemented Blocks-Not Available, 23. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 24. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 25. Triple Door Entering Setup For Aseptic Room-Not Available, 26. Pharmacology Software-Not Available."

347	PCI-5964	UTKARSH INSTITUTE OF PHARMACY	House No: 885-890 ,Street: NH24 RAMPUR ROAD ,Landmark: MATHURAPUR CHAURAHA ,Panchayat: C.B.Ganj ,Village: BAREILLY ,PostOffice: CB GANJ ,Pincode: 243502	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	<p>Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 4. Only Eight Faculty All are Presents during inspection, experience details of the faculty of B. Pharm qualification - Not available 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Mannequins for injection IV Arm-Not Verified, 8. Friability test apparatus (Digital Single/Double unit) -Not Verified, 9. Nessler's Cylinders-Not Verified, 10. Micrometre slide Stage-Not Verified, 11. Bottle washing Machine-Not Verified, 12. All-purpose equipment with all accessories-Not Verified, 13. Bottle Sealing Machine-Not Verified, 14. Various name plates indicating different parts of Pharmacy,-Not Verified, 15. Buchner Funnels (Medium)-Not Verified, 16. Height and body weight chart-not Verified, 17. Monsanto's hardness tester-Not Verified, 18. Wall Mounted Water Distillation Unit-Not Verified, 19. IR Thermometer-Not Verified, 20. Menstrual hygiene products-Not Verified, 21. Andreasen's Pipette-not Verified, 22. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 23. Various devices for screening services (B.P._monitor,_glucometer etc)-Not VErified, 24. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 25. Peak Flow meter-Not Verified, 26. Display of name of owner-Not Verified, 27. Mannequins for CPR-1 (with indication Signals)-Not Verified, 28. Display windows, shelves-Not Verified, 29. Display of pharmacist registration, license and other licenses-Not VErified, 30. Sintered glass filter with vacuum-Not Verified, 31. Stalagmometer-Not Verified, 32. Projection microscope-Not Verified, 33. Desiccator-Not VErified, 34. ESR Apparatus (Westergren and Wintrobe)-Not Verified,
348	PCI-5627	NIHAL SHYAM COLLEGE OF PHARMACY	House No: 0 ,Street: NABDIYA ILAKA SINGHAI MUDIA AHMAD NAGAR BAREILLY ,Landmark: milesone 328 ,Panchayat: KALAPUR ,Village: BARKAPUR ,PostOffice: MUDIA AHMAD NAGAR ,Pincode: 243122	BOARD OF TECHNICAL EDUCATION(BTE)LUCKNOW	D.Pharm	<p>"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Approval of state govt-Not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 5. Two Faculties Available and Principal Not Appointed, 6. faculties Not Available as per noms, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Is Municipality Registration Office Available-Not Available, 9. Instrument Numbering Register-Not Available, 10. Pharmacology Software-Not Available, 11. Smart Classroom-Not Available, 12. Triple Door Entering Setup For Aseptic Room-Not Available, 13. Bio Meteric Attendance System For Faculty-Not Available, 14. Bio Meteric Attendance System For Student-Not Available, 15. General Insurance Provided For Assets Against Fire, buglary And Other Calamities-Not Available, 16. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available."
349	PCI-6836	SHIVGYAN PHARMACY COLLEGE	House No: 736/1 ,Street: RANPUR ROAD ,Landmark: NA ,Panchayat: BAREILLY ,Village: BAREILLY ,PostOffice: C B GANJ BAREILLY ,Pincode: 243502	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.) CONTACT NUMBER : 91 522 2630243 ,91 522 2630063 EMAIL : secretarybte@gmail.com WEBSITE : http://bteup.ac.in FAX- 91 522 2630243	D.Pharm	<p>"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time.</p> <ol style="list-style-type: none"> 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Latest Project Budget & Expenditure Report-Not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Six Faculties are Presents but Experience(years) Details not Available on portal, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Is Municipality Registration Office Available-Not Available, 9. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 10. Colostomy bags-Not Verified, 11. IR Thermometer-Not Verified, 12. Sintered glass filter with vacuum-Not Verified, 13. Digital balance 10mg sensitivity-Not Verified, 14. Liquid Filling Machine-Not Verified, 15. Thieles Tube-Not Verified, 16. Liquid Mixer-Not Verified, 17. Variety of catheters-Not Verified, 18. Various devices for screening services (B.P._monitor,_glucometer etc)-Not Verified, 19. Digital Balance (10 mg Sensitivity)-Not Verified, 20. RYLE's tube-Not Verified, 21. Adult Weighing Scale (150 kg)-Not Verified, 22. Different Contraceptive Devices and Models-Not Verified, 23. Digital BP Instrument-Not Verified, 24. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 25. Stalagmometer-Not Verified, 26. Mannequins for injection IV Arm-Not Verified, 27. Nessler's Cylinders-Not Verified, 28. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 29. Urine Bag-Not Verified, 30. Various types of PPE Kits,-Not Verified, 31. All-purpose equipment with all accessories-Not Verified, 32. Andreasen's Pipette-Not Verified, 33. Water Testing Kit-Not Verified, 34. Dummy Inhalers and Nebulizer-Not Verified, 35. Stadiometer-Not Verified, 36. Micrometre slide Stage-Not Verified, 37. Micrometre slide Eyepiece-Not Verified, 38. Bottle washing Machine-Not Verified, 39. Height and body weight chart-Not Verified, 40. Urine pots-Not Verified, 41. Is social pharmacy laboratories maintained as per new regulations-Not Available, 42. General Insurance Provided For Assets Against Fire, buglary And Other Calamities-Not Available, 43. Bio Meteric Attendance System For Faculty-Not Available, 44. Pharmacology Software-Not Available, 45. Smart Classroom-Not Available, 46. Gas Connection Proof & Receipt-Not Available, 47. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 48. Is Display Of Chart In Respective Laboratories-Not Available, 49. Triple Door Entering Setup For Aseptic Room-Not Available, 50. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 51. Bio Meteric Attendance System For Student-Not Available, 52. Availability Of Institute Website-Not Available, 53. Instrument Numbering Register-not Available."

350	PCI-6543	SRI UMESH MISHRA RANJEET KUMAR PRAKASH COLLEGE	House No: 0 ,Street: HAJIPUR ,Landmark: HAJIPUR ,Panchayat: HAJIPUR ,Village: HAJIPUR ,PostOffice: HAJIPUR ,Pincode: 844125	Bihar Universityof Health Sciences Mithapur, Patna-800001, Bihar Universityof Health Sciences Mithapur, Patna-800001	B.Pharm, D.Pharm	B. Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. State policy decision-Documents Not Available/uploaded 2. GST Details-Not Available 3. Out of 21 Faculties shown in IR, one was absent on the day of inspection. 4. Experience of Principal not mentioned. 5. Faculty cadre ration as per PCI norms not maintained. (One Principal and 20 assistant professors were shown in IR) 6. Faculties photographs are not available in PCI portal/IR 7. Data about any Institution Running Previously In Same Building was not provided/mentioned in IR 8. Various Instruments/Equipments were not available as per PCI norms/Not verified on the day of inspection (e.g. Paper Electrophoresis Unit, Lucas Moist Chamber, Atomic Absorption and Emission spectrophotometer (Desirable)) 9. Bio Meteric Attendance System For Students-Not Available" D.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. State policy decision-Documents Not Available/uploaded 2. GST Details-Not Available 3. Out of 21 Faculties shown in IR, one was absent on the day of inspection. 4. Experience of Principal not mentioned. 5. Faculty cadre ration as per PCI norms not maintained. (One Principal and 20 assistant professors were shown in IR) 6. Faculties photographs are not available in PCI portal/IR 7. Data about any Institution Running Previously In Same Building was not provided/mentioned in IR 8. Various Instruments/Equipments were not available as per PCI norms/Not verified on the day of inspection (e.g. Paper Electrophoresis Unit, Lucas Moist Chamber, Atomic Absorption and Emission spectrophotometer (Desirable)) 9. Bio Meteric Attendance System For Students-Not Available"
351	PCI-8118	GREATER NOIDA INSTITUTE OF PHARMACEUTICAL EDUCATION AND RESEARCH	House No: PLOT NO 7 ,Street: KNOWLEDGE PARK II ,Landmark: NEAR INDIA EXPO MART ,Panchayat: TUGAL PUR ,Village: GREATER NOIDA ,PostOffice: JAGAT FARM ,Pincode: 201310	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.), Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.)	B.Pharm, D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven Faculty are Presents and Four Absents and Three Leave, Faculty of B. Pharm qualification has not 3 years of experience. Faculties are not available as per norms 3. faculty photograph name of Pallvi Sharma not show in pci portal, 4. Fermenters of different capacity (Desirable)- Not Verified, 5. Automated Single Station Tablet punching machine-Not Verified., Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven Faculty are Presents and Four Absents and Three Leave, Faculty of B. Pharm qualification has not 3 years of experience. Faculties are not available as per norms 3. faculty photograph name of Pallvi Sharma not show in pci portal, 4. Fermenters of different capacity (Desirable)- Not Verified, 5. Automated Single Station Tablet punching machine-Not Verified.
352	PCI-9721	JAYAPRADA COLLEGE OF PHARMACEUTICAL SCIENCES MAGARMAU ROAD RAMPUR	House No: madiyan udairaj ,Street: magarmau road ,Landmark: NH-24 ,Panchayat: madiyan udairaj ,Village: madiyan udairaj ,PostOffice: rampur ,Pincode: 244926	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
353	PCI-7093	SJB COLLEGE OF PHARMACY	House No: VILL MADHANAPAR ,Street: MADANAPAR ,Landmark: BILARIYAGANJ ,Panchayat: MADANAPAR ,Village: VILL MADHANAPAR ,PostOffice: BILARIYAGANJ ,Pincode: 276124	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. No Of International Journals Available-Not Available, 3. No Of National Journals Available-Not Available, 4. Only Eight Faculties are Presents but All are Experience(years) Details not mentioned on PCI portal, Number of faculties are not available as per norms. 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Triple Door Entering Setup For Aseptic Room-Not Available.
354	PCI-10060	KAKA COLLEGE OF PHARMACY & PARAMEDICAL SCIENCES	House No: NAGLA SARUA ,Street: SARUA ,Landmark: NONE ,Panchayat: NAGLA SARUA ,Village: NAGLA SARUA ,PostOffice: NAGLA SARUA ,Pincode: 202142	BTE UP	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Audited Financial Statement Last Three Years - Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT- Not Available, 4. Audited Financial Statement Last Three Years -Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 8. General Insurance Provided For Assets Against Fire, buglary And Other Calamities-Not Available, 9. Faculties are Not Available as per norms, 10. Availability Of Institute Website-Not Available. 11. Only one Lab and One classroom is verified, infrastructure is not available as per norms.
355	PCI-7411	BHAGWAN ADARSH COLLEGE OF PHARMACY	House No: NA ,Street: CHAKRAPANPUR ,Landmark: NEAR MEDICAL COLLEGE ,Panchayat: CHAKRAPANPUR KANAILA ,Village: CHAKRAPANPUR KANAILA ,PostOffice: KANAILA ,Pincode: 276128	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. GSTDetails-Not Available, 3. No Of International Journals Available-Not Available, 4. Four Faculties are Presents but Experience(years) Not show on portal, 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Machine Are Fixed On Cemented Blocks-Not Available, 9. Insufficient Equipment as per norms, 10. Equipments Not Verified on portal.

356	PCI-7196	MAHADEV INSTITUTE OF TECHNOLOGY	House No: 48 ,Street: Aminnagar Sarai ,Landmark: Baraut Baghpat Road ,Panchayat: Ramnagar ,Village: Ramnagar ,PostOffice: Aminnagar Sarai ,Pincode: 250606	Board of Technical Education ,lucknow (u.p.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Approval of state govt-Not Available, 2. GSTDetails-Not Available, 3. BankDetailsResponse-Not Available, 4. State policy decision-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT-Not Available, 6. Latest Project Budget & Expenditure Report-Not Available, 7. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-not Available, 8. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 9. Details Of Salary Disbursement-bank Transfer Details-Not Available, 10. Volumes Available-Not Available, 11. No Of International Journals Available-Not Available, 12. Is Computer Laboratories Available As Per Norms-Not Available, 13. No Of International Journals Available-Not Available, 14. No Of Computer Available-Not Available, 15. Titles Available-Not Available, 16. Is Computer Laboratories Available As Per Norms-Not Available, 17. No Of International Journals Available-Not Available, 18. Eight Faculties are Presents but photographs and Experience(years) details Not Available, 19. Building Construction Cost-Not Available, 20. Is Previously Any Institution Running In Same Building-Not Available, 21. Is Municipality Registration Office Available-Not Available, 22. Is Institute Building Complete And Ownership Of Building Is With Institute-Not Available, 23. Microscopes-Not Verified, 24. Upload pharmacy laboratories four angle geo tag-Not Available, 25. Is social pharmacy laboratories maintained as per new regulations-Not Available, 26. Upload electricity telephone bill-Not Available, 27. Pharmacology Software-Not Available, 28. Smart Classroom-Not Available, 29. Bio Meteric Attendance System For Faculty-Not Available, 30. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 31. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 32. Electricity Bill With Sanction Of Electric Load By Electric Supply Provider Company-Not Available, 33. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 34. Gas Connection Proof & Receipt-Not Available, 35. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 36. Is Display Of Chart In Respective Laboratories-Not Available, 37. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 38. Machine Are Fixed On Cemented Blocks-Not Available, 39. Bio Meteric Attendance System For Student-Not Available, 40. Herbal Garden-Not Available, 41. Triple Door Entering Setup For Aseptic Room-Not Available, 42. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 43. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 44. General And Departmental Notice Boards-Not Available, 45. Availability Of Institute Website-Not Available, 46. CCTV Available-Not Available, 47. Instrument Numbering Register-Not Available."
357	PCI-6389	R S COLLEGE OF EDUCATION	House No: polt no 145 146 147 148 155 156 138 ,Street: 135W ,Landmark: NEAR NAAG MANDIR ,Panchayat: Sirsali ,Village: BAMNAULI ,PostOffice: BAMNAULI ,Pincode: 250620	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 3. Details Of Salary Disbursement-bank Transfer Details-Not Available, 4. Titles Available-Not Available, 5. Eight Faculties are Presents but Experience(years) Details Not Available on portal, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Is Municipality Registration Office Available-Not Available, 8. Stadiometer- Not Verified, 9. Charts /displays/ AVs on tobacco control, glycemic index of foods, nutrition, reproductive health-Not Verified, 10. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-not Verified, 11. Digital balance 10mg sensitivity-Not Verified, 12. Bottle Sealing Machine-Not Verified, 13. Bill book (dummy) Computer stationary for bill printing-Not Verified, 14. Permanent slide of different microbes-Not Verified, 15. Permanent slide set of plants and charts for Pharmacognosy Lab-Not Verified, 16. Drug information resources-Not Verified, 17. Various name plates indicating different parts of Pharmacy,-Not Verified, 18. Viscometer Ostwald/Brookfield-Not Verified, 19. Water Testing Kit-Not Verified, 20. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 21. Dummy devices (eg. Inhalers)-Not Verified, 22. Mannequins for injection IV Arm-Not Verified, 23. Stalagmometer- Not Verified, 24. Glucometer- Not Verified, 25. Thermostatic Water Bath-Not Verified, 26. Mannequins for CPR-1 (with indication Signals)-Not Verified, 27. Menstrual hygiene products-Not Verified, 28. All-purpose equipment with all accessories-Not Verified, 29. Magnetic Stirrers with Thermostat-Not Verified, 30. Micrometre slide Stage-Not Verified, 31. Oxygen masks-Not Verified, 32. Buchner Funnels (Medium)-not Verified, 33. Liquid Mixer-Not Verified, 34. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 35. Height and body weight chart-Not Verified, 36. Nessler's Cylinders-Not Verified, 37. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 38. Ointment slab-Not Verified, 39. Liquid Filling Machine-Not Verified, 40. IR Thermometer-Not Verified, 41. Computers: hospital and community pharmacy management software-Not Verified, 42. Digital Thermometer-Not Verified, 43. Thieles Tube-Not Verified, 44. Digital Melting Point Apparatus-Not Verified, 45. Sieve shaker with sieve set-Not Verified, 46. Andraesen's Pipette-Not Verified, 47. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 48. Pharmacology Software-Not Available, 49. Smart Classroom-Not Available, 50. Pharmacology Software-Not Available, 51. Bio Meteric Attendance System For Student-Not Available."
358	PCI-5923	ch. charan singh institute	House No: 0 ,Street: CHHAPRAULI ROAD ,Landmark: BEHIND VETERINARY HOSPITAL ,Panchayat: BARAUT ,Village: BARAUT ,PostOffice: BARAUT ,Pincode: 250611	THE SECRETARY UTTAR PRADESH BOARD OF TECHNICAL EDUCATION ,GURU GOVIND SINGH MARG LUCKNOW,UTTAR PRADESH	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. No Of International Journals Available-Not Available, 3. Faculties Experience(years) Details not show on portal, 4. Eight faculties are Presents, 5. Is Municipality Registration Office Available-Not Available, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Sieve shaker with sieve set-Not Verified, 8. Digital Thermometer-Not Verified, 9. RYLE's tube-Not Verified, 10. Digital BP Instrument-Not Verified, 11. Andraesen's Pipette-Not Verified, 12. Pulse Oximeter-Not Verified, 13. Capsule Counter-Not Verified, 14. Human Permanent Slides for various tissues-Not Verified, 15. Dummy devices (eg. Inhalers)-Not Verified, 16. Analytical Balances for demonstration-Not Verified, 17. Distillation Unit-Not Verified, 18. Buchner Funnels (Medium)-Not Verified, 19. Thieles Tube-Not Verified, 20. Nessler's Cylinders-Not Verified, 21. Drug information resources-Not Verified, 22. Micrometre slide Stage-Not Verified, 23. Stadiometer-Not Verified, 24. Pharmacotherapeutic charts for various diseases & disorders-Not Verified, 25. Filtration assembly with Vacuum Pump-Not Verified, 26. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 27. Micrometre slide Eyepeice-Not Verified, 28. Desiccator-Not Verified, 29. Digital Melting Point Apparatus-Not Verified, 30. Viscometer Ostwald/Brookfield-Not Verified, 31. All-purpose equipment with all accessories-Not Verified, 32. Glucometer-Not Verified, 33. Bottle Sealing Machine-Not Verified, 34. Various name plates indicating different parts of Pharmacy,-Not Verified, 35. Computers: hospital and community pharmacy management software-Not Verified, 36. Various types of PPE Kits,-Not Verified, 37. Stalagmometer-Not Verified, 38. Height and body weight chart-Not Verified, 39. Wall Mounted Water Distillation Unit-Not Verified, 40. Variety of catheters-Not Verified, 41. IR Thermometer-Not Verified, 42. Permanent slide of different microbes-Not Verified, 43. Peak Flow meter-Not Verified, 44. Water Testing Kit-Not Verified, 45. Different Contraceptive Devices and Models-Not Verified, 46. CCTV Available-Not Available, 47. Machine Are Fixed On Cemented Blocks-Not Available, 48. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 49. Smart Classroom-Not Available, 50. Bio Meteric Attendance System For Student-Not Available, 51. Bio Meteric Attendance System For Faculty-Not Available, 52. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 53. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 54. Pharmacology Software-Not Available."
359	PCI-6054	SETH DHANPAL CHAND JAIN COLLEGE OF PHARMACY	House No: 00 ,Street: MAIN ROAD KHEKRA ,Landmark: NEAR GAS GODOWN ,Panchayat: NA ,Village: KHEKRA ,PostOffice: KHEKRA ,Pincode: 250101	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Faculties Not Available as per norms, 4. Faculties Details not show on portal, 5. In Sufficient Equipment as per norms, 6. Equipments Not Verified on portal, 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Pharmacology Software-Not Available."
360	PCI-4365	Jeevan Gopi Institute Of Pharmacy And Technology	House No: 149 ,Street: CHAMRAWAL ROAD ,Landmark: Before Ahera Railway track on Baghpat Chamrawal Road ,Panchayat: HARCHANDPUR ,Village: AHERA ,PostOffice: BAGHPAT ,Pincode: 250609	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh, Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm D.) Board of Technical Education Lucknow (For D. Pharm.)	B.Pharm, D.Pharm	D.Pharm and B.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time 1.GST Details-Not Available 2.Instrument deficient as per norms 3.Faculty experience not as per norms
361	PCI-6575	A.K. COLLEGE OF PHARMACY	House No: NA ,Street: BARAUT ,Landmark: 00 ,Panchayat: BAOLI ,Village: CHACHARPUR ,PostOffice: BAOLI ,Pincode: 250621	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Four Faculties are Presents but Experience(years) details Not Available, 2. InSufficient Equipments as per norms, 3. Equipments Not Verified on portal, 4. Triple Door Entering Setup For Aseptic Room-Not Available, 5. Pharmacology Software-Not Available."

362	PCI-7755	GAJADHAR GURUKUL COLLEGE OF PHARMACY	House No: 0 ,Street: KAPTANGANJ TO AHRAULA ROAD ,Landmark: KAPTANGANJ TO AHRAULA ROAD ,Panchayat: DINGURPUR WAJIDPUR ,Village: DINGURPUR WAJIDPUR ,PostOffice: MUKHLISPUR ,Pincode: 276141	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Only One Faculty ANIT JHA is Available, 4. there are no faculty available as per PCI noms, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Triple Door Entering Setup For Aseptic Room-Not Available.
363	PCI-3045	Bm College Of Pharmacy	House No: HariNagar ,Street: HariNagar Dumha ,Landmark: NA ,Panchayat: HariNagar ,Village: HariNagar Dumha ,PostOffice: HariNagar ,Pincode: 122506	D Pharma. Examining Authority : Haryana State Board of Technical Education, Panchkula, Contact:0172-2584224 B Pharma. Examining Authority : Pt. BD SHARMA University of Health Sciences Rohtak, Contact:01262-282113, The Registrar Pt B D Sharma University of Health Sciences Rohtak	D.Pharm, B.Pharm	D.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time 1. Affiliation of examining authority-Not available 2. Approval of state govt-Not available 3. GST Details-not available 4. Out of 37 faculties, 9 were absent and only 28 were present on the day of inspection. 5. Experiences of 13 faculties were not mentioned in IR. 6. Experiences of some faculties having B.Pharm as highest qualification is not sufficient as per PCI norms. 7. Principal not mentioned. 8. Data of Any Institution Running Previously In Same Building-Not provided 9. Building Construction Cost-details not available 10. Municipality Registration of Institute/Building is not available 11. Instruments/Equipments are not as per PCI norms or not Available and Not Verified in IR on the day of inspection (e.g. Stadiometer, IR Thermometer, Urine Bag, Oxygen masks, Viscometer, Friability test apparatus (Digital Single/Double unit), Digital pH meter, Bottle Sealing Machine, Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc, Nessler's Cylinders, Liquid Mixer, Capsule filling machine, and many more as mentioned in IR)", B.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time 1. Affiliation of examining authority-Not available 2. Approval of state govt-Not available 3. GST Details-not available 4. Out of 37 faculties, 9 were absent and only 28 were present on the day of inspection. 5. Experiences of 13 faculties were not mentioned in IR. 6. Experiences of some faculties having B.Pharm as highest qualification is not sufficient as per PCI norms. 7. Principal not mentioned. 8. Data of Any Institution Running Previously In Same Building-Not provided 9. Building Construction Cost-details not available 10. Municipality Registration of Institute/Building is not available 11. Instruments/Equipments are not as per PCI norms or not Available and Not Verified in IR on the day of inspection (e.g. Stadiometer, IR Thermometer, Urine Bag, Oxygen masks, Viscometer, Friability test apparatus (Digital Single/Double unit), Digital pH meter, Bottle Sealing Machine, Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc, Nessler's Cylinders, Liquid Mixer, Capsule filling machine, and many more as mentioned in IR)"
364	PCI-7307	PT. UMAKANT COLLEGE OF PHARMACY	House No: 0 ,Street: CHAMPANAGAR CHAKIYA PAWAI ,Landmark: CHAMPANAGAR CHAKIYA PAWAI ,Panchayat: CHAKIYA ,Village: CHAKIYA ,PostOffice: MUTTAKALLIPUR ,Pincode: 276288	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Eleven Faculties are Presents during inspection, Experience details are not available. 2. sum faculties photograph not show on portal, 3. First aid equipment-not Verified, 4. Liquid Filling Machine-Not Verified, 5. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified.
365	PCI-5719	P.L.N.M. COLLEGE OF PHARMACY	House No: 31 ,Street: Gharbara ,Landmark: NEAR ,Panchayat: Gharbara ,Village: Gharbara ,PostOffice: Gharbara ,Pincode: 202165	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Eight Faculties are Presents but Experience(years) not mentioned in portal, 2. Is Municipality Registration Office Available-Not Available,
366	PCI-6837	MAA KAILASHI BABURAM PANDEY COLLEGE OF PHARMACY	House No: 0 ,Street: RAGGHUPUR RAMDATTIPATTI ,Landmark: RAGGHUPUR RAMDATTIPATTI ,Panchayat: RAGGHUPUR RAMDATTIPATTI ,Village: RAGGHUPUR RAMDATTIPATTI ,PostOffice: KHANPUR BHAGAT PATTI ,Pincode: 276139	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Seven Faculties are Presents but Experience(years) Details Not Mentioned on portal, 2. Box/area for expiry medicines,-Not Verified, 3. IV set-Not Verified, 4. Computers: hospital and community pharmacy management software-Not Verified, 5. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 6. All-purpose equipment with all accessories-Not Verified, 7. Glucometer - Not Verified.

367	PCI-7006	SHRI DURGA JI COLLEGE OF PHARMACY	House No: VILL. AND POST MAHARAJPUR ,Street: FAIZABAD HIGHWAY ,Landmark: ANAWARGANJ MARKET ,Panchayat: MAHARAJPUR ,Village: VILL AND POST MAHARAJPUR ,PostOffice: MAHRAJPUR ,Pincode: 276135	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven Faculties are Presents but Experience(years) Details not mentioned on PCI portal, 3. Triple Door Entering Setup For Aseptic Room-Not Available.
368	PCI-5642	MAA DURGA JI COLLEGE OF PHARMACY	House No: NIL ,Street: NA ,Landmark: 0 ,Panchayat: 0 ,Village: KHORRAMPUR ,PostOffice: BELOUN ,Pincode: 276302	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. There are No Facultys Available as per PCI noms, 4. faculty details not show on portal, 5. Laser doppler flowmeter (LDF)-Not Verified, 6. Equipments Not Available and Not Verified on portal verification , 7. Triple Door Entering Setup For Aseptic Room-Not Available, 8. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available.
369	PCI-6673	MAA DHANAWATI COLLEGE OF PHARMACY	House No: 0 ,Street: CHANDESHWAR TO KAMHARIYA MAIN ROAD ,Landmark: SINGHPUR MARKET ,Panchayat: MAULI ,Village: DHIRAJIPUR ,PostOffice: SINGHPUR ,Pincode: 276126	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. No Of International Journals Available-Not Available, 5. No Of National Journals Available-Not Available, 6. There are Not Faculties available as per PCI noms, 7. All faculties Absents, 8. Is Municipality Registration Office Available-Not Available, 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Drug information resources-Not Verified, 11. Stadiometer-Not Verified, 12. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 13. Display for various disinfectants, mosquito repellents etc-Not Verified, 14. Mannequins for CPR-1 (with indication Signals)-Not Verified, 15. Projection microscope-Not Verified, 16. Computers: hospital and community pharmacy management software-Not Verified, 17. Various types of PPE Kits,-not Verified, 18. Stalagmometer-Not Verified, 19. Menstrual hygiene products-Not Verified, 20. Human Permanent Slides for various tissues -Not Verified, 21. Display windows, shelves-Not Verified, 22. Analytical Balances for demonstration-not Verified, 23. Digital Melting Point Apparatus-Not Verified, 24. Viscometer Ostwald/Brookfield-Not Verified, 25. Display of pharmacist registration, license and other licenses-Not Verified, 26. Peak Flow meter-Not Verified, 27. Different Contraceptive Devices and Models-Not Verified, 28. Triple Door Entering Setup For Aseptic Room-Not Available, 29. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 30. Pharmacology Software-Not Available.
370	PCI-6472	ULTRA MODERN COLLEGE OF PHARMACY	House No: 0 ,Street: MEHNAGAR ROAD ,Landmark: MEHNAGAR ,Panchayat: MEHNAGAR ,Village: MEHNAGAR ,PostOffice: MEHNAGAR ,Pincode: 276204	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Eight Faculties are Presents but Experience(years) Details Not Mentioned on portal, 2. Faculties photograph name of VINOD RAM, ARPIT SRIVASTAVA, DHARMENDRA YADAV, SUDHIR SINGH not show in PCI portal, 3. Variety of Needles-Not Verified, 4. Digital Melting Point Apparatus-Not Verified, 5. Viscometer Ostwald/Brookfield-Not Verified, 6. Drug Information books-Not Verified, 7. Dummy devices (eg. Inhalers)-Not Verified, 8. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 9. Pulse Oximeter-Not Verified, 10. Drug information resources-Not Verified,
371	PCI-5378	DSM COLLEGE OF PHARMACY	House No: 16 ,Street: Yak Bakdi Road ,Landmark: ,Panchayat: YAK BAGDI ,Village: MUSAPUR ,PostOffice: GAJRAULA ,Pincode: 244235	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.) CONTACT NUMBER : 91 522 2630243 ,91 522 2630063 EMAIL : secretarybte@gmail.com WEBSITE : http://bteup.ac.in FAX- 91 522 2630243	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Only Two Faculties are Available, 3. there are no Faculty available as per noms, 4. faculty photograph name of BHUDEV KUMAR, ANKUR MORYA not show on portal.
372	PCI-6434	ARAVALI INSTITUTE OF PHARMACY	House No: SPL - 225 ,Street: RIICO INDUSTRIAL AREA ,Landmark: RIICO AREA ,Panchayat: BAGRU ,Village: BAGRU ,PostOffice: BAGRU ,Pincode: 303007	The Registrar Rajasthan University of Health Sciences B Sawai Ramsingh The Registrar University of Rajasthan Jaipur	D.Pharm	Decision Item No.4 of 414th EC held on 04.09.2024 decided as under:- D.Pharm Grant approval from 2022-2023 to 2024-2025 academic session for 60 admissions u/s 12 of the Pharmacy Act for D.Pharm course. The above approval is granted subject to inspection during the year.
373	PCI-7232	KRISHNA COLLEGE OF PHARMACY	House No: 52 ,Street: Sujanpur ,Landmark: NEARBY PANI KI TANKI ,Panchayat: sujanpur ,Village: Sujanpur ,PostOffice: Sujanpur ,Pincode: 202141	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available 2. Eight Faculties are Presents, Experience details are Not Available, 3. Is Municipality Registration Office Available-Not Available, 4. Is social pharmacy laboratories maintained as per new regulations-Not Available, 5. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 5. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 6. Smart Classroom-Not Available, 7. Triple Door Entering Setup For Aseptic Room-Not Available."

374	PCI-5961	School of Pharmacy Sikkim Alpine University	House No: 0 ,Street: Mamley Kamrang GPU ,Landmark: Near Church ,Panchayat: namchi ,Village: Namchi ,PostOffice: Namchi ,Pincode: 727126	Sikkim Alpine University, Sikkim Alpine University	D.Pharm, B.Pharm	419th EC held on 16th October, 2024, decided as under:- 02.419.001: Consideration of Inspection Report dated 04.10.2024 regarding Affiliation of D.Pharm and B.Pharm Course conducted at School of Pharmacy, Sikkim Alpine University, MamleyKamrang GPU, Near Church Panchayat Namchi, Village, Namchi Post office, Namchi-727126 (Sikkim). ----- File No. PCI-5961/2022 1.1 The latest information on record was placed and considered. 1.2 The EC noted inspector's remarks as under- "We both visited the institute as per order where Govt building and campus is shared with NCC department of Law Sciences The building has a common library for all courses including pharmacy The university claims to have Pharmacy labs in Girls hostel converted premises which aprox 50 mtr but they showed inability to open any lab and show equipments saying the Principal has taken keys with him School has no class rooms to show We declare that college dont have required infrastructure and faculty." 1.3 In view of above, it was decided to seek compliance of the deficiencies pointed out in the inspection report within 7 days. , 419th EC held on 16th October, 2024, decided as under:- 02.419.001: Consideration of Inspection Report dated 04.10.2024 regarding Affiliation of D.Pharm and B.Pharm Course conducted at School of Pharmacy, Sikkim Alpine University, MamleyKamrang GPU, Near Church Panchayat Namchi, Village, Namchi Post office, Namchi-727126 (Sikkim). ----- File No. PCI-5961/2022 1.1 The latest information on record was placed and considered. 1.2 The EC noted inspector's remarks as under- "We both visited the institute as per order where Govt building and campus is shared with NCC department of Law Sciences The building has a common library for all courses including pharmacy The university claims to have Pharmacy labs in Girls hostel converted premises which aprox 50 mtr but they showed inability to open any lab and show equipments saying the Principal has taken keys with him School has no class rooms to show We declare that college dont have required infrastructure and faculty." 1.3 In view of above, it was decided to seek compliance of the deficiencies pointed out in the inspection report within 7 days.
375	PCI-9234	V. V. Pharmacy College	House No: Gathana ,Street: street ,Landmark: Gathana ,Panchayat: local ,Village: Gathana ,PostOffice: Narauli ,Pincode: 223104	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Four Faculties are Presents, Principal is not available 3. faculty photograph name of Bhaskar not show in portal, 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Is Municipality Registration Office Available-Not Available, 6. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available, 7. Classrooms are not verified. 8. Equipments are not available as per norms.
376	PCI-2995	L.N Pharmacy College	House No: 265 ,Street: govindpur baitalpur road ,Landmark: Tapa- Dhatara ,Panchayat: Govindpur ,Village: Govindpur ,PostOffice: Baitalpur ,Pincode: 274201	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH, Dr. A.P.J. Abdul Kalam Technical University, Lucknow Uttar Pradesh (For B. Pharm., M. Pharm. and Pharm. D.)	M.Pharm Pharmaceutics, B.Pharm, D.Pharm, M.Pharm Pharmacognosy	D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. B.Pharm Extend approval up to 2024-2025 academic session for 60 admissions for B.Pharm course. , M.Pharm Pharmaceutics Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. Thirty Faculties are Presents, 3. There is three principal mentioned in the inspection report. 4. Higher faculty cadre are not available. , M.Pharm Pharmacognosy , Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. State policy decision-Not Available, 2. Thirty Faculties are Presents, 3. There is three principal mentioned in the inspection report. 4. Higher faculty cadre are not available.
377	PCI-3802	Arpit College Of Pharmacy	House No: 2-244 ,Street: YAKATHPUR ,Landmark: YAKATHPUR ,Panchayat: YAKATHPUR ,Village: YAKATHPUR VILLAGE ,PostOffice: YAKATHPUR POST OFFICE ,Pincode: 585403	The Member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy NoII Subbaiah Circle Dr P Kalinga Rao Road Bangalore	D.Pharm	D.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Pay Scale, Teaching Or Non-teaching As Per UGC Or AICTE -Not Provided/Available 3. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available 5. Details Of Salary Disbursement-bank Transfer Details-Not Available 6. Book Titles Not Available as per PCI requirements 7. Volumes Not Available as per PCI requirements 8. Required No. Of Computer are Not Available 9. Subscription of National and International Journals - Not Available 10. Computer Laboratories Not Available As Per Norms 11. Only Four Faculties were Presents and Four Absents, also Principal was Absent on the day of inspection. 12. Infrastructure not available as per PCI norms. 13. Labs for PHARMACEUTICAL CHEMISTRY, Social pharmacy, HUMAN ANATOMY, Pharmaceutics, PHARMACOGNOSY--Not Verified 14. Building completion certificate/Construction Cost details-Not Provided/Available 15. Municipality Registration of Institute/Building -Not Available 16. Microscopes-Not Verified 17. Pharmacy laboratories four angle geo tag photos -Not provided/Available 18. Social pharmacy laboratories not maintained as per new regulations 19. Machine are not Fixed On Cemented Blocks 20. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available 21. General And Departmental Notice Boards-Not Available 22. Herbal Garden-Not Available 23. Display Of Chart In Respective Laboratories-Not Available 24. Smart Classroom-Not Available 25. Instrument Numbering Register-Not Available 26. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available 27. Model Pharmacy Laboratory does not have Provision Of Drug Information Center And Patient Counselling Center 28. Equipments are not Properly Displayed With SOP In Laboratories 29. Fire Safety Equipment-Not Available 30. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available 31. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available 32. Gas Connection Proof & Receipt-Not Available 33. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available 34. Bio Meteric Attendance System For Student-Not Available 35. CCTV -Not Available 36. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available 37. Pharmacology Software-Not Available 38. Triple Door Entering Setup For Aseptic Room-Not Available 39. Bio Meteric Attendance System For Faculty-Not Available.

378	PCI-2459	Sye Societys Sri Siddalingeshwar College Of Pharmacy Naubad Bidar	House No: 8-21/10 ,Street: HUMNABAD ROAD ,Landmark: NAUBAD ,Panchayat: BIDAR ,Village: BIDAR ,PostOffice: NAUBAD ,Pincode: 585402	The Member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy NoII Subbaiah Circle Dr P Kalin, Rajiv Gandhi University Health Science 4th 'T' Block Jayanagar	B.Pharm, D.Pharm	B.Pharm &D.Pharm Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Out of 23 faculties shown in IR only 19 Faculties were Present and 04 were absent on the day of inspection 3. Experiences of some staff having B. Pharm as highest degree is not as per PCI norms. 4. Lab 7 & Lab 13 Not Verified 5. Data of any Institution Running Previously In Same Building-Not Available 6. Building completion certificate/Construction Cost-Not Available 7. All-purpose equipment with all accessories-Not Verified 8. Incinerator-Not Verified 9. Inventory Software for Retail Pharmacy-not Verified 10. Andraesen's Pipette-not Verified 11. Humidity Control Oven-Not Verified 12. Brookfield's viscometer-Not Verified 13. Carbon, Hydrogen, Nitrogen Analyzer (Desirable)-Not Verified 14. Bottle washing Machine-Not Verified 15. Ion- Exchanger-Not Verified 16. IR Thermometer-Not Verified 17. HPLC-Not Verified 18. Deep Freezer (Desirable)-Not Verified 19. Andraeson's Pipette-Not Verified 20. Bottle Sealing Machine-Not Verified 21. HPTLC (Desirable)-Not Verified 22. Lyophilizer (Desirable)-Not Verified 23. IR Thermometer-Not Verified 24. Lucas Moist Chamber-Not Verified 25. Inventory Software for Retail Pharmacy-Not Verified 26. Fermenters of different capacity (Desirable)-Not Verified 27. Homogenizer-Not Verified 28. Atomic Absorption and Emission spectrophotometer (Desirable)-Not Verified 29. Triple Door Entering Setup For Aseptic Room-Not Available,
379	PCI-8483	JANTA PHARMACY COLLEGE	House No: BABHANI ,Street: BABHANI ,Landmark: BABHANI DUDDHI ROAD ,Panchayat: BABHANI ,Village: BABHANI ,PostOffice: BABHANI ,Pincode: 221223	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.), DR APJ ABDUL KALAM TECHNICAL UNIVERSITY	B.Pharm, D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. Pharm lab -not Verified, 3. Is Municipality Registration Office Available-Not Available, 4. Building Construction Cost-Not Available, 5. Faculties are not Available as per norms, Faculty Verification Details not show on PCI portal, 6. Pharmacology Software-Not Available, 7. General And Departmental Notice Boards-Not Proper verified, 8. Availability Of Institute Website-Not Available., Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. Pharm lab -not Verified, 3. Is Municipality Registration Office Available-Not Available, 4. Building Construction Cost-Not Available, 5. Faculties are not Available as per norms, Faculty Verification Details not show on PCI portal, 6. Pharmacology Software-Not Available, 7. General And Departmental Notice Boards-Not Proper verified, 8. Availability Of Institute Website-Not Available.
380	PCI-10120	SANT SITARAM PHARMACY COLLEGE	House No: Basantpur, Deendashpur, Sindhora, Varanasi ,Street: Basantpur, Deendashpur, Sindhora, Varanasi ,Landmark: sHRI KRISHNA ,Panchayat: Basantpur, Deendashpur, Sindhora, Varanasi ,Village: Basantpur, Deendashpur, Sindhora, Varanasi ,PostOffice: sindhora ,Pincode: 221208	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. No Of National Journals Available-Not Available, 4. No Of International Journals Available-Not Available, 5. Volumes Available-Not Available, 6. Four Faculty are Presents and Two Absents, Faculty Experience(years) Not show on portal, Faculties are not available as per norms. 7. LAB 6-Not Verified, 8. Building Construction Cost-Not Available, 9. Triple Door Entering Setup For Aseptic Room-Not Available, 10. Pharmacology Software-Not Available. 11. PAN Card is not available. 12. Computers journal and volumes were not as per norms
381	PCI-10132	MANGLA DEVI SMARAK POLYTECHNIC COLLEGE MASIKA NAINI PRAYAGRAJ	House No: 276 ,Street: MASIKA ,Landmark: NAINI ,Panchayat: MASIKA ,Village: MASIKA ,PostOffice: NAINI ,Pincode: 211010	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	B.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 4. Equipment not available as per pci noms, 5. General And Departmental Notice Boards-Not Available, 6. Bio Meteric Attendance System For Faculty-Not Available, 7. Bio Meteric Attendance System For Student-Not Available, 8. Faculty Verification not Available, Faculties are not available as per norms.

382	PCI-10031	MCS EDUCATIONAL INSTITUTE	House No: WAZIDPUR ,Street: WAZIDPUR ,Landmark: NONE ,Panchayat: KHAIR ,Village: KHAIR ,PostOffice: KHAIR ,Pincode: 202138	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. BankDetailsResponse-Not Available, 3. State policy decision-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE Or STATE GOVERNMENT- Not Available, 6. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 7. No Of International Journals Available-Not Available, 8. No Of National Journals Available-Not Available, 9. Is Municipality Registration Office Available-Not Available, 10. Is Previously Any Institution Running In Same Building-Not Available, 11. Smart Classroom-Not Available, 12. Availability Of Institute Website-Not Available, 13. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 14. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 15. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 16. Pharmacology Software-Not Available, 17. Triple Door Entering Setup For Aseptic Room-Not Available, 18. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 19. Bio Meteric Attendance System For Student-Not Available, 20. Instrument Numbering Register-Not Available, 21. All Equipments Properly Displayed With SOP In Laboratories-Not Available, 22. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 23. Is Display Of Chart In Respective Laboratories-Not Available, 24. Faculty Verification Details are Not Available on pci portal. Faculties are not available as per norms. Only one Lab and One classroom is verified. Infrastructures are not available as per norms.
383	PCI-10039	SHREE RAM SARAN MAHAVIDYALAYA	House No: 0 ,Street: ALIGANJ ,Landmark: ALIGANJ ,Panchayat: HATSARI ,Village: HATSARI ,PostOffice: ALIGANJ ,Pincode: 207247	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. State policy decision-Not Available, 3. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 4. Salary Acquaintance Register Of Staff(teaching & Non-teaching)-Not Available, 5. Details Of Salary Disbursement-bank Transfer Details-Not Available, 6. Only One Faculty Principal HEMANT KUMAR and he was Absents, Faculties are not available as per norms. 7. PHARMACEUTICS Lab -Not Verified, 8. PHARMACOGNOSY Lab -Not Verified, 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Is Municipality Registration Office Available-Not Available, 11. Upload electricity telephone bill-Not Available.
384	PCI-9202	Shiva Pharmacy College	House No: 62 ,Street: Manapur ,Landmark: Ramganj Road ,Panchayat: Ramganj ,Village: Manapur ,PostOffice: Manapur ,Pincode: 230138	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Faculties are not available as per norms, during inspection faculty mentioned in SFI are absent. 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Equipments are not available as per norms.
385	PCI-10148	DR PANKAJ PAL GROUP OF INSTITUTION	House No: dhakwa ,Street: dhakwa ,Landmark: prateek hospital ,Panchayat: dhakwa ,Village: dhakwa ,PostOffice: dhakwa ,Pincode: 230121	BOARD OF THECNICAL EDUCATION UTTAR PRADESH	D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course.
386	PCI-9885	AADVIK INSTITUTE OF PARAMEDICAL SCIENCES	House No: 10 ,Street: 2 ,Landmark: 7317200061 ,Panchayat: RAMAPUR ,Village: RAMAPUR ,PostOffice: GOSAINGANJ ,Pincode: 224141	BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :-1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. Pay Scale, Teaching/non-teaching as per UGC/AICTE/STATE-Not Available, 3. Salary acquaintance register of staff(teaching & non-teaching-not Available, 4. Is Computer Laboratories Available As Per Norms-Not Available, 5. Faculty verification is Not Available, 6. All Faculty are Absents, 7. Is Previously Any Institution Running In Same Building-Not Available, 8. Display for various disinfectants, mosquito repellents etc-Not Verified, 9. CCTV Available-Not Available, 10. Triple Door Entering Setup For Aseptic Room-not Available, 11. Bio Meteric Attendance System For Student-Not Available, 12. Affidavit From Faculty, Lateral Entry And M Pharm Students Regarding Issue Of Misuse Of Pharmacist Registration Certificate-Not Available, 13. Instrument Numbering Register-not Available, 14. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 15. Smart Classroom-Not Available, 16. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-Not Available, 17. Gas Connection Proof & Receipt-Not Available, 18. Bio Meteric Attendance System For Faculty-Not Available, 19. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 20. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available. 21. Classrooms are not available as per norms.
387	PCI-7067	P.S.A. COLLEGE OF PHARMACY	House No: VILL MAHAWATGARH ,Street: MAHAWATGARH ,Landmark: AMURAI NARAYANPUR GATE ,Panchayat: MAHAWATGARH ,Village: VILL MAHAWATGARH ,PostOffice: MANDONPUR ,Pincode: 276124	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents but Experience(years) not mentioned on PCI portal and photograph not show on portal, 3. Is Previously Any Institution Running In Same Building-Not Available.
388	PCI-6944	MAA BHAGWATI MAHAVIDHYALYA DEPARTMENT OF PHARMACY	House No: 1156 ,Street: GOPI ROAD ,Landmark: ,Panchayat: MANAI ,Village: BICHPURI ,PostOffice: MANAI ,Pincode: 202121	BOARD OF TECHNICAL EDUCATION ,UTTER PRADESH	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-not Available, 2. No Of International Journals Available-Not Available, 3. No Of National Journals Available-Not Available, 4. Is Computer Laboratories Available As Per Norms-Not Available, 5. Faculties Not Available as per norms, 6. Is Previously Any Institution Running In Same Building-Not Available, 7. Is Institute Building Complete And Ownership Of Building Is With Institute-Not Available, 8. Is Municipality Registration Office Available-not Available, 9. Viscometer Ostwald/Brookfield-Not Verified, 10. Colostomy bags-Not Verified, 11. Andreasen's Pipette-not Verified, 12. Peak Flow meter-Not Verified, 13. Pulse Oximeter-Not Verified, 14. Triple Door Entering Setup For Aseptic Room-not Available, 15. Availability Of Institute Website-Not Available, 16 Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 17. Smart Classroom-Not Available, 18. Bio Meteric Attendance System For Student-Not Available.
389	PCI-8548	SSD COLLEGE OF PHARMACY	House No: KISHAN CHAND DHARM PUR ROAD DEBAI (DEHAT) DISTT.BULANSHAHAR ,Street: SARAI ,Landmark: MANDIR ,Panchayat: DEBAI ,Village: DEBAI ,PostOffice: DEBAI ,Pincode: 203393	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails- Not Available, 2. Only Five Faculty are Presents and Two Absents and One Leave and also Principal is Absents, Experience details are not available. 3. Nessler's Cylinders-Not Verified,

390	PCI-7839	SHEREE PRAKASH COLLEGE OF PHARMACY	House No: 786 ,Street: TRIVENI MORE ,Landmark: NA ,Panchayat: CHHATTARPUR ,Village: CHHATTARPUR ,PostOffice: AHIRLAULI ,Pincode: 276301	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. State policy decision-Not Available, 3. Eight Faculties are Presents, 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Models for various organs-Not Verified, 6. Box/area for expiry medicines,-Not Verified, 6. Digital Thermometer-Not Verified, 7. Hot Plate-Not Verified, 8. Buchner Funnels (Medium)-Not Verified, 9. Thieles Tube-Not Verified, 10. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 11. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 12. Micrometre slide Eyepiece-Not Verified, 13. ESR Apparatus (Westergren and Wintrobe)-Not Verified, 14. Inventory Software for Retail Pharmacy-Not Verified, 15. Hot plates-Not Verified, 16. Mercury Thermometer-Not Verified, 17. Menstrual hygiene products-Not Verified, 18. Colostomy bags-Not Verified, 19. Mannequins for CPR-1 (with indication Signals)-Not Verified, 20. Dummy devices (eg. Inhalers)-Not Verified, 21. Analytical Balances for demonstration-Not Verified, 22. Bottle washing Machine-Not Verified, 23. Digital BP Instrument-Not Verified, 24. Nessler's Cylinders-Not Verified, 25. Magnetic Stirrers with Thermostat-Not Verified, 26. Different Types of bandages such as sterile gauze, cotton, crepe bandages, roll bandage etc-Not Verified, 27. Micrometre slide Stage-Not Verified, 28. Liquid Filling Machine-Not Verified, 29. Stadiometer-Not Verified, 30. Pharmacotherapeutic charts for various diseases & disorders-not Verified, 31. Orthopaedical & Surgical Aids such as knee cap, LS belts, abdominal belt, walker, walking sticks, etc-Not Verified, 32. Digital Melting Point Apparatus-Not Verified, 33. Specimen for various organs and systems-Not Verified, 34. Viscometer Ostwald/Brookfield-Not Verified, 35. Mannequins for injection IV Arm-not Verified, 36. Magnetic stirrer, 500ml and 1 liter capacity with speed control-Not Verified, 37. Liquid Mixer-Not Verified, 38. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 39. Patient Information ...Leaflets/Cards-Not Verified, 40. Peak Flow meter-Not Verified, 41. Water Testing Kit-Not Verified, 42. Various devices for screening services (B.P.,_monitor, _glucometer etc)-Not Verified, 43. Various name plates indicating different parts of Pharmacy,-Not Verified, 44. Thermostatic Water Bath-Not Verified, 45. Various types of PPE Kits,-Not Verified, 46. Stalagmometer-Not Verified, 46. Height and body weight chart-Not Verified, 47. Variety of Needles-Not Verified, 48. IR Thermometer-Not Verified, 49. Permanent slide of different microbes-Not Verified, 50. Sintered glass filter with vacuum-Not Verified."
391	PCI-5430	M.S.BHARTIYA COLLEGE OF PHARMACY	House No: 0 ,Street: 0 ,Landmark: DIBIYAPUR ROAD ,Panchayat: NA ,Village: NA ,PostOffice: PHAPHUND ,Pincode: 206247	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Four Faculties are Available and Faculties Experience(years) details not Available, 2. Is Previously Any Institution Running In Same Building-Not Available, 3. Is Municipality Registration Office Available-Not Available, 4. Display windows, shelves-Not Verified, 5. Bill book (dummy) Computer stationary for bill printing-not Verified, 6. Height and body weight chart-Not Verified, 7. Dummy Inhalers and Nebulizer-Not Verified, 8. Buchner Funnels (Medium)-Not Verified, 9. Health information display,-Not Verified, 10. Lock and key arrangement for Schedule X and NDPS medicines,-Not Verified, 11. Computers: hospital and community pharmacy management software-Not Verified, 12. Menstrual hygiene products-Not Verified, 13. Inspection book,-Not Verified, 14. Dummy devices (eg. Inhalers)-Not Verified, 15. Digital balance (10mg)-Not Verified, 16. Box/area for expiry medicines,-not Verified, 17. Mannequins for injection IV Arm-not Verified, 18. Mannequins for CPR-1 (with indication Signals)-Not Verified, 19. v-Not Verified, 20. Various name plates indicating different parts of Pharmacy,-Not Verified, 20. Proper arrangement of medicines, shelves, racks, drawers-Not Verified, 21. Drug information resources-Not Verified, 22. Digital balance 10mg sensitivity-Not Verified, 23. Empty cartons of variety medicines (across variety dosage forms)-Not Verified, 24. Colostomy bags-Not Verified, 25. Inventory Software for Retail Pharmacy-Not Verified, 26. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 27. Bio Metric Attendance System For Student-Not Available, 28. Triple Door Entering Setup For Aseptic Room-Not Available, 29. Smart Classroom-Not Available."
392	PCI-5847	G S Institute Of Pharmacy	House No: 339 ,Street: Malhepur Road ,Landmark: Infront of GS Law College ,Panchayat: MALEPUR ,Village: FARIDPUR ,PostOffice: AURAIYA ,Pincode: 206122	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. Salary Acquaintance Register Of Staff teaching & Non-teach-Not Available, 2. Six Faculties Available All Faculties Experience(years) Not Available, 3. Is Municipality Registration Office Available-Not Available, 4. Is Previously Any Institution Running In Same Building-not Available, 5. Actophotometer-Not Verified, 6. Bio Metric Attendance System For Student-Not Available, 7. Instrument Numbering Register-Not Available."
393	PCI-8511	NORTH BENGAL COLLEGE OF PHARMACY	House No: SAHEBBARI ,Street: SAHEBBARI ,Landmark: PWD ROAD ,Panchayat: PAGARPUR GP ,Village: SAHEBBARI ,PostOffice: DENGUAJHAR ,Pincode: 735121	WEST BENGAL STATE COUNCIL OF TECHNICAL AND VOCATIONAL EDUCATION AND SKILL DEVELOPMENT KARIGORI BHAWAN,4TH AND 5TH FLOOR,PLOT NO- D/7,ACTION AREA-III NEWTOWN, RAJARHAT,KOLKATA, PIN- 700160	D.Pharm	Decision of 419th EC held on 16.08.2024 is as underThe Council has conducted the Inspection ofthe Institution on 06.10.2024. Remarks ofthe Inspectors: "visitedto location as per the communication address given in inspectorsdeputation letter for availability of infrastructure of North Bengal college ofPharmacy has notfound There atlocal enquiry did not contact numbers given ondeputation letter communications done but nottaken responsibility of authorityof said college There no responsible person found no concern infrastructurefacility or any concern thing found so said institute is not exist." In view ofthe above, it was decided to issue show cause notice to the institution giving 7 days time filing which the approval shall be deemed to be withdrawn."
394	PCI-8135	D.V.S. COLLEGE	House No: 0 ,Street: MUDHI JAHANGEERPUR ,Landmark: KHANDAULI ,Panchayat: MUDHI JAHANGEERPUR ,Village: MUDHI JAHANGEERPUR ,PostOffice: MUDHI JAHANGEERPUR ,Pincode: 283126	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Seven Faculties are Available, 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Bill book (dummy) Computer stationary for bill printing-Not Available, 7. Height and body weight chart-Not Verified, 8. Display of name of owner-Not Verified, 9. RYLE's tube-Not Verified, 10. Distillation Unit-Not Verified, 10. Mannequins for CPR-1 (with indication Signals)-Not Verified, 11. Licensed Software packages for Physiological & Pharmacological experiment-Not Verified, 12. Micrometre slide Eyepiece-Not Verified, 13. Inventory Software for Retail Pharmacy-Not Verified, 14. Inventory Software for Retail Pharmacy-Not Verified, 15. Display of pharmacist registration, license and other licenses-Not Verified, 16. Mannequins for injection IV Arm-Not Verified, 17. Micrometre slide Stage-Not Verified, 18. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 19. Bio Metric Attendance System For Student-not Available, 20. Pharmacology Software-Not Available."
395	PCI-5441	SUSHEELA DEVI INSTITUTE OF MEDICAL SCIENCE CHANDAUS ALIGARH	House No: 1115 ,Street: RAMPUR ROAD CHANDAUS ,Landmark: NEAR ELECTRIC STATION ,Panchayat: CHANDAUS ,Village: CHANDAUS ,PostOffice: CHANDAUS ,Pincode: 202132	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Available. Experience details not available. 3. Library details are not verified. 4. No. of Title and Volumes for library - Not available."
396	PCI-5727	Shri Siddh Baba Pharmacy College	House No: 0 ,Street: Gangiri ,Landmark: near Petrol Pump ,Panchayat: Rampur Mazra Bhudia ,Village: Rampur ,PostOffice: chharra ,Pincode: 202130	Uttar Pradesh Board of Technical Education Lucknow	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Four Faculties are Presents, Experience details are not available. 3. Pharmacology Software-Not Available, 4. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 5. Triple Door Entering Setup For Aseptic Room-Not Available." 6. Insufficients Equipment as per norms, 7. Equipments Not Verified on portal."

397	PCI-8264	B S College of Pharmacy and Paramedical Science	House No: 507-516 ,Street: Hardoi tyawali marg ,Landmark: ,Panchayat: Raipur khas ,Village: Raipur ,PostOffice: Raipur khas ,Pincode: 202133	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Four Faculties are Available but Experience(years) not mentioned in portal, 3. Is Municipality Registration Office Available-Not Available, 4. Is Previously Any Institution Running In Same Building-Not Available, 5. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 6. Pharmacology Software-Not Available, 7. Equipments Not Available as per norms,
398	PCI-5770	ANEKANT COLLEGE OF PHARMACY	House No: VILLAGE-AZADPUR MAFI ,Street: TEHSIL-HASANPUR ,Landmark: Enroot dhaba ,Panchayat: KHAYALIPUR DHAL ,Village: VILLAGE AZADPUR MAFI ,PostOffice: GAJRAULA ,Pincode: 244235	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Seven faculties are Presents, Faculty of B. Qualification their experience details are not available. 3. Soxhlet apparatus-Not Verified, 4. Camera Lucida-Not Verified, 5. Ion- Exchanger-Not Verified, 6. Ointment spatula-Not Verified, 7. Sahli's haemoglobinometers-Not Verified, 8. Human Skeleton and bones-Not Verified, 9. Ointment slab-Not Verified, 10. Paper Electrophoresis Unit-Not Verified, 11. Ointment filling machine-Not Verified, 12. Permeability Cups-Not Verified, 13. Projection microscope-Not Verified, 14. Clavengers apparatus-Not Verified, 15. Capsule filling machine-Not Verified, 16. Sterility testing unit-Not Verified, 17. Gel Electrophoresis (Vertical and Horizontal)-Not Verified, 18. Digital Thermometer-Not Verified, 19. Lucas Moist Chamber-Not Verified, 20. Friability test apparatus (Digital Single/Double unit)-Not Verified, 21. Tablet counter - small size-Not Verified, 22. Potentiometer-Not Verified, 23. Plethysmograph-Not Verified, 24. Sherrington's Kymograph Machine / Polyrite-Not Verified, 25. Desiccator-Not Verified, 26. Double cone blender-Not Verified, 27. Incinerator-Not Verified, 28. Automated Single Station Tablet punching machine-Not Verified, 29. Nephelo Turbidity meter-Not Available, 30. Myographic Lever-Not Verified, 31. Ampoule filling and sealing machine (Jet Burner)-Not Verified, 32. TLC chamber and sprayer-Not Verified, 33. Lipstick moulds-Not Verified, 34. Arsenic Limit Test Apparatus-Not Verified, 35. Muscle electrodes-Not Verified, 36. Filtration assembly with Vacuum Pump-Not Verified, 37. Digital Colorimeter-Not Verified, 38. Pfizer type hardness tester-Not Verified, 39. Monsanto's hardness tester-Not Verified, 40. Autoclave-Not Verified, 41. Tablet disintegration test apparatus IP (Digital Single/Double unit)-Not Verified, 42. Sherrington Drum-Not Verified, 43. Andreasen's Pipette-Not Verified, 44. Ointment slab-Not Verified, 45. Aerators-Not Verified, 46. Stethoscopes-Not Verified, 47. Ampoule washing machine-Not Available, 48. Flame Photometer-Not Available, 49. Tablet counter - small size-Not Available, 50. Digital BP Instrument-Not Available, 51. Submission Of Undertaking To PCI Notification Tab And Respective State Pharmacy Council Regarding Admitted Student Every Year-Not Available.
399	PCI-6686	SHRI SARDAR SINGH SMARAK PHARMACY COLLEGE	House No: 85 89A,B,C,D 90 92/1 ,Street: HARDOI TO PYAVALI ,Landmark: POST NARUPURA DISTT ALIGARH ,Panchayat: NARUPURA KATKA ,Village: VILLAGE NAGLA BATUL ,PostOffice: NARUPURA ,Pincode: 202133	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh email - secretarybte@gmail.com Phone - 05222630243	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Salary Acquaintance Register Of Staff(teaching & Non-teaching -Not Available, 3. Is Previously Any Institution Running In Same Building-Not Available, 4. Is Municipality Registration Office Available-Not Available, 5. Faculties verification details are Not Available, 6. Faculties Not Available as per norms, 7. Availability Of Institute Website-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available, 9. Insufficients Equipments as per norms, 10. Equipments Not Verified on portal.
400	PCI-7724	SHRI BHARAT SINGH KAMLA DEVI PHARMACY COLLEGE RAIPUR KHAS ATRAULI ALIGARH	House No: 683 ,Street: RAIPUR KHAS ,Landmark: HARDOI TO PIYAWALI MARG ,Panchayat: RAIPUR KHAS ,Village: RAIPUR KHAS ,PostOffice: RAIPUR KHAS ,Pincode: 202133	NIL, BOARD OF TECHNICAL EDUCATION UTTAR PRADESH LUCKNOW ADDRESS :1, Guru Gobind Singh Marg, Bans Mandi Chauraha, Charbagh , Lucknow (U.P.)	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, Experience details are not available. 3. PHARMACOGNOGY - Not Verified, 4. Is Municipality Registration Office Available-Not Available, 5. Is Previously Any Institution Running In Same Building-Not Available, 6. Andreasen's Pipette-Not Verified, 7. Thielles Tube-not Verified, 8. Distillation unit-Not Verified, 9. Urine Bag-Not Verified, 10. Micrometre slide Stage-Not Verified, 11. Various types of PPE Kits,-Not Verified, 12. Dummy Inhalers and Nebulizer-Not Verified, 13. Micrometre slide Eyepiece-Not Verified, 14. Analgesimeter (Eddy's hot plate and radiant heat methods)-Not Verified, 15. Digital Melting Point Apparatus-Not Verified, 16. Colostomy bags-Not Verified, 17. Viscometer Ostwald/Brookfield-Not Verified, 18. Sahli's haemoglobinometers-Not Verified, 19. Humidity Control Oven-Not Verified, 20. Filtration assembly-Not Verified, 21. Filtration assembly with Vacuum Pump-Not Verified, 22. Nessler's Cylinders-Not Verified, 23. Triple Door Entering Setup For Aseptic Room-Not Available.
401	PCI-7831	MOTHER TERESA COLLEGE OF PHARMACY	House No: 205 ,Street: DHANAURA ROAD ,Landmark: ,Panchayat: HADIPUR ,Village: HADIPUR ,PostOffice: AMROHA ,Pincode: 244221	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. State policy decision-Not Available, 3. GSTDetails-Not Available, 4. Latest Project Budget & Expenditure Report-Not Available, 5. Audited Financial Statement Last Three Years (A Copy Of Balance Sheet Profit & Loss Account Of The College)-Not Available, 6. Details Of Salary Disbursement-bank Transfer Details-Not Available, 7. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 8. Is Computer Laboratories Available As Per Norms-Not Available, 9. Titles Available-Not Available, 10. No Of National Journals Available-Not Available, 11. No Of International Journals Available-Not Available, 12. No Of Computer Available-Not Available, 13. Volumes Available-Not Available, 14. Faculties Not Available as per norms, 15. One Faculties Principal are Presents, 16. Is Previously Any Institution Running In Same Building-Not Available, 17. Building Construction Cost-Not Available, 18. Land Area As Per Norms-Not Available, 19. Is Institute Building Complete And Ownership Of Building Is With Institute-Not Available, 20. Is Municipality Registration Office Available-Not Available, 21. Dissolution apparatus (at least LP standard type I & type II)q-Not Verified, 22. Upload electricity telephone bill-Not Available, 23. Is social pharmacy laboratories maintained as per new regulations-Not Available, 24. Upload pharmacy laboratories four angle geo tag-Not Available, 25. Fire Safety Equipment-Not Available, 26. Is Display Of Chart In Respective Laboratories-Not Available, 27. Instrument Numbering Register-Not Available, 28. Proof Of Provision Of Internet Bandwidth In Mbps-Not Available, 29. Herbal Garden-Not Available, 30. CCTV Available-Not Available, 31. Pharmacology Software-Not Available, 32. Bio Meteric Attendance System For Faculty-Not Available, 33. Electricity Bill With Sanction Of Electric Load By Electric Supply Provider Company-Not Available, 34. Model Pharmacy Laboratory Has Provision Of Drug Information Center And Patient Counselling Center-Not Available, 35. General Insurance Provided For Assets Against Fire, buglary And Other Calamities-Not Available, 36. Machine Are Fixed On Cemented Blocks-Not Available, 37. Bio Meteric Attendance System For Student-Not Available, 38. Availability Of Institute Website-Not Available, 39. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 40. Gas Connection Proof & Receipt-Not Available, 41. Stock Registers Of Laboratory Equipments , Chemicals & Glass Ware-not Available, 42. Smart Classroom-Not Available, 43. Triple Door Entering Setup For Aseptic Room-Not Available, 44. All Equipments Properly Displayed With SOP In Laboratories-Not Available."
402	PCI-7539	PARUL COLLEGE OF PHARMACY	House No: 445A 445B ,Street: SHAMSAHABAD ,Landmark: NEAR PRIMARY SCHOOL ,Panchayat: GUTILA ,Village: AGRA ,PostOffice: BARUALI AHEER ,Pincode: 282001	D PHARM-BTE LUCKNOW B PHARM-AKTU LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents, Experience details are not available. 3. Faculties photograph name of ANIL KUMAR, SHISHIR CHATURVEDI not show on PCI portal, 4. Is Previously Any Institution Running In Same Building-Not Available."
403	PCI-6919	SHYAMA SHYAM INSTITUTE OF MEDICAL SCIENCE AND RESEARCH	House No: gamari ,Street: malpura ,Landmark: MALPURA ,Panchayat: malpura ,Village: malpura ,PostOffice: malpura ,Pincode: 282007	BORD OF TECNICAL EDUCATION LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiencies pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. there are no Faculties appointed as per norms, 16. One Faculty Principal are Presents, 3. Is Municipality Registration Office Available-Not Available, 4. Is Previously Any Institution Running In Same Building-Not Available,"5. Insufficients Equipments as per norms, 6. Equipments Not Verified on portal.

404	PCI-10129	Sri Shimusha Institute of Pharmacy	House No: Sri Shimusha Institute of Pharmacy ,Street: Lingadahalli Road ,Landmark: Opposite Indian Oil Petrol Bunk ,Panchayat: Tarikere ,Village: Tarikere ,PostOffice: Tarikere ,Pincode: 577228	The Member Secretary The Board of Examining Authority State of Karnataka III Floor Govt. College of Pharmacy NoII Subbaiah Circle Dr P Kalin	D.Pharm	D.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Details Of Salary Disbursement-bank Transfer Details-Not Available, 3. Salary Acquaintance Register Of Staff (teaching & Non-teaching)-Not Available 4. Details of Any Institution Running Previously In Same Building is Not provided 5. Municipality Registration of Institution/Building - Not Available 6. Pharmacology Software-Not Available 7. Triple Door Entering Setup For Aseptic Room-Not Available 8. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available 9. Gas Connection Proof & Receipt-Not Available 10. Bio Meteric Attendance System For Student-Not Available 11. Availability Of Institute Website-Not Available 12. In SIF consent of only 1 faculty is available. In IR only three faculties were shown. 13. Principal is not appointed. Faculty cadre ratio not maintained."
405	PCI-7783	AIMS Pharmacy College	House No: NH 24 ,Street: Bhagwanpur ,Landmark: Gajraula ,Panchayat: Gajraula ,Village: Bhagwanpur Khadar ,PostOffice: Gajraula ,Pincode: 244235	The Secretary Uttar Pradesh Board of Technical Education Guru Govind Singh Marg Lucknow Uttar Pradesh	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. GSTDetails-Not Available, 2. Eight Faculties are Presents. Two Faculties photograph name of KM SHRUTI KUMARI, MANIKANTH JAYNER not show on portal, 3. Is Previously Any Institution Running In Same Building -Not Available, 4. Is Municipality Registration Office Available-Not Available, 5. Water bath six holes-Not Verified, 6. Binary High-performance liquid chromatography (HPLC) with UV detector (with at least 3KVA UPS backup)-Not Verified, 7. Analytical Balances for demonstration-Not Verified, 8. Actophotometer-Not Verified, 9. Bulk density apparatus-Not Verified, 10. Bioanalyser (semiautomatic)-Not Verified, 11. Vortex mixture-Not Verified, 12. Carbon dioxide euthanasia set-up-Not Verified, 13. Clevenger apparatus-Not Verified, 14. Carbon dioxide euthanasia set-up-Not Verified, 15. Basic safety equipments (Safety Goggles , aprons, gloves, footwears-Not Verified, 16. Brightfield microscope with image analyser-Not Verified, 17. Western blot-Not Verified, 18. ICH Stability chamber with temperature & humidity features-Not Verified, 19. Brookfield viscometer-Not Verified, 20. Bulk density apparatus-Not Verified, 21. Upload pharmacy laboratories four angle geo tag-Not Available."
406	PCI-8050	C IMPACT INSTITUTE OF PHARMACY AGRA	House No: 0 ,Street: 20 KM STONE NH2 ,Landmark: GOKULAM WATER PARK ,Panchayat: SINGNA ,Village: SINGNA ,PostOffice: SIKANDRA ,Pincode: 282007	BTEUP LUCKNOW	D.Pharm	"Deficiency report for your compliance. Submit compliance of deficiency pointed out if any, as above in inspection report within 5 days in prescribed time. 1. BankDetailsResponse-Not Available, 2. GSTDetails-Not Available, 3. Salary Acquaintance Register Of Staff(teaching & Non-teach-Not Available, 4. Details Of Salary Disbursement-bank Transfer Details-Not Available, 5. Pay Scale , Teaching Or Non-teaching As Per UGC Or AICTE -Not Available, 6. Audited Financial Statement Last Three Years -Not Available, 7. No Of National Journals Available-Not Available, 8. Building Construction Cost-Not Available, 9. Is Previously Any Institution Running In Same Building-Not Available, 10. Gas Connection Proof & Receipt-Not Available, 11. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available, 12. Machine Are Fixed On Cemented Blocks-Not Available, 13. Instrument Numbering Register-Not Available, 14. General Insurance Provided For Assets Against Fire, burglary And Other Calamities-Not Available, 15. Smart Classroom-Not Available, 16. Availability Of Institute Website-Not Available, 17. Pharmacology Software-Not Available, 18. CCTV Available-Not Available, 19. Faculties Not Available as per norms,"
407	PCI-9527	JNANAYOGI SHRI SHIDDHESHWAR MAHASWAMIJI INSTITUTE OF PHARMACEUTICAL SCIENCES, CHADCHAN	House No: SHRI SANGAMESHWAR EDUCATION SOCIETY'S ,Street: JNANAYOGI SHRI SHIDDHESHWAR MAHASWAMIJI INSTITUTE OF PHARMACEUTICAL SCIENCES CHADCHAN ,Landmark: NEAR SANGAMESHWAR TEMPLE ,Panchayat: CHADCHAN ,Village: CHADCHAN ,PostOffice: CHADCHAN ,Pincode: 586205	Drug Control Department Board Of Examining Authority Bengaluru	D.Pharm	D.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. Consent of Only 04 Faculties were shown in SIF. 2. In IR 05 faculties were shown from which one faculty was absent/not available on the day of inspection. 3. Faculty cadre ratio not maintained as per PCI norms. 4. Number of faculties required as per PCI norms are not available.. 5. Experience of faculty members not mentioned in IR 6. Instruments/Equipments were not available as per PCI norms or not verified on the day of inspection. 7. General Insurance Provided For Assets Against Fire,buglary And Other Calamities-Not Available, 8. Triple Door Entering Setup For Aseptic Room-Not Available 9. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available."
408	PCI-10144	ARAMBAG PHARMACY COLLEGE	House No: 00 ,Street: BALI ,Landmark: KALI PUR MORE RAIL BRIDGE ,Panchayat: BHADU ,Village: BELI ,PostOffice: BHADU ,Pincode: 712602	West Bengal University Of Health Sciences (W.B.U.H.S), West Bengal State Medical Faculty (S.M.F.W.B)	B.Pharm	B.Pharm "Deficiency report for your compliance Submit compliance of deficiencies pointed as below within 5 days' time. 1. GST Details-Not Available 2. Audited Financial Statement Last Three Years (A Copy Of Bal-Not Available 3. Salary Acquaintance Register Of Staff (teaching & Non-teaching)-Not Available 4. International Journals not subscribed/Available 5. Consent of 12 faculty members were mentioned in SIF. Not a single faculty members were verified in IR on the day of inspection. 6. Principal not appointed. 7. Faculty cadre ratio not mentioned. 8. Only 04 Lab mentioned, out of which 02 labs were not verified. 9. 04 Lecture rooms were shown, all 4 Not Verified 10. Bio Meteric Attendance System For Student-Not Available 11. Bio Meteric Attendance System For Faculty-Not Available 12. Fuming Cub Board, Gas Fitting, Exhaust Fan-Not Available 13. Availability Of Institute Website-Not Available."

Appeals from 04.10.2024 to 15.10.2024 on PCI portal								
S. No	Institution Name	Naming Series	State Name	Institution Type	Area Locality Sector	Full Name	Type Of Request	Date
1	SONKAR COLLEGE OF PHARMACY	PCI-7517	CHHATTISGARH	Private Institute	RAIPUR ROAD , MUNGELI	Dr. Kalyani	appeal	16-10-2024 05:42
2	Shrikrishna Pharmacy College	PCI-3684	MADHYA PRADESH	Private Institute	Mangawan Basti	Dr. Kalyani	appeal	14-10-2024 12:03
3	Gondia College Of Pharmacy	PCI-3241	MAHARASHTRA	Private Institute	AT CHULOD PO DATORA TA DISTT GONDIA	Dr. Kalyani	appeal	16-10-2024 05:43
4	Shinde Institute of Pharmacy And Research	PCI-6372	MAHARASHTRA	Private Institute	at post Bambrud Khurd pra.Pa. Pachora Dist Jalgaon	Dr. Kalyani	appeal	16-10-2024 05:43
5	Dr. Nagnath Anna Nayakawadi College	PCI-8529	MAHARASHTRA	Private Institute	WALWA MALBHAG	Dr. Kalyani	appeal	16-10-2024 05:43
6	Adesh Institute Of Pharmacy &Biomedical Sciences Bhucho Kalan Aimsr Barnala Road Bathinda Punjab	PCI-40	PUNJAB	Private Institute	NH-7	Dr. Kalyani	appeal	15-10-2024 05:07
7	School Of Pharmacy Raffles University Neemrana Japanese Zone Nh 8 Neemrana Alwar 301 715	PCI-1955	RAJASTHAN	Private Institute	Japanese Zone NH 48	Dr. Anju	appeal	16-10-2024 05:26
8	Mandesh Institue Of Pharmaceutical Science And Research Center Mhaswad	PCI-3651	MAHARASHTRA	Private Institute	Late Shree Dhondiba Kodalkar Nagar	Miss. Sonia	appeal	10-16-2024 5:55
9	D K Patil Institute Of Pharmacy Sayal Road Loha Tq Loha Dist Nanded	PCI-389	MAHARASHTRA	Private Institute	SAYAL ROAD, TQ LOHA	Miss. Sonia	appeal	11-10-2024 04:30
10	K K Wagh College Of Pharmacy Hirabai Haridas Vidyanagari Amrutdham Panchavati Nashik	PCI-2742	MAHARASHTRA	Private Institute	AMRUTDHAM, PANCHAVATI	Miss. Sonia	appeal	45576.18593
11	Amritsar Group of Colleges	PCI-2692	PUNJAB	Private Institute	12 KM Stone Amritsar-Jalandhar G.T Road.	Miss. Rajrani	appeal	10-15-2024 5:53

Item No. 10 of 419(16.10.2024) Appeals

S.NO	PCI Code	Institution Name	Program	Decision	Examining Authority	address
1	PCI-7517	SONKAR COLLEGE OF PHARMACY	B.Pharm, D.Pharm	B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course., D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year.	CHHATTISGARH SWAMI VIVEKANAND TECHNICAL UNIVERSITY Newai, P.O.-Newai, District-Durg, Chhattisgarh, PIN-491107 Telephone: +91-788-2200062, Exam Helpline No. +91-788-2445035, Fax-+91-788-2445020 , CHHATTISGARH SWAMI VIVEKANAND TECHNICAL UNIVERSITY Newai, P.O.-Newai, District-Durg, Chhattisgarh, PIN-491107 Telephone: +91-788-2200062, Exam Helpline No. +91-788-2445035, Fax-+91-788-2445020	House No: 255 ,Street: RAIPUR ROAD ,Landmark: RAIPUR ROAD ,Panchayat: MUNGELI ,Village: BUNDELI ,PostOffice: MUNGELI ,Pincode: 495334
2	PCI-3684	Shrikrishna Pharmacy College	M.Pharm Pharmaceutics, D.Pharm, B.Pharm	Regarding introduction of new M.Pharm (Pharmaceutics), it was noted that As per compliance report out of 36 faculties, 14 faculties taken leave during the inspection period, , more than 30% faculties were absent during the inspection. Faculties appointed for D. Pharm. is not qualified as per PCI norms as total 04 faculties have below 03 years experience. Cadre ratio not maintained, Professor and Associate professor not qualified. In view of above, it was decided to reject the application for new M.Pharm (Pharmaceutics), D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. , B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course.	SECRETARY RGPV BHOPAL, RGPV University Bhopal, RGPV University Bhopal	House No: NH 27 ,Street: Allahabad Road ,Landmark: MADHYA PRADESH ,Panchayat: MANGAWAN ,Village: MANGAWAN ,PostOffice: Mangawan ,Pincode: 486111
3	PCI-3241	Gondia College Of Pharmacy	M.Pharm Pharmaceutical Chemistry, M.Pharm Pharmaceutics, B.Pharm, D.Pharm	M.Pharm (Pharmaceutical Chemistry)15, M.Pharm (Pharmaceutics),15 B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course., D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.	DR BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONARE RAIGAD, DR BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONARE RAIGAD, MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION Tel : 022 62542100 Email: secretary@msbte.com, DR BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONARE RAIGAD	House No: 1 ,Street: CHULOD ,Landmark: CHULOD ,Panchayat: CHULOD ,Village: CHULOD ,PostOffice: GONDIA ,Pincode: 441601
4	PCI-6372	Shinde Institute of Pharmacy And Research	B.Pharm, D.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year. B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.	The registrar maharashtra state board of technical education kherawadi bandra east mumbai, DR BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONARE RAIGAD	House No: 94/1 ,Street: bhadgaon road ,Landmark: infront of Nirmal seeds ,Panchayat: bambrud ,Village: pachora ,PostOffice: pachora ,Pincode: 424201
5	PCI-8529	Padmabhushan Krantiveer Dr. Nagnath Anna Nayakawadi College of pharmacy, Walwa.	D.Pharm, B.Pharm	D.Pharm Grant approval for 2024-2025 academic session for the conduct of 2nd year for 60 admissions for D.Pharm course. Allow 60 admissions in 2024-2025 academic session in 1st year., B.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for B.Pharm course.	D Pharmacy-MSBTE Mumbai, B Pharm-DBATU, Lonere Raigad, MSBT (MAHARASHTRA STATE BOARD OF TECHNICAL EDUCATION)	House No: 452/3A ,Street: KARKHANA COLONY ,Landmark: NEAR HUTATMA KARKHANA ,Panchayat: WALWA ,Village: WALWA ,PostOffice: WALWA ,Pincode: 416313

6	PCI-40	Adesh Institute Of Pharmacy & Biomedical Sciences Bhucho Kalan Aimsr Bamala Road Bathinda Punjab	Pharm.D(PB), Pharm.D, D.Pharm, B.Pharm	Pharm.D Extend approval up to 2024-2025 academic session for 10 admissions for Pharm.D (PB) course. , Pharm.D Extend approval up to 2024-2025 academic session for 30 admissions for Pharm.D course. , D.Pharm Grant approval for 2024-2025 academic session for the conduct of 1st year for 60 admissions for D.Pharm course., B.Pharm Extend approval up to 2024-2025 academic session for 60 admissions for B.Pharm course.	The Registrar Adesh University Bathinda Punjab, The Registrar Adesh University Bathinda Punjab, The Registrar Adesh University Bathinda Punjab, The Registrar Adesh University Bathinda Punjab	House No: ADESH UNIVERSITY CAMPUS ,Street: Barnala Road ,Landmark: Adesh Hospital ,Panchayat: Nathana ,Village: BHUCHO KALAN ,PostOffice: BATHINDA CANTT ,Pincode: 151001
7	PCI-1955	School Of Pharmacy Raffles University Neemrana Japanese Zone Nh 8 Neemrana Alwar 301 715	M.Pharm Pharmaceutics, D.Pharm, B.Pharm	M.Pharm (Pharmaceutics), D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. , B.Pharm Extend approval upto 2024-2025 academic session for 100 admissions for B.Pharm course.	Controller of Examination Raffles University, Controller of Examination Raffles University, Controller of Examination Raffles University	House No: 101 ,Street: Japanese Zone ,Landmark: Japanese Zone, NH-48 ,Panchayat: Neemrana ,Village: Neemrana ,PostOffice: Neemrana ,Pincode: 301705
8	PCI-3651	Mandesh Institute Of Pharmaceutical Science And Research Center Mhaswad	M.Pharm Pharmaceutical Quality Assurance, B.Pharm, D.Pharm, M.Pharm Pharmaceutics	M.Pharm (Pharmaceutical Quality Assurance), 15 B.Pharm Extend approval up to 2024-2025 academic session for B.Pharm course. (Raise in admissions from 60 to 100 from 2023-2024 a.s. is already approved), D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. , M.Pharm (Pharmaceutics) 15	Dr Babasaheb Ambedkar Technological University Lonere, Dr Babasaheb Ambedkar Technological University Lonere, Dr Babasaheb Ambedkar Technological University Lonere, MSBTE, Mumbai	House No: Survey No: 1124 ,Street: Mhaswad Injabav Road ,Landmark: Near Mahadev Temple ,Panchayat: Mhaswad ,Village: Mhaswad ,PostOffice: Mhaswad ,Pincode: 415509
9	PCI-389	D K Patil Institute Of Pharmacy Sayal Road Loha Tq Loha Dist Nanded	M.Pharm Pharmaceutical Quality Assurance, B.Pharm, D.Pharm, M.Pharm Pharmaceutics	M.Pharm (Pharmaceutical Quality Assurance), 15 B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course. , D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course. , M.Pharm (Pharmaceutics) 15	The Registrar Swami Ramanand Teerth Marathwada University Dnyanteerth Vishnupuri Nanded, The Registrar Swami Ramanand Teerth Marathwada University Dnyanteerth Vishnupuri Nanded, The Registrar Swami Ramanand Teerth Marathwada University Dnyanteerth Vishnupuri Nanded, Maharashtra State Board of Technical Education	House No: 3738A ,Street: SAYAL ROAD ,Landmark: MAHARASHTRA ,Panchayat: LOHA ,Village: LOHA ,PostOffice: Loha ,Pincode: 431708
10	PCI-2742	K K Wagh College Of Pharmacy Hirabai Haridas Vidyanagari Amrutdham Panchavati Nashik	M.Pharm Pharmaceutics, B.Pharm, M.Pharm Pharmaceutical Quality Assurance, D.Pharm	M.Pharm (Pharmaceutics), 15 B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course., M.Pharm (Pharmaceutical Quality Assurance) 15, D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course.	Dr Babasaheb Ambedkar Technological University Lonere, DR BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY Controller of Examination coe@dbatu.ac.in, Maharashtra State Board of Technical Education, DR. BABASAHEB AMBEDKAR TECHNOLOGICAL UNIVERSITY, LONERE, RAIGAD (MH)	House No: 720 ,Street: HIRABAI HARIDAS VIDYANAGARI ,Landmark: Maharashtra ,Panchayat: Nashik Municipal Corporation ,Village: Panchavati ,PostOffice: NASHIK ,Pincode: 422003
11	PCI-2692	Amritsar Group of Colleges	M.Pharm Pharmaceutics, B.Pharm, D.Pharm, M.Pharm Pharmacognosy, Pharm.D	M.Pharm (Pharmaceutics), B.Pharm Extend approval up to 2024-2025 academic session for 100 admissions for B.Pharm course., D.Pharm Extend approval upto 2024-2025 academic session for 60 admissions for D.Pharm course., M.Pharm (Pharmacognosy), Pharm.D Grant approval for 2024-2025 academic session for the conduct of 1st year for 30 admissions for Pharm.D course.	The Registrar I K Gujral Punjab Technical University Jalandhar Kapurthala Road Jalandhar, The Registrar I K Gujral Punjab Technical University Jalandhar Kapurthala Road Jalandhar, The Registrar I K Gujral Punjab Technical University Jalandhar Kapurthala Road Jalandhar, The Registrar I K Gujral Punjab Technical University Jalandhar Kapurthala Road Jalandhar, The Registrar I K Gujral Punjab Technical University Jalandhar Kapurthala Road Jalandhar, The Director Punjab State Board of Technical Education and Industrial Training A Chandigarh	House No: 12 KM Stone ,Street: 12 KM Stone ,Landmark: Near Toll Plaza ,Panchayat: Nijjarpura ,Village: Nijjarpura ,PostOffice: Jandiala Guru ,Pincode: 143001

Email**Registrar PCI****Fw:****From :** dharmendra3756@yahoo.com

Wed, Oct 16, 2024 09:55 AM

Subject : Fw:**To :** Registrar PCI <registrar@pci.nic.in>, pci pratimatiwari <pci.pratimatiwari@gmail.com>, Pratima Tiwari <pci-ds@pci.nic.in> 3 attachments[Sent from Yahoo Mail for iPhone](#)

Begin forwarded message:

On Wednesday, October 16, 2024, 9:44 AM, LIS PESARA <laljitrust@gmail.com> wrote:

सेवा में,

श्रीमान अध्यक्ष

फार्मसी काउंसिल ऑफ़ इंडिया । न्यू दिल्ली

महोदय,

प्रार्थी लालजी यादव, वर्तमान अध्यक्ष लालजी फार्मसी कॉलेज, जौनपुर, उत्तर प्रदेश, (पीसीआई कोड 5421) इस पत्र के माध्यम से आपको अवगत करना चाहता हूँ कि, मेरी संस्था में पीसीआई का निरीक्षण होना तय हुआ था जिसकी सूचना मुझे मेरे पोर्टल के माध्यम से हुई उसमें दिनांक 07/10/2024 से 14/10/2024, के बीच कंप्लीट होना था। मेरी संस्था का इंस्पेक्शन दिनांक 14 अक्टूबर 2024 को 02, PCI इंस्पेक्टर के द्वारा किया गया, उससे पहले उनके कहने पर हमारे द्वारा होटल वेस्टीन, कैंट एरिया वाराणसी, से मेरी पर्सनल गाड़ी को भेज कर उसमें रिसीव करके अपने उक्त संस्था में लाया गया। चुकी यह इंस्पेक्शन उत्तर प्रदेश सरकार के बीटीई के साथ संयुक्त होना तय था इस क्रम में BTE इंस्पेक्टर अपने साधन से मेरी संस्था में आए एवं मेरे यहां सुबह से शाम 6:00 बजे तक इंस्पेक्शन तीनों इंस्पेक्टर ने किया एवं BTE UP इंस्पेक्टर ने अपनी इंस्पेक्शन रिपोर्ट फिजिकली हर चीज को वेरिफाई करके बनाई और दोनों PCI इंस्पेक्टर के सिग्नेचर कर के उनके पोर्टल पर सॉफ्ट कॉपी सबमिट करा दी एवं हार्ड कॉपी अपने साथ UP BTE में जमा करने के लिए शाम 6:00 के बाद BTE UP के इंस्पेक्टर ने उपरोक्त इंस्पेक्शन रिपोर्ट तथा संबंधित कागजात लेकर चले गए।

MODULES	PCI Code	From Date	To Date	Inspection Status	Inspection Type	Inspector Details	IR Report
Home	PCI-5421	07-10-2024	14-10-2024	Accepted	Normal	Vikash Kumar	In Progress
Appeal	PCI-5421	07-10-2024	14-10-2024	Accepted	Normal	Govind Singh	In Progress

इसके बाद पीसीआई के दोनों इंस्पेक्टर विकास कुमार, एवं गोविंद सिंह (जिनका मेरे पोर्टल में दिख रही इंस्पेक्शन ड्यूटी सलग्र है) ने मुझसे कहा कि आप हमें पांच लाख (₹500000) प्रति व्यक्ति मतलब दोनों लोगों को मिलाकर 10 लाख रुपया देंगे तभी हम पीसीआई में इंस्पेक्शन रिपोर्ट सबमिट करेंगे। चुकी मेरी संस्था में ऐसी कोई कमी नहीं थी और मैं केवल डिप्लोमा फार्मैसी कोर्स संचालित करता हूं और PCI के नॉर्स के आधार पर सत्र 2023-24 से लगातार संस्था सुचारू रूप से संचालित कर रहा हु, इसलिए उपरोक्त अमाउंट अत्यधिक और मेरी क्षमता से बाहर होने की वजह से देने में असमर्थता जताई और मना कर दिया तो उन्होंने दवाब बनाने के लिए मेरे बेटे राज बहादुर को बनारस में होटल वरुणा ग्रैंड, आजाद नगर कॉलोनी, वाराणसी, रूम नंबर 14 एवं 15 सेकंड फ्लोर, ले कर गए और उन्होंने बोला कि चलिए वहां पर आपका रिपोर्ट सबमिट करेंगे और कुछ कागजात भी अपलोड करना है। तो मेरे बेटे ने उनसे कहा कि कागजात तो कॉलेज पर ही अपलोड होगा ताकि जिओ टैगिंग हो जाए, तो उपरोक्त पीसीआई इंस्पेक्टर ने कहा कि आप जियो टैगिंग का टेंशन छोड़ दीजिए आप मेरे साथ बनारस होटल में चलिए तभी हम रिपोर्ट सबमिट करेंगे। इसके बाद मेरे बेटे राज बहादुर को बनारस इनके साथ मजबूरन भेजना पड़ा। बनारस जाने के बाद इन्होंने कुछ संस्था के कागजात को होटल में बैठ कर स्कैन किया और वही पर अपलोड भी किया जिसका जियो टैगिंग आप देख सकते हैं। तथा इन्होंने रात 11:00 तक मेरे बेटे राज बहादुर को परेशान किया तथा धमकाया कि जब तक दोनों लोगों को मिलाकर 10 लाख रुपए नहीं दोगे तब तक इंस्पेक्शन रिपोर्ट पीसीआई को सबमिट नहीं करेंगे और पीसीआई को बोल देंगे कि आप ने अपने कॉलेज का इंस्पेक्शन बंदूक के नोक पर करवा लिया। मेरे बेटे ने इनसे लगातार निवेदन किया एवं अपने ही एक गार्डियन से बात भी कराई ताकि ये मान जाए (जिसकी रिकॉर्डिंग संलग्र है) तब भी है इन्होंने स्पष्ट रूप से कहा कि जब तक आप मैनेज नहीं करेंगे हम इंस्पेक्शन रिपोर्ट सबमिट नहीं करेंगे। और दोनों इंस्पेक्टर बिना रिपोर्ट सबमिट किए ही बनारस से भी चले गए।

उक्त प्रकरण के निहित प्रार्थी आपसे निवेदन करता है कि मेरी संस्था में किए गए इंस्पेक्शन की फाइनल रिपोर्ट इंस्पेक्टर के द्वारा सबमिट कराने की कृपा करें एवं इस तरह के इंस्पेक्टरों के खिलाफ उचित दंडात्मक कार्यवाही करते हुए PCI न्यू दिल्ली की गरिमा कायम रखे। ताकि पुनः कोई भी इंस्पेक्टर इस तरह की अनुचित हरकत ना कर पाए। प्रार्थी सदा आपका अभारी रहेगा।

धन्यवाद

लालजी यादव
अध्यक्ष लालजी फार्मैसी कॉलेज
पेसारा मुफ्तीगंज जौनपुर उत्तर प्रदेश

 **AUD-20241015-WA0000 (1).aac**
2 MB

 **LALJI PHARMACY CLG.pdf**
17 MB
