

<p><b>भारतीय भेषजी परिषद्</b> (स्वास्थ्य एवं परिवार कल्याण मंत्रालय के अंतर्गत सांविधिक निकाय) भारत सरकार आई-300, तीसरी मंजिल, टावर-1, वर्ल्ड ट्रेड सेंटर, नौरोजी नगर, नई दिल्ली-110029 टेलीफोन नंबर 011-65218900-01 E-mail: <a href="mailto:registrar@pci.nic.in">registrar@pci.nic.in</a></p>	 <small>कामये दुःखतानाम् प्राणिनामातिनाशनम्</small>	<p><b>PHARMACY COUNCIL OF INDIA</b> (Statutory body under Ministry of Health &amp; Family Welfare) <b>Government of India</b> I-300, 3rd floor, Tower-I, World Trade Centre, Nauroji Nagar, New Delhi-110029 Telephone No. 011-65218900-01 E-mail: <a href="mailto:registrar@pci.nic.in">registrar@pci.nic.in</a></p>
---	---	---

## Circular

**File No.: INSP-12023/2/2025-INSP**

Ref. No: 17-115/2019-PCI (Maharashtra Lead File)

Date: 6.10.2025

To,

1. The State Government (MAHARASHTRA)
2. All Examining Authorities / Universities / Boards (MAHARASHTRA)
3. All Concemed Institutions of the MAHARASHTRA

**Sub:- Confirmation of letter dt.29.9.2025 of government of Maharashtra.**

Sir/Madam

This is in continuation of PCI circular dt. 26.9.2025 regarding Not to make admission status for 2025-26 academic year in 1st year by PCI letter dt. 15.09.2025 from Government of Maharashtra. In this connection, it is informed that the letter of government of Maharashtra alongwith the 42 institutions (8 B.Pharmacy and 34 D.Pharmacy) was placed before the 434<sup>th</sup> EC of the PCI held on 30.9.2025, which decided as under :-

**Minutes of 02.434<sup>th</sup> Executive Committee (EC) meeting of the September, 2025 by online.**

**02.434.001:** Consideration of court orders dt.24.9.2025 and 26 No.11582 of 2025 filed by Harshwardhan humane college of pharmac Maharashtra & Ors. and many other similar cases before the Hon Judicature of Bombay Bench at Aurangabad.

1.1 The latest information on record including letter dt.29.09 Maharashtra was placed and considered.

1.2 It was noted that -

a) PCI has posted the circular on PCI website in respect of 71 18 B.Pharm institutions with 'not to make admissions' in Maharashtra letter 15.09.2025

b) Government of Maharashtra vide letter dt.29.09.2025 info Pharmacy Council of India on the decision taken on 26.09.2025 Maharashtra Government dated 15.09.2025 regarding cancellation of pharmacy courses in the pharmacy institutes in the state of Maharashtra

1.3 In view of above, it was decided to -

a) restore the decision regarding not to make admissions status for the 1st year.

b) post a circular with updated status on PCI website along with

1.4 It was further decided to take action in anticipation of the decision of members on the EC minutes.

A list of the 42 institutions {(8) B. Pharmacy and (34) D. Pharmacy)} is enclosed as **Annexure-1&2**.

In view of above, 42 institutions not to make status are restored.

Yours faithfully

Digitally signed by  
ANIL MITTAL  
Date: 06-10-2025  
14:25:30

**(ANIL MITTAL)**  
**(Registrar cum Secretary)**

ANNEXURE - 1 : Compliance Report with respect to Reverification of Pharmacy Degree Institutes with final remarks of Joint Director

SN	Institu te Code	PCI Code	Institute Name	Course Name, Intake and Starting Year	Affiliating Body	Deficiency reported in show cause notice by Joint Director	Remarks as mention in DTE Letter No. 2/एनजीसी/फार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
							Compliance/Reply given to the Show Cause Notice submitted by Institute	Joint Director's remark regarding compliance submitted by the institute to the show cause notice (in brief)	Final Recommendation of Joint Director- whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Joint Director remark regarding compliance submitted by the institute	Final Recommendation of Joint Director after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
1	2	3	4	5	6	12	13	14	15	16	17	18
1	6488	PCI-360	Mayani Bhag Shikshan Prasark Mandal's College Of Pharmacy (D.Pharm.) A/P Mayani Tal-Khatav Dist-Satara	B. Pharmacy 60 2022-2023	Dr. Babasaheb Ambedkar Technological University, Lonere	1) Land NA certificate is not available 2) No of computers is deficient by 7	The Institute has submitted that- 1) Institute comes under Gaothan Area, hence NA certificate is not required. Extract of 8A is attached. 2) Required number of computers are purchased	Institute has not Complied the deficiency of NA Certificate.	YES	ProvisionalNA Certificate is submitted	Institute has Complied the deficiency of NA Certificate by Submitting Provisional NA Certificate.	No
2	3492	PCI-2709	SBNM College of Pharmacy (D. Pharmacy), Mahad	B.Pharmacy (60) 2024-2025	Dr. Babasaheb Ambedkar Technological University, Lonere	1.Fire and safety certificate not available. 2.Library and Laboratory equipment are less. 3.Admissions are very less. 4.Library and Laboratory equipment are less.	1.Fire and safety certificate from Competant Autjority is not attached. 2. Equipment bills & list attached.	Fire and safety certificate from competent authority is not submitted.	YES	1.Fire and safety certificate from Competant Autjority is not attached. 2. Equipment bills & list attached.	As per Compliance Report submitted on Dated 16/09/2025, Fire and safety certificate from competent authority is submitted.	No
3	3714	PCI-9466	Aldel College of Pharmacy & Research, St. John Technical & Education Campus, Vevoor, Manor Road, Palghar(E)	B.Pharmacy (100) 2024-2025	Mumbai University	Less numbers of classroom	Geotag photographs of classrooms submitted	Less numbers of classroom	YES	Geotag photographs of classrooms submitted	As per Compliance Report submitted on Dated 16/09/2025, classrooms for B.Pharm & D.Pharm. are available.s per PCI norms	No
4	3715	PCI-6910	Dnyan Ganga College of Pharmacy, Behind Hypercity Mall, Kasar wadi, Vadavali Naka, Ghodbunder Road, Thane(w)	B.Pharmacy (60) 2024-2025	Dr. Babasaheb Ambedkar Technological University, Lonere	1.No Fire & Safety certificate. 2.OC not available. 3.Less number of Laboratories.	1. Fire and Safety certificate from Competent Authority is submitted. 2.Part OC is submitted. 3. As per PCI norms Laboratories are available.	1. Fire and Safety certificate from Competent Authority is not available. 2. Part OC is submitted. 3. Labs are not ready & renovation work is going on.	YES	1. Fire and Safety certificate from Competent Authority is submitted.  2.Part OC is submitted. 3. As per PCI norms Laboratories are available.	As per Compliance Report submitted on Dated 16/09/2025, 1. Fire and Safety certificate from Competent Authority is available. 2. Part OC is submitted. 3. As per PCI norms Laboratories are available.	No
5	2626	PCI-7014	Jay Bharat College of Pharmacy, Dapka, Nilanga, Latur	D. Pharmacy 60 B. Pharmacy 60 2022-2023	MSBTE, Mumbai  Dr. Babasaheb Ambedkar Technological University, Lonere	1. Building completion certificate is not concerned to show that building is provided in the given name Jaybharat College of Pharmacy, Dapka, Tal-Nilanga, Dist -Latur, whereas some documents are in the current name. 2. Building plan not in accordance with existing building shown for the said course. 3. Ground floor is assigned for D Pharm course, 1st floor (entirely un-utilized) and 2nd floor (partially-unutilized, remaining floor assigned for B Pharm course. PEB shade is constructed as top floor. 4. Building shown for said course was observed to be running various non-Pharmacy courses. Separate marking area is not specified for Pharmacy course 5. Higher cadre faculty not available 6. As per PCI norms equipment and instrument must be purchased such as UV-visible spectrophotometer. 7. Many labs do not have exhaust facility. 8. Fire Extinguisher certificate is not valid and must be refilled. 9. Salary details of staff not properly maintained.	1. Building Completion Certificate from Gramsevak,Group grampanchayat karyalay, Dapka Tq.Nilanga. is attached. 2. Building plan certified by Gramsevak, Group grampanchayat karyalay, Dapka Tq.Nilanga. as well as undertaking from the Principal regarding accordance of B.Pharmacy course running under same building. 3. Undertaking attached by the Principal regarding no other courses run in the building. 4. Undertaking attached by the Principal regarding no other courses run in the building. 5. Higher Cadre Faculty list attached with qualification & work experience. 6. Tax invoice of instrument, equipment & UV-visible spectrophotometer are attached. 7. Geotag Photographs of exhaust facility facility are attached. 8. Fire Extinguisher certificate from competent authority attached. 9. Salary Slip is attached	1. Building construction is not as per sanctioned building plan. 2. As per the submitted building completion certificate one floor is used for other programme. 3. Institute does not follows PCI norms. 4. Insufficient infrastructure is availabale to run D.Pharmacy and B.Pharmacy programme.	YES	1.Building plan is submitted and it is as per construction. 2.No other course is running in the building.Geotagged photographs are submitted. 3.Sufficient infrastructureis available to run D.Pharmacy and B.Pharmacy courses. 4.DSR copy is submitted as a proof of avaiability of equipments and machiniries. 5.Fire safety certificate is submitted. 6.Proof of regular salary paid to the faculty is submitted.	1. Sufficient infrastructure is available to run D Pharmacy and B.Pharmacy to run the courses. 2.Sufficient Equipments and Machineries available. 3. No other courses running in the same building. 4.Fire safety certificate from competent authority is submitted.	No
6	5505	PCI-5565	Brahma Valley Institute of Pharmacy, Anjaneri, Nashik	B. Pharmacy 60 2023-2024	Dr. Babasaheb Ambedkar Technological University, Lonere	1. Classrooms- Required 4, available 3.	Classroom are available up to the 3rd year is 3 and upto final year with a total requirement of 4 classrooms.our institute has already received approval for the building plan of the remaining classroom, and its construction is currently in progress. The sanctioned building plan from NMRDA Nashik is attached	Available Classrooms -3	YES	4 Classrooms Available	4 Classrooms Available	No

ANNEXURE - 1 : Compliance Report with respect to Reverification of Pharmacy Degree Institutes with final remarks of Joint Director

SN	Institute Code	PCI Code	Institute Name	Course Name, Intake and Starting Year	Affiliating Body	Deficiency reported in show cause notice by Joint Director	Remarks as mention in DTE Letter No. 2/एनजीसी/फार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
							Compliance/Reply given to the Show Cause Notice submitted by Institute	Joint Director's remark regarding compliance submitted by the institute to the show cause notice (in brief)	Final Recommendation of Joint Director- whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Joint Director remark regarding compliance submitted by the institute	Final Recommendation of Joint Director after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
1	2	3	4	5	6	12	13	14	15	16	17	18
						2. Laboratories- Required 12, available 6.	AS per the PCI syllabus,6 laboratioties are required for the 2nd year, and a total of 10 laboratoties are required up to the final year. Our institute has already obtained sanction for the building plan of the remaining 4 laboratoties,and the consturction work is currently in progress.	Available Laboratories -6		10 Laboratories Available. 2 Laboratories Construction work is in progress. Will complete in 1 month	10 Laboratories Available. 2 Laboratories Construction work is in progress. Will complete in 1 month	
						3. Store room I- required area 100 sq.mts, available area 85.8 sq.mts.	The store room, with a size of 105.80 sq.m.,is available as per the sanctioned building plan and has already been constructed.	Available		The store room, with a size of 105.80 sq.m.,is actual available as per plan and construction.	Available	
						4. Staff required for II Year B Pharmacy 09, available 06	A total of 10 staff members are available. The supporting documents are attached herewith	Available		10 staff members are available in the insitute. Appoinment order & educational documents are attached.	Available	
						5. Occupancy Certificate is not available.	Occupancy Certificate is attached	Available		Occupancy certificate is attached	Available	
7	5533	PCI-8513	Late Devrao Digamber Varat College of Pharmacy, Sakat Tal. Jamkhed Dist. Ahmednagar	B. Pharmacy 60 2024-2025	Dr. Babasaheb Ambedkar Technological University, Lonere	1. Classrooms- Required 4 , available 2 .	B. Pharmacy first and second year is running in the academic year 2025-26. 2 class rooms are available. The construction of 2 class rooms will be completed in 1 month. Documents along with it- Gram Panchayat construction commencement certificate, Architect Building Plan, Institution undertaking letter	Available Classrooms - 2 Construction work is in progress	YES	4 Classrooms Available	4 Classrooms Available	No
						2. Laboratories- Required 13, available 8.	9 Laboratory are available. The construction of remaining 4 Laboratory is in progress. The work has been completed. It will be completed within a month. Documents attached - Gram Panchayat Construction Commencement Certificate, Architect Building Plan, Institutional undertaking	Available Laboratories - 9 Construction work is in progress		10 Laboratories Available. 3 Laboratories Construction work is in progress. Will complete in 1 month	Available Laboratories - 10 Construction work of 3 Laboratories is in progress	
						3. Girls common rooms- required area 60 sq.mts., available area 30 sq.mts.	30 SQM available. Extension construction is underway. Will be completed in a month. Documents attached- Gram Panchayat construction commencement certificate, Architect Building Plan, Institutional undertaking	According to SIF required area is less. But according to GR area is sufficient		Available	Available	
						4. Boys common rooms- required area 60 sq.mts., available area 30 sq.mts.	30 SQM available. Extension construction is underway. Will be completed in a month. Documents attached- Gram Panchayat construction commencement certificate, Architect Building Plan, Institutional undertaking	According to SIF required area is less. But according to GR area is sufficient		Available	Available	
						5. Staff required for II Year B Pharmacy 09, available 05.	9 appointed -Staff Appointment Letter Joining Letter and Staff List	Available		9 Staff appointed	Available	
						6. Central Instrument Room- required 80 sq.mts with AC available 0.	The remaining construction will be completed in 1 month. Construction of extension is in progress, Architect Building Plan, Institutional undertaking	NOT Available		Available	Available	
						7. Office Infrastructure- required 60 sq mts available 40.52	40.52 SQM available. Construction of extension has been started. Will be completed in 1 month.Gram Panchayat Construction Commencement Certificate, Architect Building Plan Institution undertaking	NOT Available		Available	Available	
						8. Library- required 150sq mts available 110 sqm	110SQM available. Library construction is in progress and will be completed in 1 month. Gram Panchayat construction commencement certificate, Architect Building Plan institution undertaking	NOT Available		Available	Available	
						9. Museum- required 50 sq mts available 30 sq mts	Museum of 60 SQM available, two museums of 30 SQM. Gram Panchayat construction commencement certificate, Architect Building Plan institution undertaking	Available		Museum of 60 SQM is available	Available	

ANNEXURE - 1 : Compliance Report with respect to Reverification of Pharmacy Degree Institutes with final remarks of Joint Director

SN	Institute Code	PCI Code	Institute Name	Course Name, Intake and Starting Year	Affiliating Body	Deficiency reported in show cause notice by Joint Director	Remarks as mention in DTE Letter No. 2/एनजीसी/फार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
							Compliance/Reply given to the Show Cause Notice submitted by Institute	Joint Director's remark regarding compliance submitted by the institute to the show cause notice (in brief)	Final Recommendation of Joint Director- whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Complainece Submitted by Institute	Joint Director remark regarding compliance submitted by the institute	Final Recommendation of Joint Director after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
1	2	3	4	5	6	12	13	14	15	16	17	18
						10. Computer Room- required 75 sqm, available 50 sqm.	50 SQM available. Construction of the extension is in progress. Will be completed in 1 month. Gram Panchayat construction commencement certificate, Architect Building Plan institution undertaking	NOT Available		Available	Available	
						11. Computers- not as per norms.	Computers are available. GEO- Tag Photo attached	Available		35 Computers Available	Available	
8	16117	PCI-9030	Balasaheb Desai College of Pharmacy, At - Pal, Tal Bhudargad, District Kolhapur	B. Pharmacy 60 2024-2025	Dr. Babasaheb Ambedkar Technological University, Lonere	1) Deficiency of two classrooms & three Laboratories 2) Deficiency of two teaching faculties	Institute has submitted that the deficiency of Classrooms and Laboratories will be complied by 30.09.2025	Institute has not Complied the deficiency of No. of Classrooms and Laboratories	Recommended to Cancel the Govt. Approval and Affiliation.	Institute has completed the deficiency	Institute has completed the deficiency of classrooms, Labrotaries, Teaching Faculties	NO

Annexure-2

ANNEXURE - 2 : Compliance Report with respect to Reverification of Pharmacy Diploma Institutes with final remarks of Director , MSBTE

Sr.No	Institute Name	PCI Code	DTE Code	MSBTE Code	Course Name	Intake	Starting Year	Affiliating Body	Deficiency reported in show cause notice by Director MSBTE	Remarks as mention in DTE Letter No. 2/एनजीसी/कार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
										Compliance /Reply given to the showcause notice submitted by the Institute	Director MSBTE remark regarding compliance submitted by the Institute to the show cause notice (In brief)	Recommendation of Director MSBTE whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Director MSBTE remark regarding compliance submitted by the institute	Final Recommendation of Director MSBTE after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
1	KARMAYOGI TATYASAHEB BONDRE INSTITUTE OF PHARMACY, CHIKHLI	PCI-4060	1295	42234	Pharmacy	60	2023-24	MSBTE, Mumbai	Fire and safety certificate from Competent Authority is not available	Fire Safety Certificate from Private Agency is submitted .	Compliance is not Proper	Yes	Fire & Safety Certificate is available.	Compliance is Proper	No
2	MAHATMA PHULE PHARMACY COLLEGE , AKOLA	PCI-6505	1304	42231	Pharmacy	60	2023-24	MSBTE, Mumbai	1. Faculty Member Not as per PCI Norm 2. Occupancy Certificate from Competent Authority is not Available. 3. Fire &Safety Certificate from Competent Authority is not available.	The Institute has not submitted the compliance till 05.09.2025	The Institute has not submitted the compliance till 05.09.2025	Yes	1. Faculty as per Norms 2. Occupancy Certificate is issued by Grampanchayat Office, Babhulgaon 3. Fire & Safety Certificate is issued by Muncpal Corporation, Akola	Compliance is Proper	No
3	LATE RAMRAOJI ZANAK COLLEGE OF PHARMACY AND RESEARCH CENTER KENWAD, WASHIM	PCI-6941	1309	42241	Pharmacy	60	2023-24	MSBTE, Mumbai	Deficiency in infrastructure Machine room, Aseptic rooms, Faculty room, Museum, Girls and Boy's common room, Store room and library.	1. Machine Room - Geo tagged photos attached 2. Aseptic Room - Geo tagged photos attached 3. Faculty Room - No proper document or photograph 4. Museum - No proper document or photograph 5. Girs & Boy's Common Room - No proper document or photograph 6. Store Room - No proper document or photograph 7. Library - A bill of books purchased from only one publication in year 2022 is attached	Compliances is not Proper	Yes	1. Machine Room - Geo tagged photos attached 2. Aseptic Room - Geo tagged photos attached 3. Faculty Room - proper document with Geo - Tagged photographs attached 4. Museum - proper document with Geo - Tagged photographs attached 5. Girs & Boy's Common Room - document with Geo - Tagged photographs attached 6. Store Room -document with Geo - Tagged photographs attached 7. Library - A bill of books with Geo - Tagged photographs attached	Compliance is Proper	No
4	S P COLLEGE OF PHARMACY PATODA, PATODA	PCI-6945	2644	52347	Pharmacy	60	2023-24	MSBTE	Fire & Safety Certificate certificate from Competent Authority is not available, laboratory equipments, Teaching & non-teaching faculty is not as per norms	1. NOC not in proper format 2. Tax Invoice(Year-2022,2024,2025) Rs. 1525197/- Rs. 55330/- Rs-776280/-for purchase of equipments and copy of DSR. 3. Teaching Staff list 1+8 along with appointment order and joining report.(Year-2023,2024 submitted)	Compliance is not proper	Yes	1. Fire & Safety Certificate certificate from Competent Authority. 2. Tax Invoice(Year-2022,2024,2025) Rs. 1525197/- Rs. 55330/- Rs-776280/-for purchase of equipments and copy of DSR. 3. Teaching Staff list 1+8 along with appointment order and joining report .(Year-2023,2024 submitted)	Compliance is Proper	No
5	BORDIKAR COLLEGE OF PHARMACY,SELU	PCI-8829	2648	52352	Pharmacy	60	2023-24	MSBTE	1. Construction of the building is incompelet 2. Library books are deficient	1. Completion certificate by Architect 2. Occupancy Certificate mentions that building construction is fully developed ready in all respect. 3. Invoices dated 25.08.2025 of Rs. 104100/- and Rs. 110875/- for books is attached. Library accession register. .	Compliance is not Proper (Building Completion Certificate not from competent authority )	Yes	1. Completion Certificate issued by Nagar Parishad, Shelu 2. Occupancy Certificate mentions that building construction is fully developed ready in all respect. 3. Invoices dated 25.08.2025 of Rs. 104100/- and Rs. 110875/- for books is attached. Library accession register. .	Compliance is Proper	No
6	VISION INSTITUTE OF PHARMACY SONPETH, PARABHANI	PCI-8528	2650	52355	Pharmacy	60	2023-24	MSBTE	1. Built up area & size of land are not as per PCI Norms. 2. Fire Safety certificate from Competent Authority is not available.	1. Kharedi khat and 7/12 attached also as per building plan total built up area is 4922.10sq.m. 2. NOC by Chief Officer, Nagarparishad, Sonpeth	Compliance is not Proper	Yes	1. Land document submitted as pe PCI Norms. 2. NOC by Chief Officer, Nagarparishad, Sonpeth	Compliance is Proper	No
7	SHRI CHHATRAPATI SHIVAJI COLLEGE OF PHARMACY, KANNAD	PCI-9255	2655	52359	PH	60	2023-24	MSBTE	1. Infrastrcture is not available as per PCI Norms. 2. Library book is not available as per PCI Norms.	1. Geo Tagged Photos of Classrooms, Library, Laboratory, Challan of EPFO, Bank account statement 2023-24 2. List of books, invoices (Year-2023,2024 and 2025) for purchase of the books, copy of accession Register	Compliance is not Proper	Yes	1. Geo Tagged Photos of Classrooms, Library, Laboratory 2. List of books, invoices, Library accession register 3. DSR submitted	Compliance is Proper	No

**ANNEXURE - 2 : Compliance Report with respect to Reverification of Pharmacy Diploma Institutes with final remarks of Director , MSBTE**

Sr.No	Institute Name	PCI Code	DTE Code	MSBTE Code	Course Name	Intake	Starting Year	Affiliating Body	Deficiency reported in show cause notice by Director MSBTE	Remarks as mention in DTE Letter No. 2/एनजीसी/फार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
										Compliance /Reply given to the showcause notice submitted by the Institute	Director MSBTE remark regarding compliance submitted by the Institute to the show cause notice (In brief)	Recommendation of Director MSBTE whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Director MSBTE remark regarding compliance submitted by the institute	Final Recommendation of Director MSBTE after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
8	DEVI MAHALXMI COLLEGE OF PHARMACY, THANE	PCI-9351	3711	12312	Pharmacy	60	2024-25	MSBTE	1. Fire Safety Certificate from Competent Authority not available 2. Equipments & instruments notas PCI Norms.	Compliances not Submitted	Compliances not Submitted	Yes	1. Fire & Safety Certificate is submitted. 2. Laboratory equipment purchase order No. 16 ( Invoice No.-315, Dtd. 09/05/2024). Total Amount Rs. 13,68,225/- & Copy of Bill is attached.	Compliances is proper	No
9	DNYAN GANGA COLLEGE OF PHARMACY, THANE	PCI-9610	3715	12316	Pharmacy	60	2024-25	MSBTE	1. Fire Safety Certificate from Competent Authority not available 2. Laboratories, infrastructure, equipments & instruments not as per PCI norms.	1. Fire Safety certificate from private agency is submitted 2. List of Lab equipment submitted by the Principal of the Institute is submitted.	Compliance is not Proper	Yes	1. Fire Safety Certificate issued by Thane Municipal Corporation is submitted. 2. List of Lab equipment signed by the Principal of the Institute is submitted.	Compliance is Proper	No
10	SWA. HARSHWARDHAN HUMANE COLLEGE OF PHARMACY, KONDA KOSARA	PCI-7584	4671	32571	Pharmacy	60	2023-24	MSBTE, Mumbai	Fire & Safety certificate from Competent Authority is not Available.	Fire Certificate issued by Chief Officer, Muncipal Council, Bhandara.	Compliance is not proper	Yes	Fire & Safety Certificate is issued by Competent Authority.	Compliance is Proper	No
11	MATA MAHAKALI COLLEGE OF PHARMACY, WARORA	PCI-5377	4681	32582	Pharmacy	60	2023-24	MSBTE, Mumbai	Fire & Safety Certificate is not from Competent Authority.	The Institute has not submitted the compliance till 05.09.2025	The Institute has not submitted the compliance till 05.09.2025	Yes	Fire & safety certificate issued by Nagar Parishad, Varora	Compliance is Proper	No
12	NARENDRA SURYAWANSHI COLLEGE OF PHARMACY, WARDHA	PCI-8628	4683	32578	Pharmacy	60	2023-24	MSBTE, Mumbai	1. Institute does not satisfy PCI Norms in terms of availability of Books and Laboratory set up and Equipment. 2. Fire & Safety certificate from Competent Authority is not Available.	1. Tax Invoices (Year 2025) of Rs. 87000/- Rs. 80900/- , Rs. 39600/- Submitted. 2. Tax Invoices for Laboratory Equipments of Rs. 31792/- , Rs. 555545/- ( year 2023) is attached. 2. Fire Safety Certificate from Competent Authority is not submitted.	Compliance is not Proper	Yes	1. Tax Invoices (Year 2025) of Rs. 87000/- Rs. 80900/- , Rs. 39600/- Submitted. 2. Tax Invoices for Laboratory Equipments of Rs. 31792/- , Rs. 555545/- ( year 2023) is attached. 2. Geotagged photographs of Library. 3. Fire & Safety Certificate is available.	Compliance is Proper	No
13	SAI COLLEGE OF PHARMACY, TUMSAR	PCI-8730	4689	32579	Pharmacy	60	2023-24	MSBTE, Mumbai	Fire & Safety certificate from Competent Authority is not Available.	Fire safety certificate ( only with insruction regarding fire equipment ) issued by CO, Muncipal Council, Tumsar	Compliance is not Proper	Yes	Fire & safety certificate issued by Chief Officer Muncipal Council, Tumsar	Compliance is Proper	No
14	ASHIRWAD COLLEGE OF PAHRMACY, BHANDARA	PCI-9743	4752	32594	Pharmacy	60	2024-25	MSBTE, Mumbai	Fire & Safety certificate from Competent Authority is not available	Fire and safety certificate issued by Chief Officer, Nagar Parishad, Sakoli - Saindurwafa along with fire-safery audit report by private safety services company is subbmitted.	Compliance is not proper	Yes	Fire & Safety Certificate is issued by Competent Authority.	Compliance is Proper	No
15	GLOBAL COLLEGE OF PHARMACY, Nashik	PCI-7958	5498	62351	Pharmacy	60	2023-24	MSBTE	1. Fire Safety certificate & Occupancy Certificate from Competent Authority is not available. 2. Infrastrcture is not available as per PCI Norms.	1. Fire safety certificate not by Competent Authority, it is issued by private firm. 2. OC issued by Gram Panchayat Dhakambe, Tal. Dindori. 3. Building Plan approved by Gram Panchayat Dhakambe, Tal. Dindori.	Compliance is not Proper	Yes	1. Fire & Safety Certificate is available by Nashik Municipal Corporation 2. OC issued by Gram Panchayat Dhakambe, Tal. Dindori. 3. Building Plan approved by Gram Panchayat Dhakambe, Tal. Dindori.	Compliance is Proper	No
16	D. B. PATIL COLLEGE OF PHARMACY, PAROLA	PCI-5464	5500	62358	Pharmacy	60	2023-24	MSBTE	Institute was unable to provide any document to the committee.	1. Fire Safety certificate from competent authority is available 2. Land Use certificate by Certificate by Upper District Collector for Residential Use.	Compliance is not Proper	Yes	1. Fire Safety certificate from competent authority is available 2. Land Use certificate by Certificate by Upper District Collector for Residential Use. 3. Building Map sactioned by Asstt. Director, Town Planning, Jalgaon. 4. Area Statement by Architect submitted.	Compliance is proper	No

**ANNEXURE - 2 : Compliance Report with respect to Reverification of Pharmacy Diploma Institutes with final remarks of Director , MSBTE**

Sr.No	Institute Name	PCI Code	DTE Code	MSBTE Code	Course Name	Intake	Starting Year	Affiliating Body	Deficiency reported in show cause notice by Director MSBTE	Remarks as mention in DTE Letter No. 2/एनजीसी/फार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
										Compliance /Reply given to the showcause notice submitted by the Institute	Director MSBTE remark regarding compliance submitted by the Institute to the show cause notice (In brief)	Recommendation of Director MSBTE whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Director MSBTE remark regarding compliance submitted by the institute	Final Recommendation of Director MSBTE after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
17	VISHWABHARATI ACADEMY'S COLLEGE OF PHARMACY, Ahilyanagar	PCI-5699	5506	62352	Pharmacy	60	2023-24	MSBTE	1. Library books are insufficient as per PCI Norms. 2. Faculty qualification is not as per PCI norms	1. Invoices of Book Purchase submitted. 2. List of faculty with qualification and supporting documents submitted.	Compliance is not Proper	Yes	1. Latest Invoice Bill is submitted 2. 2. List of faculty with qualification and supporting documents submitted.	Compliance is proper	No
18	NETAJI COLLEGE OF PHARMACY, DHULE	PCI-5411	5512	62360	Pharmacy	60	2023-24	MSBTE	1. Fire & Safety certificate from Competent Authority is not available 2. Laboratory setup is not as per PCI norms . 3. Insufficient books in library	1. The application of the institute dated 28.08.2025 for fire safety certificate is attached. 2. List of Laboratory equipment, copies of invoices in the year of 2022 and Photos are attached 3. Invoices for the books (Year 2022 of Rs.32699/- RS. 53654/- Rs.154369/- Rs.212501/- Rs. 229121/-etc. and Librarory accession register along with photos	Compliance is not Proper	Yes	1. Fire Safety certificate issued by Muncipal Council, Malegaon 2. List of Laboratory equipment, copies of invoices in the year of 2022 and Photos are attached 3. Invoices for the books (Year 2022 of Rs.32699/- RS. 53654/- Rs.154369/- Rs.212501/- Rs. 229121/-etc. and Librarory accession register along with photos	Compliance is Proper	No
19	SHRI LAXMANRAO TRYAMBAKRAO NAKADE PHARMACY COLLEGE, SHEGAON	PCI-9011	5540	62387	Pharmacy	60	2023-24	MSBTE	Laboratory equipments is not as per PCI Norms.	Tax Invoices and delivery chalan of lab equipments provided	Compliance is not proper	Yes	Equipment List, Geotagged photograph of equipment is avaiable & equipment purchase order Invoice No. SSS/016/2025-26, Dtd. 25/08/25, Amount of Rs. 10,000,00/-	Compliance is Proper	No
20	SHRI NAGESHWAR COLLEGE OF PHARMACY, PARNER	PCI-8839	5655	62394	Pharmacy	60	2024-25	MSBTE	1. Infrastructure is not as per norms. 2. Fire & Safety certificate from competetnt authority is not available. 3. Laboratory equipments is not as per norms	1.Building plan approved by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar 2. OC issued by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar. 3. Geotagged photos of in & out of building are submitted. 4. Provisional NOC issued by Mahanagarpalika, Ahilyanagar. 5. Lab Equipments purchase invoices and photos submitted.	Compliance is Not Proper	Yes	1.Building plan approved by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar 2. OC issued by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar. 3. Geotagged photos of in & out of building are submitted. 4. Provisional NOC issued by Mahanagarpalika, Ahilyanagar. 5. Lab Equipments purchase invoices and photos submitted. 6. Area Statement issued by Architect. 7. Geotagged Photos of Laboratory, Library and Classrooms. 8. Equipment Invoice (Year- 2025) submitted	Compliance is proper	No
21	BALASAHEB DESAI COLLEGE OF PHARMACY, GARGOTI, KOLHAPUR	PCI-9030	16117	22475	Pharmacy	60	2024-25	MSBTE	1. Fire & Safety Certificate from Competent Authority not available. 2. Building plan are not from Competent Authority. 3. At first floor 3 classrooms and 4 Laboratories and faculty rooms are under construction which are essential to run D. Pharm.	1. Fire & Safety Certificate issued by Kolhapur Muncipal Corporation issued to the trust. 2. Building Plan issued by Assistant Director Town Planning Department, Kolhapur 3. The Affidavit to complete construction of 3 classrooms and 4 Laboratories by 30th September 2025 is submitted.	Compliance is not Proper	Yes	1. Fire & Safety Certificate issued by Kolhapur Muncipal Corporation issued to the trust. 2. Building Plan issued by Assistant Director Town Planning Department, Kolhapur 3. Certificate about constrution Completion of the Buliding is submitted.	Compliance is Proper	No
22	MAULI SHIKSHAN PRASARAK MANDAL\S SAHYADRI INSTITUTE OF PHARMACY, KOLHAPUR	PCI-9700	16346	22485	Pharmacy	60	2024-25	MSBTE	1. Fire & Safety Certificate from Competent Authority not available.	Fire & Safety Certificate issued by Grampanchayat	Compliance is Not Proper	Yes	Fire Safety Certificate is issued by competent authority.	Compliance is Proper	No



ANNEXURE - 2 : Compliance Report with respect to Reverification of Pharmacy Diploma Institutes with final remarks of Director , MSBTE

Sr.No	Institute Name	PCI Code	DTE Code	MSBTE Code	Course Name	Intake	Starting Year	Affiliating Body	Deficiency reported in show cause notice by Director MSBTE	Remarks as mention in DTE Letter No. 2/एनजीसी/कार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
										Compliance /Reply given to the showcause notice submitted by the Institute	Director MSBTE remark regarding compliance submitted by the Institute to the show cause notice (In brief)	Recommendation of Director MSBTE whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Director MSBTE remark regarding compliance submitted by the institute	Final Recommendation of Director MSBTE after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
23	GURUKUL EDUCATION SOCIETY\S BHAUSAHEB GUDGE COLLEGE OF PHARMACY MAYANI, MAYANI, SATARA	PCI-8992	6984	2173	Pharmacy	60	2022-23	MSBTE	1. Land is not in the name of the Trust. 2. Non-Agriculture Order/Document not Available 3. Occupancy Certificate from Competent Authority not available 4. Fire & Safety Certificate from Competent Authority not available. 5. Class room & Laboratory sizes are not as per PCI Norms.	1. Rent agreement for Land, no Registered lease Submitted. 2. Land Use Certifaicte issued by Grampanchayat. 3. Occupancy Certificate issued by Grampanchayat. 4. Fire & Safety Certificate issued by Grampanchayat. 5. Geotagged Photos of Bulding, Labs, Machine Room, Libyary, Principal Cabin , Classrooms are attached.	Compliance is Not Proper	Yes	1. Rent agreement for Land, & Registered lease Submitted. 2. Land Use Certifaicte issued by Grampanchayat 3. Occupancy Certificate issued by Grampanchayat. 4. Fire & Safety Certificate available. 5. Geotagged Photos of Bulding, Labs, Machine Room, Libyary, Principal Cabin , Classrooms are re-submitted.	Compliance is Proper	No
24	MADHAVRAO PATIL COLLEGE OF PHARMACY MURUM, OMERGA	PCI-7094	2627	2172	Pharmacy	60	2022-23	MSBTE	1. Fire & Safety certificate from Competent Authority is not available. 2. Infrastructure is not available as per PCI Norms (As D. Pharm & B. Pharm Institute)	1. Fire & Safety certificate is issued by Grampanchayat. 2. Fire & Safety certificate from Chief Officer, Muncipal Council, Murum 3. Area statement by Architect and Geo-Tagged photos of various facilities, Labs facilities , Store rooms, Herbal garden, Auditorium , Machin room , Musiam , Computer room, Faculty room etc.are attached	Compliance is not proper	Yes	1. Fire & Safety certificate from Chief Officer, Muncipal Council, Murum 2. Area statement by Architect & Geo-Tagged photos of Labs facilities , Store rooms, Herbal garden, , Faculty room etc.are attached. 3. 7/12 is submitted.	Compliance is Proper	No
25	ADARSH INSTITUTE OF PHARMACY, NAGPUR	PCI-7988	4665	32583	Pharmacy	60	2023-24	MSBTE	1. Land of 1.46 Acres is available but not as Per PCI Norms. 2. Fire & Safety certificate from Competent Authority not available.	1. Land Classification certificate by Asstt. Superintendent, Muncipal Corporation , Nagpur mentioning that the land is in the Urban Area. 2. Fire & Safety Certificate is from Asstt. Commissioner , Muncipal Corporation, Nagpur, not in proper format.	Compliance is not proper	Yes	1. Land Classification certificate by Asstt. Superintendent, Muncipal Corporation , Nagpur mentioning that the land is in the Urban Area. 2. Fire & Safety Certificate is from Chief Fire Officer, Nagpur,	Compliance is proper	No
26	RAJSHRI SHAHU MAHARAJ COLLEGE OF PHARMACY, GONDIA	PCI-8639	4684	32580	Pharmacy	60	2023-24	MSBTE, Mumbai	1.Occupancy Certificate not available. 2.Gas supply is unavailable in labs. 3.Reference Books not as per PCI Norms 4.Labs and Machine Room are not as per PCI norms	1. Occupancy Certificate ( Bhogvata) by Grampanchayat, Kohmara. 2. Gas Connection Geotagged Photos attached. 3. List of Books certified by Principal of the Institute attechd, No acession Register, No geotagged photos. 4. Geotagged photos of 5 number of Labs and Machine room, however, the institute had not specified regarding fulfillment of PCI norms	Compliance is not Proper	Yes	1. Occupancy Certificate ( Bhogvata) by Grampanchayat, Kohmara. 2. Gas Connection Geotagged Photos attached. 3. Invoices of book purchase dated 01/09/2025 (Rs. 32604) is submitted. 4. Undertaking by the Principal mentioning that the facilities are as per PCI Norms.	Compliance is proper	No
27	ROYAL COLLEGE OF PHARMACEUTICAL EDUCATION & RESEARCH, MALEGOAN	PCI 1722	5208	2157	Pharmacy	60	2022-23	MSBTE	1. Fire & Safety certificate from Competent Authority is not available. 2. Occupancy Certificate from Competent Authority is not available.	1. NOC is issued by Gram Panchayat Office, Khurd. 2. OC is issed by Gram Panchayat Office, Khurd.	Compliance is not proper	Yes	1. Fire & Safety certificate from Competent Authority is Submitted ( Chief. Fire officer Nashik Municipal corporation. 2. OC is issued by Gram Panchayat Office, Khurd.	Compliance is proper	No
28	D. P. KHARDE NAVJEEVAN COLLEGE OF PHARMACY, SINNAR	PCI 9178	5539	62386	Pharmacy	60	2023-24	MSBTE	1. Fire Safety certificate from Competent Authority is not available. 2. Land as per PCI Norms is not available. 3. Area of Laboratory is not as per norms.	1. Fire safety certificate not by Competent Authority, it is issued by private firm. 2. Building Plan is approved by Gram Panchayat Nandurshingote 3. Architect Certificate with copies of site plan and building plan submitted.	Compliance is not proper	Yes	1. Fire safety certificate given by Competent Authority, (Chief officer sinner municipal council 2. Building Plan is approved by Gram Panchayat Nandurshingote, 3. Architect Certificate with copies of site plan and building plan submitted.	Compliance is proper	No
29	DR. L. H. HIRANANDANI COLLEGE OF PHARMACY, ULHASNAGAR	PCI-570	3229	12304	Pharmacy	60	2023-24	MSBTE	1. Occupancy Certificate from Competent Authority not available 2. Fire & Safety Certificate not available	Occupancy certificate not Submitted.	Compliance is not Proper	Yes	Occupancy Certificate submitted dated (25.09.2025)	Compliance is Proper	No

**ANNEXURE - 2 : Compliance Report with respect to Reverification of Pharmacy Diploma Institutes with final remarks of Director , MSBTE**

Sr.No	Institute Name	PCI Code	DTE Code	MSBTE Code	Course Name	Intake	Starting Year	Affiliating Body	Deficiency reported in show cause notice by Director MSBTE	Remarks as mention in DTE Letter No. 2/एनजीसी/कार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
										Compliance /Reply given to the showcause notice submitted by the Institute	Director MSBTE remark regarding compliance submitted by the Institute to the show cause notice (In brief)	Recommendation of Director MSBTE whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Compliance Submitted by Institute	Director MSBTE remark regarding compliance submitted by the institute	Final Recommendation of Director MSBTE after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
30	SARASWATI SHIKSHAN PRASARAK MANDAL MALWADI, KOTOLI-KOLHAPUR	PCI-8202	6986	2167	Pharmacy	60	2022-23	MSBTE	1. Occupancy Certificate from Competent Authority not available 2. Fire & Safety Certificate from Competent Authority not available 3. The documents and produced the factual observation do not match. 4. Many demanded documents were not produced. Partially Non-Agriculture. 5. 7/12 Extract shows that land is mortgaged also area of land is less than required. 6. Building is in incomplete status, laboratories are not in finished and working condition. 7. Infrastructure, equipment, books not as per PCI norms. 8. Salary details and acquaintance register not produced. 9. Principal is not available. Faculty found to be temporary after interaction with faculty.	1. Order by Office of Tahsildar, Panhala for the use of land for commercial purpose 2. Fire Safety certificate from private agency. 3. The letter by Shri. Warna sahkari bank Ltd. does not clerily mention about clearance of loan 6. Geotagged photos of building and labs invoices(year-2024) Rs.57550/- RS.1536000/- (Year-2022), Book entry register of library. 7. Tax invoices and quotation for instruments. quotation submitted for instruments is for medical colege and hospital. 8. Tax invoice for equipments is in the name of N. D. Chaugule college, Porle, Kolhapur. Some tax invoices for books are in the name of N. D. Chaugule college, Porle, Kolhapur. 9. Appointment order of 5 lecturer and 1 gardner faculty is attached however no documents for educational qualification joining report, experience etc. 10. No appoinment letter of Principal is attached.	Compliance is no proper	Yes	1. Fire safety Certifiacte is sissued by Municipal Corporation, Kolhapur 2. Appointment order of 5 lecturer and 1 gardner is available.	Compliance is proper	No
31	SHRI RAM CHARITABLE TRUST'S SHRI RAM COLLEGE OF PHARMACY- KOLHAPUR	PCI-8798	16102	22461	Pharmacy	60	2023-24	MSBTE	1. Fire & Safety Certificate from Competent Authority not available. 2. Non-Agriculture Order/Document Not Available 3. Independent Building - Building plan is not approved by competent Authority. 4. 7/12 extract is not in the name of the Trust/College.	1. Fire Safety from private agency 2. Order of Tahsildar, Karvir regarding on authorized non agricultural use of land. The order explicitly mentions that the land is not regularized to use for non agricultural purpose.. 3. The building plan submitted is not legible. 4. 7/12 documents is not submittd instead format 8.	Compliance is not proper.	Yes	1. Fire safety Certifiacte is sissued by Municipal Corporation, Kolhapur 2. Non-Agriculture Order/Document Not Available	Compliance is proper	No
32	SHAHID SITARAM COLLEGE OF PHARMACY, TITAVE- KOLHAPUR	PCI-8522	16114	22469	Pharmacy	60	2023-24	MSBTE	1. Non-Agriculture Order is not available 2. Classrooms are not available as per PCI Norms. 3. Fire & Safety Certificate from Competent Authority not available.	1. The Institute has sbmitted the Order w.r.t. Punative Action taken by Tashildar Office Radhanager for unauthorized use of land for Commercial (Educational) Purpose. The document can not be considered as NA Order. 2. Bulding -Plan approved by Grampanchayat. 3.NOC issued by Kolhapur Municipal Corporation.	Compliance is not proper.	Yes	The Institute has sbmitted the Order w.r.t. Punative Action taken by Tashildar Office Radhanager for unauthorized use of land for Commercial (Educational) Purpose. 2. Bulding -Plan approved by Grampanchayat. 3. Fire safety Certifiacte is sissued by Municipal Corporation, Kolhapur	Compliance is proper	No
33	SHRIMATI SONABAI KELE COLLEGE OF PHARMACY, DHARASHIV	8876	2768	52367	PH	60	2024-25	MSBTE	1. Infrastructure is not available as per norms. 2. Laboratory equipments & chemicals is not available as per PCI Norms. 3. Library Books insufficient as per norms.	1. Geotagged Photographs of building, 2 classrooms, 5 labs Machine room, store room, Preparation room , seminar hall, Herbal Garden, Computer lab, office, staff room is submitted. 2. Tax Invoices (Year-2023) RS.501300/- for equipments, Invoice Rs.-113998/- for Chemicals submitted. Also 4 Geotagged photos of equipment submitted 3. Quotation/ Performa Invoice (Year-2023) for books and accession register submitted.	Compliance is not proper	Yes	1. Geotagged Photographs of building, 2 classrooms, 5 labs Machine room, store room, Preparation room , seminar hall, Herbal Garden, Computer lab, office, staff room is submitted. 2. Tax Invoices (Year-2023) RS.501300/- for equipments, Invoice Rs.-113998/- for Chemicals submitted. Also 4 Geotagged photos of equipment submitted 3. Quotation/ Performa Invoice (Year-2023) for books and accession register submitted.	Compliance is proper	No

ANNEXURE - 2 : Compliance Report with respect to Reverification of Pharmacy Diploma Institutes with final remarks of Director , MSBTE

Sr.No	Institute Name	PCI Code	DTE Code	MSBTE Code	Course Name	Intake	Starting Year	Affiliating Body	Deficiency reported in show cause notice by Director MSBTE	Remarks as mention in DTE Letter No. 2/एनजीसी/फार्मसी संस्था (ब) व (ड) /2025/820 ,दि.12.9.2025			Remarks after reverification		
										Compliance /Reply given to the showcause notice submitted by the Institute	Director MSBTE remark regarding compliance submitted by the Institute to the show cause notice (In brief)	Recommendation of Director MSBTE whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )	Complaine Submitted by Institute	Director MSBTE remark regarding compliance submitted by the institute	Final Recommendation of Director MSBTE after reverification whether Government Approval (GR) and affiliation of Institute to be cancelled (Yes /No )
34	SHRI NAGESHWAR COLLAGE OF PHARMACY, PARNER	8839	5655	62394	PH	60	2024-25	MSBTE	1. Infrastructure is not as per norms. 2. Fire & Safety certificate from competetnt authority is not available. 3.Laboratory equipments is not as per norms	1.Building plan approved by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar 2. OC issued by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar. 3. Geotagged photos of in & out of building are submitted. 4. Provisional NOC issued by Mahanagarpalika, Ahilyanagar. 5. Lab Equipments purchase invoices and photos submitted.	Compliance is not Proper	Yes	1.Building plan approved by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar 2. OC issued by Gram Panchayat, Bhandgaon, Tal. Parner, Ahmednagar. 3. Geotagged photos of in & out of building are submitted. 4. Fire Safety Certificate is issued by Municipal Corporation, Ahilyanagar 5. Lab Equipments purchase invoices and photos submitted.	Compliance is proper	No